

FORM  
5A

Rev  
06/12

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400338827

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185  
2. Name of Operator: ENCANA OIL & GAS (USA) INC  
3. Address: 370 17TH ST STE 1700  
City: DENVER State: CO Zip: 80202-  
4. Contact Name: Marina Ayala  
Phone: (720) 876-5905  
Fax: (720) 876-6905

5. API Number 05-045-20261-00  
6. County: GARFIELD  
7. Well Name: Benjamin Federal  
Well Number: 33-3B (K28NW)  
8. Location: QtrQtr: NESW Section: 28 Township: 6S Range: 93W Meridian: 6  
9. Field Name: MAMM CREEK Field Code: 52500

Completed Interval

FORMATION: COZZETTE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/08/2011 End Date: 08/12/2011 Date of First Production this formation: 08/17/2011

Perforations Top: 9302 Bottom: 9507 No. Holes: 27 Hole size: 0.34

Provide a brief summary of the formation treatment: Open Hole: ☐

Stage 2 treated with a total of: 14,881 bbls of Slickwater.

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 14881

Max pressure during treatment (psi):

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment:

Min frac gradient (psi/ft):

Total acid used in treatment (bbl): 0

Number of staged intervals: 9

Recycled water used in treatment (bbl): 14881

Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): 0

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 0

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 09/20/2011 Hours: 24 Bbl oil: 0 Mcf Gas: 896 Bbl H2O: 88  
Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 896 Bbl H2O: 88 GOR: 0  
Test Method: Flowing Casing PSI: 1225 Tubing PSI: 660 Choke Size: 20/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1170 API Gravity Oil: 0  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 9264 Tbg setting date: 09/19/2011 Packer Depth: 0

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: <u>CORCORAN</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>08/08/2011</u>		End Date: <u>08/12/2011</u>		Date of First Production this formation: <u>08/17/2011</u>	
Perforations	Top: <u>9542</u>	Bottom: <u>9835</u>	No. Holes: <u>27</u>	Hole size: <u>0.34</u>	
Provide a brief summary of the formation treatment:			Open Hole: <input type="checkbox"/>		
Stage 1 treated with a total of: 18,592 bbls of Slickwater.					
This formation is commingled with another formation:			<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Total fluid used in treatment (bbl): <u>18592</u>			Max pressure during treatment (psi): _____		
Total gas used in treatment (mcf): <u>0</u>			Fluid density at initial fracture (lbs/gal): _____		
Type of gas used in treatment: _____			Min frac gradient (psi/ft): _____		
Total acid used in treatment (bbl): <u>0</u>			Number of staged intervals: <u>9</u>		
Recycled water used in treatment (bbl): <u>18592</u>			Flowback volume recovered (bbl): _____		
Fresh water used in treatment (bbl): <u>0</u>			Disposition method for flowback: <u>RECYCLE</u>		
Total proppant used (lbs): <u>0</u>			Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>		
Reason why green completion not utilized: _____					
<b>Fracture stimulations must be reported on FracFocus.org</b>					
<b><u>Test Information:</u></b>					
Date: <u>09/20/2011</u>	Hours: <u>24</u>	Bbl oil: <u>0</u>	Mcf Gas: <u>896</u>	Bbl H2O: <u>88</u>	
Calculated 24 hour rate:	Bbl oil: <u>0</u>	Mcf Gas: <u>896</u>	Bbl H2O: <u>88</u>	GOR: <u>0</u>	
Test Method: <u>Flowing</u>	Casing PSI: <u>1225</u>	Tubing PSI: <u>660</u>	Choke Size: <u>20/64</u>		
Gas Disposition: <u>SOLD</u>	Gas Type: <u>DRY</u>	Btu Gas: <u>1170</u>	API Gravity Oil: <u>0</u>		
Tubing Size: <u>2 + 3/8</u>	Tubing Setting Depth: <u>9264</u>	Tbg setting date: <u>09/19/2011</u>	Packer Depth: <u>0</u>		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____		** Sacks cement on top: _____		** Wireline and Cement Job Summary must be attached.	

FORMATION: WILLIAMS FORK Status: PRODUCING Treatment Type: FRACTURE STIMULATION  
Treatment Date: 08/08/2011 End Date: 08/12/2011 Date of First Production this formation: 08/17/2011  
Perforations Top: 6730 Bottom: 8705 No. Holes: 189 Hole size: 0.34

Provide a brief summary of the formation treatment:

Open Hole: ☐

Stages 3-9 treated with a total of: 79,757 bbls of Slickwater.

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 79757

Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_

Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): 0

Number of staged intervals: 9

Recycled water used in treatment (bbl): 79757

Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): 0

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 0

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 09/20/2011 Hours: 24 Bbl oil: 0 Mcf Gas: 896 Bbl H2O: 88  
Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 896 Bbl H2O: 88 GOR: 0  
Test Method: Flowing Casing PSI: 1225 Tubing PSI: 660 Choke Size: 20/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1170 API Gravity Oil: 0  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 9264 Tbg setting date: 09/19/2011 Packer Depth: 0

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment:

Revised 5A with corrected Producing Formations.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Marina Ayala

Title: Permitting Technician Date: \_\_\_\_\_ Email: marina.ayala@encana.com

#### Attachment Check List

Att Doc Num	Name
400338832	WELLBORE DIAGRAM

Total Attach: 1 Files

#### General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)