

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400318320

Date Received:

08/22/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120	4. Contact Name: JOEL MALEFYT
2. Name of Operator: KERR-MCGEE OIL & GAS ONSHORE LP	Phone: (720) 929-6828
3. Address: P O BOX 173779	Fax: (720) 929-7828
City: DENVER State: CO Zip: 80217-	

5. API Number 05-123-34474-00	6. County: WELD
7. Well Name: NORTHGLENN STATE	Well Number: 22-36
8. Location: QtrQtr: NWSE Section: 36 Township: 1N Range: 68W Meridian: 6	
9. Field Name: WATTENBERG	Field Code: 90750

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>07/13/2012</u>		End Date: <u>07/13/2012</u>		Date of First Production this formation: <u>07/23/2012</u>	
Perforations	Top: <u>8240</u>	Bottom: <u>8258</u>	No. Holes: <u>54</u>	Hole size: <u>0.38</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

PERF CODL 8240-8258 HOLES 54 SIZE .38
 Frac CODL down 4.5" casing w/ 215,752 gal slickwater w/ 150,460# 40/70, 4,000# 20/40.
 Broke @ 3,355 psi @ 3.1 bpm. ATP=4,435 psi; MTP=5,135 psi; ATR=61.0 bpm; ISDP=2,713 psi

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>5137</u>	Max pressure during treatment (psi): <u>5135</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.30</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>DISPOSAL</u>
Total proppant used (lbs): <u>154460</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>
Reason why green completion not utilized: _____	

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 07/13/2012 End Date: 07/13/2012 Date of First Production this formation: 07/23/2012

Perforations Top: 7802 Bottom: 8258 No. Holes: 120 Hole size: 0.47

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 07/26/2012 Hours: 24 Bbl oil: 50 Mcf Gas: 100 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 50 Mcf Gas: 100 Bbl H2O: 0 GOR: 2000

Test Method: FLOWING Casing PSI: 866 Tubing PSI: _____ Choke Size: 12/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1278 API Gravity Oil: 46

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION
Treatment Date: 07/13/2012 End Date: 07/13/2012 Date of First Production this formation: 07/23/2012
Perforations Top: 7802 Bottom: 8098 No. Holes: 66 Hole size: 0.47
Provide a brief summary of the formation treatment: Open Hole: ☐

PERF NBRR 7802-8098 HOLES 66 SIZE .47
Frac NBRR down 4.5" casing w/ 250 gal 15% HCl & 251,456 gal slickwater w/ 200,720# 40/70, 4,000# 20/40.
Broke @ 2,579 psi @ 3.7 bpm. ATP=4,305 psi; MTP=4,629 psi; ATR=60.4 bpm; ISDP=2,564 psi

This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): 5987 Max pressure during treatment (psi): 4629
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft):
Total acid used in treatment (bbl): 5 Number of staged intervals: 1
Recycled water used in treatment (bbl): Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 204720 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: JOEL MALEFYT
Title: REGULATORY ANALYST Date: 8/22/2012 Email: JOEL.MALEFYT@ANADARKO.COM

Attachment Check List

Att Doc Num	Name
400318320	FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)