

Cement work date: _____

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

21. Formation log intervals and test zones:

FORMATION LOG INTERVALS AND TEST ZONES					
FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analyses must be submitted to COGCC)
	Top	Bottom	DST	Cored	
SUSSEX	4,350		<input type="checkbox"/>	<input type="checkbox"/>	
SHANNON	4,944		<input type="checkbox"/>	<input type="checkbox"/>	
NIOBRARA	6,820		<input type="checkbox"/>	<input type="checkbox"/>	
FORT HAYS	7,098		<input type="checkbox"/>	<input type="checkbox"/>	
CODELL	7,123		<input type="checkbox"/>	<input type="checkbox"/>	

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Eileen Roberts
 Title: Regulatory Specialist Date: 6/28/2012 Email: eroberts@nobleenergyinc.com

Attachment Check List

Att Doc Num	Document Name	attached ?	
Attachment Checklist			
400300795	CMT Summary *	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
2113831	Directional Survey **	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Logs	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Other	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Other Attachments			
400300471	FORM 5 SUBMITTED	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
400300539	TRIPLE COMBINATION	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
400300801	DIRECTIONAL DATA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

General Comments

User Group	Comment	Comment Date
Permit	Directional survey received and attached.	10/4/2012 8:03:20 AM
Permit	On hold. Directional survey is corrupted. Can't open.	10/2/2012 3:20:35 PM

Total: 2 comment(s)