

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400340920

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322
2. Name of Operator: NOBLE ENERGY INC
3. Address: 1625 BROADWAY STE 2200
City: DENVER State: CO Zip: 80202
4. Contact Name: JEAN MUSE-REYNOLDS
Phone: (303) 228-4316
Fax: (303) 228-4286

5. API Number 05-123-35054-00
6. County: WELD
7. Well Name: SHELTON PC
Well Number: G24-31D
8. Location: QtrQtr: SWNW Section: 24 Township: 4N Range: 65W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 07/05/2012 End Date: 07/05/2012 Date of First Production this formation: 07/29/2012

Perforations Top: 7109 Bottom: 7125 No. Holes: 64 Hole size: 0.4

Provide a brief summary of the formation treatment: Open Hole: ☐

PUMPED 251516# Ottawa sand in 125609gals of SilverStim, Gelled Water, Slick Water downhole.
CODELL AND J SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 2991 Max pressure during treatment (psi): 4700

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Min frac gradient (psi/ft): 0.71

Total acid used in treatment (bbl): Number of staged intervals: 6

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 251516 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL		Status: COMMINGLED		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: 07/29/2012	
Perforations	Top: 6917	Bottom: 7623	No. Holes: 240	Hole size: 0.4	
Provide a brief summary of the formation treatment:			Open Hole: <input type="checkbox"/>		
CODELL AND J SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS					
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____			Max pressure during treatment (psi): _____		
Total gas used in treatment (mcf): _____			Fluid density at initial fracture (lbs/gal): _____		
Type of gas used in treatment: _____			Min frac gradient (psi/ft): _____		
Total acid used in treatment (bbl): _____			Number of staged intervals: _____		
Recycled water used in treatment (bbl): _____			Flowback volume recovered (bbl): _____		
Fresh water used in treatment (bbl): _____			Disposition method for flowback: _____		
Total proppant used (lbs): _____			Rule 805 green completion techniques were utilized: <input type="checkbox"/>		
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: 08/03/2012	Hours: 24	Bbl oil: 27	Mcf Gas: 217	Bbl H2O: 9	
Calculated 24 hour rate:	Bbl oil: 27	Mcf Gas: 217	Bbl H2O: 9	GOR: 8037	
Test Method: FLOWING	Casing PSI: 1210	Tubing PSI: 0	Choke Size: 10/64		
Gas Disposition: SOLD	Gas Type: WET	Btu Gas: 1133	API Gravity Oil: 56		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.			

FORMATION: <u>J SAND</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>07/05/2012</u>		End Date: <u>07/05/2012</u>		Date of First Production this formation: <u>07/29/2012</u>	
Perforations	Top: <u>7585</u>	Bottom: <u>7623</u>	No. Holes: <u>128</u>	Hole size: <u>10/64</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

PUMPED 272793# Ottawa sand and 18611# SB Excel in 164107gals of SilverStim, Gelled Water, Slick Water, Fresh water downhole. CODELL AND J SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>3907</u>	Max pressure during treatment (psi): <u>2622</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.62</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>10</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>291404</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

**** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.**

FORMATION: NIOBRARA-CODELL		Status: COMMINGLED		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: 07/25/2012	
Perforations	Top: 6917	Bottom: 7125	No. Holes: 112	Hole size: 0.4	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

CODELL AND J SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____	Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____	Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____	Number of staged intervals: _____
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: _____
Total proppant used (lbs): _____	Rule 805 green completion techniques were utilized: <input type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION
Treatment Date: 07/05/2012 End Date: 07/29/2012 Date of First Production this formation: 07/28/2012
Perforations Top: 6917 Bottom: 7008 No. Holes: 48 Hole size: 0.73
Provide a brief summary of the formation treatment: Open Hole: ☐

PUMPED 172885# Ottawa sand in 165156gals of SilverStim, Gelled Water, Slick Water, 15% HCL downhole.
CODELL AND J SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS

This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): 3932 Max pressure during treatment (psi): 4481
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34
Type of gas used in treatment: Min frac gradient (psi/ft): 0.98
Total acid used in treatment (bbl): Number of staged intervals: 9
Recycled water used in treatment (bbl): Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE
Total proppant used (lbs): 172885 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

CODELL AND J SAND ARE PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUGS
LOG COPIES SENT UNDER SEPARATE COVER.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: JEAN MUSE-REYNOLDS
Title: REGULATORY COMPLIANCE Date: Email: jmuse@nobleenergyinc.com

Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)