ROCKY MOUNTAIN WIRELINE SERVICE (RMWS)

CEMENT BOND LOG GAMMA RAY / CCL TEMPERATURE

Company	BILL BARRETT CORPORATION
Well	DIXON FED 11B - 23 - 692
Field	MAMM CREEK
County	GARFIELD
State	COLORADO
API #:	05 - 045 - 21104
Location:	SHL: 1495' FNL & 0358' FWL; BHL: 0865' FNL & 0660' FWL
Other Services	3.75" GAUGE RING
SEC	23
TWP	6S
RGE	92W
Permanent Datum	G.L.
Elevation	5878'
Log Measured From	K.B.
Ft Above PD	23'
Drilling Measured From	K.B.
Elevation	K.B. 5901'; D.F. 5901'; G.L. 5878'
Date	07 - 12 - 2012
Run Number	ONE
Depth Driller	7746'
Present Depth Driller	NA
Depth Logger	7647'
Bottom Logged Interval	7646'
Top Log Interval	2250'
Fluid Level	SURFACE
Type Fluid	WATER
Max. Recorded Temp.	209.2° F
Estimated Cement Top	2850'
Equipment Number	208
Location	GRAND JCT.
Recorded By	FERNANDEZ / INGRAM
Witnessed By	MR. BEAUXIS

Borehole Record				Casing Record			
Run Number	Bit	From	To	Size	Weight	From	To
ONE	8.750"	800'	5094'	9.625"	36#	SURFACE	800'
TWO	7.875"	5094'	7746'	4.5"	11.6#	SURFACE	7647'

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

WARRIOR 7.0 SOFTWARE - Comments

NOTE: LOG WAS DEPTH CORRELATED USING WEATHERFORD OPEN HOLE LOG DATED 6-25-12
SHORT JOINTS: 5496' TO 5524' & 7399' TO 7430'

MAIN PASS 5" = 100'
TEMP PASS 2" = 100'

CSG PSI = STATIC

Calibration Report

Database File: dixon_11b_23_692_cbl_071212.db
Dataset Pathname: MAIN/pass1.2
Dataset Creation: Fri Jul 13 10:52:06 2012 by Calc SCH 110930

Temperature Calibration Report

Serial Number: 10006811
Tool Model: 016
Performed: Mon Apr 30 16:22:18 2012

Point #	Reading		Reference	
1	11649.00	cps	65.14	degF
2	18183.00	cps	105.26	degF
3	29168.00	cps	174.16	degF
4	40750.00	cps	246.15	degF
5	51960.00	cps	317.35	degF
6	57688.00	cps	353.34	degF
7		cps		degF
8		cps		degF
9		cps		degF
10		cps		degF

Gamma Ray Calibration Report

Serial Number: 10007620
Tool Model: 020
Performed: Sun Jun 13 13:33:21 1993

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 1.0 cps

Sensitivity: 1.2000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 1122
Tool Model: 004

Calibration Casing Diameter: 4.500 in
Calibration Depth: 153.800 ft

Master Calibration, performed Wed Jul 11 15:09:47 2012:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3FT	0.027	1.045	1.000	81.196	78.766	-1.095
5FT	0.018	1.010	1.000	81.196	80.846	-0.462
S1	0.029	1.037	0.000	100.000	99.164	-2.881
S2	0.029	1.083	0.000	100.000	94.886	-2.717
S3	0.030	1.050	0.000	100.000	98.085	-2.978
S4	0.028	1.030	0.000	100.000	99.801	-2.808
S5	0.031	1.025	0.000	100.000	100.608	-3.073
S6	0.030	1.040	0.000	100.000	99.034	-2.963
S7	0.032	1.043	0.000	100.000	98.949	-3.157
S8	0.031	1.036	0.000	100.000	99.543	-3.107

Calibration Report

Serial Number: 1122
Tool Model: 004
Performed:

	Reference (degF)	Reading ()
Low:	0.000	0.000
High:	1.000	1.000
	Gain = 1.000	Offset= 0.000

MAIN PASS

Database File: dixon_11b_23_692_cbl_071212.db
Dataset Pathname: MAIN/pass1.2
Presentation Format: rmws_dsc
Dataset Creation: Fri Jul 13 10:52:06 2012 by Calc SCH 110930
Charted by: Depth in Feet scaled 1:240

12000 CCL 19800	LTEN	0 AMPx5 (mV) 20	200 VDL 1200
0 GR (GAPI) 150	0 (lb) 3000	0 AMP (mV) 100	
		380 TT (usec) 180	

REPEAT PASS

FREE PIPE PASS

TEMP PASS





Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			CHD-AES (000001) Cable Head	1.04	1.69	2.00
			XTU-002 (10006455) Crossover Ultrawire Toolbus To Ultrabhs	1.58	1.69	6.50
CCL	18.17		CCL-028 (1036) CCL U/W 3 1/8" BOWDEX	1.61	3.13	36.00
			Applied Applied Adjustable Bowspring	2.50	3.00	33.00
WVFSFT	10.82					
WVFS1	10.82					
WVFS2	10.82					
WVFS3	10.82		RBT-004 (1122) Radial Bond Tool (UW 3 1/8)	9.47	3.13	140.00
WVFS4	10.82					
WVFS5	10.82					
WVFS6	10.82					
WVFS7	10.82					
WVFS8	10.82					
CBLTEMP	10.82					
CBLROT	10.82					
WVFSFT	9.82					
			Applied Applied Adjustable Bowspring	2.50	3.00	33.00
GR	1.76		PGR-020 (10007620) Production Gamma Ray	1.93	1.69	9.50
TEMP	0.37					
TSTAMP	0.00		PRT-016 (10006811) Platinum Resistance Thermometer	1.04	1.69	6.00
ITEMPK	0.00					
HVOLTK	0.00		BUL-006 (212965) Bullnose Terminator	0.22	1.69	1.20

Dataset: dixon_11b_23_692_ctd_071212.db: field/well/MAIN/pass1.2
Total Length: 21.90 ft
Total Weight: 267.20 lb
O.D. 3.13 in

ROCKY MOUNTAIN WIRELINE SERVICE

Company	BILL BARRETT CORPORATION
Well	DIXON FEDERAL 11B - 23 - 692
Field	MAMM CREEK
County	GARFIELD
State	COLORADO