

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400289568 Date Received: 10/18/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10392 2. Name of Operator: TEKTON WINDSOR LLC 3. Address: 640 PLAZA DRIVE #290 City: HIGHLANDS State: CO Zip: 80129 4. Contact Name: CLAYTON DOKE Phone: (970) 669-7411 Fax: (970) 669-4077

5. API Number 05-123-34876-00 6. County: WELD 7. Well Name: RANCHO WATER VALLEY Well Number: 2-6-4 8. Location: QtrQtr: NENE Section: 4 Township: 5N Range: 67W Meridian: 6 9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/24/2012 End Date: 03/24/2012 Date of First Production this formation: Perforations Top: 7408 Bottom: 7420 No. Holes: 48 Hole size: 038/100

Provide a brief summary of the formation treatment: Open Hole: 223,230 gals Slickwater, 152,880 gals SLF, 150,536 lbs 30/50 White

This formation is commingled with another formation: [X] Yes [ ] No Total fluid used in treatment (bbl): 8849 Max pressure during treatment (psi): 5223 Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 0.25 Type of gas used in treatment: Min frac gradient (psi/ft): 0.80 Total acid used in treatment (bbl): 23 Number of staged intervals: 1 Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 5315 Fresh water used in treatment (bbl): 5252 Disposition method for flowback: DISPOSAL Total proppant used (lbs): 150536 Rule 805 green completion techniques were utilized: Reason why green completion not utilized: PIPELINE

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O: Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR: Test Method: Casing PSI: Tubing PSI: Choke Size: Gas Disposition: SOLD Gas Type: WET Btu Gas: API Gravity Oil: Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt \*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 04/07/2012

Perforations Top: 7093 Bottom: 7420 No. Holes: 96 Hole size: 042/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 04/07/2012 Hours: 12 Bbl oil: 41 Mcf Gas: 64 Bbl H2O: 45

Calculated 24 hour rate: Bbl oil: 82 Mcf Gas: 128 Bbl H2O: 90 GOR: 1536

Test Method: FLOWING Casing PSI: 1100 Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1319 API Gravity Oil: 44

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/24/2012 End Date: 03/24/2012 Date of First Production this formation:
Perforations Top: 7093 Bottom: 7232 No. Holes: 48 Hole size: 042/100

Provide a brief summary of the formation treatment: Open Hole:
307,146 gals Slickwater, 212,142 SLF, with 209,218 lbs. 30/50 White

This formation is commingled with another formation: [X] Yes [ ] No
Total fluid used in treatment (bbl): 12218 Max pressure during treatment (psi): 5184
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 0.25
Type of gas used in treatment: Min frac gradient (psi/ft): 0.89
Total acid used in treatment (bbl): 0 Number of staged intervals: 1
Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 7313
Fresh water used in treatment (bbl): 7227 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 209218 Rule 805 green completion techniques were utilized: [ ]
Reason why green completion not utilized: PIPELINE

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: SOLD Gas Type: WET Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.
Signed: Print Name: Clayton Duke
Title: Consultant Date: 10/18/2012 Email: cdoke@petersonenergy.com

Attachment Check List

Table with 2 columns: Att Doc Num, Name. Rows: 400289568 FORM 5A SUBMITTED, 400334154 WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

Table with 3 columns: User Group, Comment, Comment Date

Total: 0 comment(s)