

FORM
2A

Rev
04/01

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400326948

Date Received:

11/06/2012

Oil and Gas Location Assessment

New Location

Amend Existing Location

Location#: 328833

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

328833

Expiration Date:

12/05/2015

This location assessment is included as part of a permit application.

1. CONSULTATION

This location is included in a Comprehensive Drilling Plan. CDP # _____

This location is in a sensitive wildlife habitat area.

This location is in a wildlife restricted surface occupancy area.

This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 100322

Name: NOBLE ENERGY INC

Address: 1625 BROADWAY STE 2200

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: SUSAN MILLER

Phone: (303) 228-4246

Fax: (303) 228-4286

email: smiller@nobleenergyinc.com

4. Location Identification:

Name: THISTLE DOWN PC

Number: F36-69HC

County: WELD

Quarter: SESE Section: 25 Township: 5N Range: 65W Meridian: 6 Ground Elevation: 4723

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1136 feet FSL, from North or South section line, and 860 feet FEL, from East or West section line.

Latitude: 40.365990 Longitude: -104.605110 PDOP Reading: 1.5 Date of Measurement: 07/12/2012

Instrument Operator's Name: Brian Brinkman

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="checkbox"/>	Drilling Pits: <input type="checkbox"/>	Wells: <input type="text" value="2"/>	Production Pits: <input type="checkbox"/>	Dehydrator Units: <input type="checkbox"/>
Condensate Tanks: <input type="checkbox"/>	Water Tanks: <input type="checkbox"/>	Separators: <input type="checkbox"/>	Electric Motors: <input type="checkbox"/>	Multi-Well Pits: <input type="checkbox"/>
Gas or Diesel Motors: <input type="checkbox"/>	Cavity Pumps: <input type="checkbox"/>	LACT Unit: <input type="checkbox"/>	Pump Jacks: <input type="text" value="1"/>	Pigging Station: <input type="checkbox"/>
Electric Generators: <input type="checkbox"/>	Gas Pipeline: <input type="checkbox"/>	Oil Pipeline: <input type="checkbox"/>	Water Pipeline: <input type="checkbox"/>	Flare: <input type="checkbox"/>
Gas Compressors: <input type="checkbox"/>	VOC Combustor: <input type="checkbox"/>	Oil Tanks: <input type="checkbox"/>	Fuel Tanks: <input type="checkbox"/>	

Other: 1 three-phase flowline will be installed at the wellhead to proposed facility located 472' NE. See 2A doc. no. 400327760 for Facility.

6. Construction:

Date planned to commence construction: 12/25/2012 Size of disturbed area during construction in acres: 6.00
 Estimated date that interim reclamation will begin: 02/15/2013 Size of location after interim reclamation in acres: 1.00
 Estimated post-construction ground elevation: 4723 Will a closed loop system be used for drilling fluids: Yes
 Will salt sections be encountered during drilling: Yes No Is H2S anticipated? Yes No
 Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes No
 Mud disposal: Offsite Onsite Method: Land Farming Land Spreading Disposal Facility
 Other: _____

7. Surface Owner:

Name: _____ Phone: _____
 Address: _____ Fax: _____
 Address: _____ Email: _____
 City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: 07/02/2012
 Surface Owner: Fee State Federal Indian
 Mineral Owner: Fee State Federal Indian
 The surface owner is: the mineral owner committed to an oil and gas lease
 is the executer of the oil and gas lease the applicant
 The right to construct the location is granted by: oil and gas lease Surface Use Agreement Right of Way
 applicant is owner
 Surface damage assurance if no agreement is in place: \$2000 \$5000 Blanket Surety ID _____

8. Reclamation Financial Assurance:

Well Surety ID: 20030009 Gas Facility Surety ID: _____ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes No
 Distance, in feet, to nearest building: 608, public road: 840, above ground utilit: 293
 , railroad: 3760, property line: 159

10. Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
 Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
 Subdivided: Industrial Commercial Residential

11. Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
 Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
 Subdivided: Industrial Commercial Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 70: Valent sand, 3-9% slopes

NRCS Map Unit Name: _____
NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No
Plant species from: NRCS or, field observation Date of observation: _____
List individual species: _____

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: No Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes
Distance (in feet) to nearest surface water: 295, water well: 1215, depth to ground water: 15
Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes
Is the location within a Rule 317B Surface Water Suppl Area buffer zone:
 No 0-300 ft. zone 301-500 ft. zone 501-2640 ft. zone
If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes

15. Comments:

Nearest water well permit no. 215484 (Domestic); static level water well permit no. 25987 (Domestic), 4111' SW of location. Nearest surface water is an irrigation pond located 295' south of location and will not be effected by proposed disturbed area to the north. Noble will utilize existing access off of County Road 49. Overhead utility line located 293' north of location will not effect access due to sufficient height. Nearest pivot track 34' east and 130' west. Adjacent landowner to the east is the same landowner of this proposed location, Mark Hamilton.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.
Signed: _____ Date: 11/06/2012 Email: smiller@nobleenergyinc.com
Print Name: SUSAN MILLER Title: Regulatory Analyst III

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 12/6/2012

CONDITIONS OF APPROVAL, IF ANY: _____

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

--

Attachment Check List

Att Doc Num	Name
400326948	FORM 2A SUBMITTED
400327736	ACCESS ROAD MAP
400327740	HYDROLOGY MAP
400327742	LOCATION DRAWING
400327748	LOCATION PICTURES
400327752	MULTI-WELL PLAN
400327755	WASTE MANAGEMENT PLAN
400327756	NRCS MAP UNIT DESC
400343635	SURFACE AGRMT/SURETY

Total Attach: 9 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Received approval from State Land Board. Final Review Completed. No LGD or public comment received.	12/6/2012 8:53:58 AM
Permit	BHL is within a state lease. State Landboard has been notified.	11/30/2012 3:27:01 PM
OGLA	Changed to "amend location 328833" after consultation with the Operator.	11/19/2012 4:39:07 PM
OGLA	Requesting change to "amend location 328833.	11/13/2012 10:44:04 AM
Permit	Ready to pass pending public comment 11/27/12.	11/7/2012 11:48:13 AM
Permit	This form passed completeness.	11/6/2012 11:23:08 AM

Total: 6 comment(s)

BMP

<u>Type</u>	<u>Comment</u>
Storm Water/Erosion Control	Stormwater management plans (SWMP) are in place to address construction, drilling and operations associated with Oil & Gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE) and General Permit No. COR-038637. BMP's will be constructed around the perimeter of the site prior to, or at the beginning of construction. BMP's used will vary according to the location and will remain in place until the pad reaches final reclamation.
Material Handling and Spill Prevention	Spill Prevention Control and Countermeasures (SPCC) plans are in place to address any possible spill associated with Oil & Gas operations throughout the state of Colorado in accordance with CFR 112.
Drilling/Completion Operations	<p>Anti-collision: Prior to drilling operations, Operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed wellpath with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottomhole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment. For the proposed well, upon conclusion of drilling operations, an as-constructed gyro survey will be submitted to COGCC with the Form 5.</p> <p>During and Post stimulation: Noble Energy Inc. will comply with the COGCC Policy for Bradenhead Monitoring During Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated 5/29/12.</p>
General Housekeeping	General housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite, suitable facilities. If spills occur, prompt cleanup is required to minimize any commingling of waste materials with stormwater runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal or recycling. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup of trash and discarded materials will be conducted at the end of each work day. Cleanup will consist of patrolling the roadway, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, and any contaminated soil. These materials will be disposed of properly.

Total: 4 comment(s)