

FORM

6

Rev
02/11

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Date Received:

Document Number:

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 10027Contact Name: CURT DEMBOWSKIName of Operator: C & J Field ServicesPhone: 970-629-5161Address: 3650 County RD #2Fax: 970-675-2499City: RANGELY State: CO Zip: 81648Email: Candjfield@Centurytel.net

For Intent 24 hour notice required, Name: _____

Tel: _____

COGCC contact: _____

Email: _____

API Number 05-103 -- 01123-00Well Name: Smith-HarrisWell Number: 2-2Location: QtrQtr: NENW Section: 10 Township: 1N Range: 102W Meridian: 6County: Rio BlancoFederal, Indian or State Lease Number: 46455Field Name: RANGELYField Number: 72370☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.074700Longitude: -108.831140

GPS Data:

Date of Measurement: 06-08-2012 PDOP Reading: 1.9 GPS Instrument Operator's Name: BRIAN BREWBAKERReason for Abandonment: ☒ Dry ☐ Production for Sub-economic ☐ Mechanical Problems☐ Other _____Casing to be pulled: ☐ Yes ☒ No OPEN HOLE Estimated Depth: 2770Fish in Hole: ☐ Yes ☒ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☐ No If yes, explain details belowDetails: OPEN HOLE, NO INFORMATION FOUND. WELL WAS WORKED OVER TO CHECK DEPTH.

Current and Previously Abandoned Zones

Formation	Code	Perf. Top	Perf. Btm	Date	Method of Isolation	Plug Depth
MANCOS		30	2770	08-17-2012	Cement & Dirt	2770 TO SURFACE

Total: 0 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	9	7	23	30	63	104'	Surface	
OPEN HOLE	6+1/4	N/A	N/A	2770	N/A	2770		

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth _____ with _____ sacks cmt on top. CIPB #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIPB #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set _____ sks cmt from _____ ft. to _____ ft. in Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. in Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. in Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. in Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. in Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CIGR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CIGR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CIGR Depth
(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☒

Set 63 sacks at surface

X Cut four feet below ground level, weld on plate

Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set N/A sacks in rat hole

Set N/A sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: N/A ft. of _____ inch casing

Plugging Date: 08-17-2012

*Wireline Contractor: N/A

*Cementing Contractor: MEEKER SAND & GRAVEL

Type of Cement and Additives Used: SLURRY TYPE II 63 SACK

Flowline/Pipeline has been abandoned per Rule 1103 ☒ Yes ☐ No

*ATTACH JOB SUMMARY

Provide Technical Detail: 7" CSG WAS Cut off 4' BELOW Surface, MARKER Plate WAS WELDED ON WITH LEGALESCONIT.

Dirt was placed from 2770 to 104' from Surface. MEASURED with GAUGE & CEMENT WAS Placed 104 To 4'e Surface.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Curt Dembowski

Print Name: CURT DEMBOWSKI

Title: OWNER

Date: 12-06-2012

Email: Candjfield@Centurytel.net

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____

Date: _____

CONDITIONS OF APPROVAL, IF ANY:

Attachment Check List

Att Doc Num	Name
5451	MEEKER SAND & GRAVEL

Total Attach: 1

General Comments

User Group Comment

Comment Date


Total:

P&A Completed
08-17-2012

Cut 4' of Surface pipe off below
Ground level for MARKER.

WELD ON PLATE with LEGALES

SET a 100' CEMENT plug 4' BELOW
GROUND LEVEL TO TOP of FILL DIRT.



FILLED HOLE WITH DIRT 2770' TO
104' FROM SURFACE. MEASURED &
TAGGED FILL GAUGE TAPE.

Total Depth 2770'

C&T Field Services
CUSTOMER NAME

CUSTOMER CODE

8-17-12
DATE

MEEKER R-5451
SAND & GRAVEL
P.O. Box 1550
Meeker, CO 81641

BILLING ADDRESS

JOB NUMBER

PRICE CODE

DELIVERY ADDRESS

PO NUMBER

TAX CODE

Slump	—	II	—	3cy	63K
MIX DESIGN CODE	SLUMP	CEMENT TYPE	MAX AGGREGATE	TOTAL YARDS ON JOB	STRENGTH/SACKS

Meeker: (970) 878-3671

Rangely: (970) 675-2315

Craig: (970) 824-3671

Serving Northwest Colorado

1. LEAVE PLANT	8:50
2. ARRIVE @ JOB	9:00
3. BEGIN UNLOAD	9:05
4. FINISH UNLOAD	9:30
5. LEAVE JOB	9:45
6. ARRIVE PLANT	

OUTSIDE TEMP.

WATER ADDED AT JOB SITE	GAL.	GAL.	GAL.	GAL.
TESTS TAKEN AT JOB SITE	TIME	TIME	TIME	TOTAL
	%	%	%	%
	SLUMPS	AIR	CONC. TEMP	CYLINDERS/TIME

This concrete has been furnished according to purchaser's specifications. Alteration of concrete by customer or agent relieves producer of responsibility for concrete performance. Water added at job reduces strength.

DRIVER SIGNATURE	UNIT #

START MILES	
END MILES	

DRIVER NOTES ON THIS DELIVERY

Time in excess is subject to charge. For mountain deliveries, truck time is charged from time No. 1 to time No. 6.

CAUTION

FRESHLY MIXED CONCRETE MAY CAUSE SKIN IRRITATION. AVOID DIRECT CONTACT WHERE POSSIBLE AND WASH EXPOSED AREA PROMPTLY WITH WATER. IF ANY CEMENTITIOUS MATERIAL GETS INTO THE EYE, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND GET PROMPT MEDICAL ATTENTION.

"When delivering beyond curb line, Meeker Sand & Gravel will not assume liability for damage to sidewalk or other property."

DESCRIPTION	QUANTITY	UNIT PRICE	AMOUNT
CONCRETE YARDS	✓ 63 yd		
FIBERMESH			
HIGH EARLY	%		
HOT WATER			
TRUCK TIME	✓ HRS.		
MINIMUM LOAD			
DELIVERY			
OTHER			

Cement lbs.
3/4" WR lbs.
Sand lbs.
AES oz.
PKN oz.
Water gals.

SALES AMOUNT

SALES TAX

TOTAL INVOICE AMOUNT \$

I acknowledge and accept the terms set above and the receipt of the above described material in the amount shown at the construction site. I assume responsibility for reduced strength where water is added and for any damages and losses occasioned by its delivery to the above delivery address, including charges, damages or delay of time due to inadequate ingress and egress to and from the job site. I agree to pay all the above charges including delivery charges and unloading time in excess of 6 minutes per cubic yard. If my account is not paid within ten days after the date of the invoice, I agree to pay a finance charge (minimum of \$5.00) on the unpaid balance computed at a periodic rate of 2% per month which is an annual rate of 24%. If my account is referred to collection, I agree to pay all collection costs and a reasonable attorney's fee. No back charges or deduction shall be allowed unless an invoice is submitted and signed by management of Meeker Sand & Gravel, Inc. within two days after the date of this invoice.

AUTHORIZED SIGNATURE

Thank You For Your Order