

**FORM  
INSP**Rev  
05/11**State of Colorado****Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:

12/13/2012

Document Number:

668200365

Overall Inspection:

Satisfactory**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Tracking Type	Inspector Name:
	<u>429619</u>	<u>429618</u>		<u>LEONARD, MIKE</u>

**Operator Information:**OGCC Operator Number: 78110 Name of Operator: SWEPI LPAddress: 4582 S ULSTER ST PKWY #1400City: DENVERState: COZip: 80237**Contact Information:**

Contact Name	Phone	Email	Comment
Pearson, Skylar		skylar.pearson@shell.com	Huerfano County Inspections
Clark, Brenda	(832) 337-1817	brenda.l.clark@shell.com	Enviro Specialist

**Compliance Summary:**QtrQtr: NWSW Sec: 24 Twp: 27S Range: 69W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Unsatisfactory	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
11/27/2012	668200346	DG	DG	S			N
11/07/2012	668200318	XX	DG	S			N
11/01/2012	668200287	XX	ND	S			N
09/12/2012	663600179	XX	ND	S			N

**Inspector Comment:**

NABORS 16 IN PROCESS OF RIGGING DOWN AND MOVING OFF LOCATION

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	
429619	WELL	DG	11/05/2012	LO	055-06309	Freeman 3-24	<input checked="" type="checkbox"/>

**Equipment:****Location Inventory**

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>2</u>	Separators: <u>1</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: <u>2</u>	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: <u>1</u>

**Location**Emergency Contact Number: (S/U/V) \_\_\_\_\_

Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

**Spills:**

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?

<b>Venting:</b>	
Yes/No	Comment

<b>Flaring:</b>				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date

### Predrill

Location ID: 429618

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	koepsear	Provide notice to COGCC 48-hours prior to commencement of Hydraulic Fracturing activities via form 42.	05/23/2012
OGLA	koepsear	Provide notice to COGCC 48-hours prior to commencement of construction activities via form 42.	05/23/2012
OGLA	koepsear	<p>The operator will conduct baseline sampling of (at a minimum) the two (2) closest water wells prior to spudding the well. The operator may conduct additional groundwater monitoring at their own discretion.</p> <p>Laboratory analysis at a minimum will include the following: pH (lab), TDS, Conductivity (lab, not resistivity), SAR calculation, Ca, K, Mg, Na, As, B, Ba, Cd, Cr, Cu, Fe, Mn, Pb, Se (all total recoverable), Br, Cl, F, SO<sub>4</sub>, Alkalinity (Total, HCO<sub>3</sub> and CO<sub>3</sub> – all expressed as CaCO<sub>3</sub>), benzene, toluene, ethyl benzene, o-xylene, m- + p-xylene, Dissolved Methane, DRO, GRO. Field parameters including pH, Temperature and Conductivity shall be recorded prior to collecting the sample for laboratory analysis. Field observations such as odor, water color, sediment, bubbles and effervesce shall also be included.</p> <p>If free gas or a dissolved methane concentration level greater than one (1) milligrams per liter (mg/l) is detected in a water well, gas compositional analysis and stable isotope analysis of the methane (carbon and deuterium) shall be performed to determine gas type (biogenic or thermogenic). If the methane concentration increases by more than five (5) mg/l between sampling periods, or increases to more than ten (10) mg/l, the operator shall notify the Director and the owner of the water well immediately. If thermogenic methane concentrations increase between sampling periods, the operator shall submit to the Director an action plan to determine the source of the increase.</p> <p>The selected sampling locations will be sampled again 1 year, 3 years and 6 years after completion. Post completion sampling of water wells will consist of the same analyte list as the pre-drilling program. Copies of all test results, field parameters and field observations described above shall be provided to the Director, and the water well owner within three (3) months of collecting the samples. The analytical data and surveyed sample locations shall also be submitted to the Director in an electronic data deliverable format approved by Director.</p> <p>Participating in the COGA voluntary baseline water quality monitoring program meets the requirements of this COA.</p>	05/23/2012

OGLA	koepsear	Only enclosed flares shall be utilized at the location. A Form 4 Sundry Notice is required to be filed with the COGCC stating that flaring will be taking place on the location. The Sundry is required to be submitted and approved prior to initiating flaring. The Sundry shall also include a line drawing of the flare.	07/03/2012
OGLA	koepsear	Emissions from condensate, crude oil, and produced water tanks and from glycol dehydrators shall be controlled by a device capable of 95% control efficiency of VOC. The device(s) shall be maintained to allow maximum efficiency during operations. If necessary, a permit from the Colorado Department of Public Health and Environment, Air Pollution Control Division, for the tank(s), Dehydrator(s) and control device(s) shall be obtained.	05/23/2012
OGLA	koepsear	Flowback and stimulation fluids must be sent to tanks. The flowback and stimulation fluid tanks must be placed on the well pad in an area with additional down gradient perimeter berming sufficiently impervious to contain any spilled or released material (per Rule 604.a.(4)). Tanks used for flowback must be equipped with emission reducing devices during flowback.	05/23/2012
OGLA	koepsear	Venting of gas is prohibited on the location.	07/03/2012

**Comment:****CA:****Date:****Wildlife BMPs:**

BMP Type	Comment
Material Handling and Spill Prevention	Spill Prevention Control & Countermeasure Plans (SPCC) are in place to address material releases and to prescribe materials handling BMPs for the facility. "Good house-keeping" measures will be taken to ensure proper waste disposal.
Storm Water/Erosion Control	Stormwater Management Plans (SWMP) are in place to comply with both Colorado Department of Public Health and Environment (CDPHE) and Colorado Oil and Gas Conservation Commission (COGCC) stormwater discharge permits. The construction layout for Freeman 3-24 details Best Management Practices (BMP) to be installed during initial construction. Note that BMPs may be removed, altered, or replaced with changing conditions in the field and the SWMP will be updated accordingly. The BMPs prescribed for the initial construction phase include, but are not limited to <ul style="list-style-type: none"> <li>• Construction diversion ditch</li> <li>• Sediment reservoirs</li> <li>• Check dams</li> <li>• Level spreaders</li> <li>• Stabilized construction entrance</li> <li>• Slash</li> <li>• Sediment trap</li> <li>• Wattle</li> <li>• Terrace</li> <li>• Secondary containment berms</li> <li>• Detention ponds</li> </ul>

**Comment:****CA:****Date:****Stormwater:**

Erosion BMPs	Present	Other BMPs	Present

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Comments: Erosion BMPs: \_\_\_\_\_

Other BMPs: \_\_\_\_\_

**Comment:****Staking:****On Site Inspection (305):****Surface Owner Contact Information:**

Inspector Name: LEONARD, MIKE

Name: _____	Address: _____	
Phone Number: _____	Cell Phone: _____	
<u>Operator Rep. Contact Information:</u>		
Landman Name: _____	Phone Number: _____	
Date Onsite Request Received: _____	Date of Rule 306 Consultation: _____	
Request LGD Attendance: _____		
<u>LGD Contact Information:</u>		
Name: _____	Phone Number: _____	Agreed to Attend: _____
<u>Summary of Landowner Issues:</u>		
<u>Summary of Operator Response to Landowner Issues:</u>		
<u>Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:</u>		

**Facility**

Facility ID: 429619	Type: WELL	API Number: 055-06309	Status: DG	Insp. Status: WO
---------------------	------------	-----------------------	------------	------------------

**Environmental**

**Spills/Releases:**

Type of Spill: _____	Description: _____	Estimated Spill Volume: _____
Comment: <div style="border: 1px solid black; height: 20px;"></div>		
Corrective Action: _____		Date: _____
Reportable: _____	GPS: Lat _____	Long _____
Proximity to Surface Water: _____	Depth to Ground Water: _____	

**Water Well:**

	Lat	Long
DWR Receipt Num: _____	Owner Name: _____	GPS : _____

**Field Parameters:**

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment:

1003a. Debris removed? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Inspector Name: LEONARD, MIKE

Waste Material Onsite? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Unused or unneeded equipment onsite? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Pit, cellars, rat holes and other bores closed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? \_\_\_\_\_ Production areas stabilized ? \_\_\_\_\_  
1003c. Compacted areas have been cross ripped? \_\_\_\_\_  
1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_  
Cuttings management: \_\_\_\_\_  
1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_  
Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: RANGELAND \_\_\_\_\_

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_ Multi-Well Location ☐

Inspector Name: LEONARD, MIKE

<b>Storm Water:</b>						
Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/U/V: Satisfactory      Corrective Date: \_\_\_\_\_

Comment: NO CHANGES IN STORMWATER CONTROL. NO ISSUES OBSERVED

CA: \_\_\_\_\_