

Inspector Name: NEIDEL, KRIS

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:

08/14/2012

Document Number:

669300057

Overall Inspection:

Satisfactory**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Tracking Type	Inspector Name:
	<u>424552</u>	<u>392134</u>		<u>NEIDEL, KRIS</u>

Operator Information:OGCC Operator Number: 78110 Name of Operator: SWEPI LPAddress: 4582 S ULSTER ST PKWY #1400City: DENVERState: COZip: 80237**Contact Information:**

Contact Name	Phone	Email	Comment
	(281) 544 4490	c.rosenbaum@shell.com	

Compliance Summary:QtrQtr: NWSE Sec: 9 Twp: 4N Range: 90W**Inspector Comment:**

2nd containment on diesel, 2nd containment on chemicals. all mud circulated in 400bbl tanks with 2nd containment. gas buster, no gas flaring/venting. fluid contained per COA's. koomey bottles current.

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	
223182	WELL	PA	10/02/1995		081-06544	RAY DURHAM 1	<input type="checkbox"/>
424552	WELL	DG	07/29/2012		081-07667	HERRING DRAW 2-9	<input checked="" type="checkbox"/>
424556	WELL	XX	08/02/2011		081-07668	HERRING DRAW 1-9	<input type="checkbox"/>

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: <u>1</u>	Wells: <u>2</u>	Production Pits: _____
Condensate Tanks: <u>1</u>	Water Tanks: <u>3</u>	Separators: <u>2</u>	Electric Motors: _____
Gas or Diesel Mortors: <u>1</u>	Cavity Pumps: <u>2</u>	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: <u>3</u>	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: <u>2</u>	VOC Combustor: <u>1</u>	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: <u>2</u>

Location**Signs/Marker:**

Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
BATTERY	Satisfactory	location sign.		

Emergency Contact Number: (S/U/V) Satisfactory

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?
Fencing/:

Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
LOCATION	Satisfactory			

Venting:

Yes/No	Comment

Flaring:

Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date

Predrill

Location ID: 392134

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____
 Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>GENERAL SITE COAs:</p> <p>Flowback and stimulation fluids must be sent to tanks to allow the sand to settle out before the fluids can be placed into any pipeline or pit located on the well pad. The flowback and stimulation fluid tanks must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material (per Rule 604.a.(4)).</p> <p>The access road will be constructed as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>The surface soils and materials are fine-grained and highly unconsolidated; therefore the pad shall be constructed as quickly as possible and appropriate BMPs need to be in place both during, after well pad construction completion, as well as during all drilling and well completion operations. Standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater runoff.</p> <p>Berms or other containment devices shall be constructed in compliance with Rule 604.a.(4) around crude oil, condensate, and produced water storage tanks.</p>	04/14/2011

OGLA	kubeczkod	<p>WATER RESOURCE (SURFACE WATER AND GROUNDWATER) PROTECTION COAs:</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals, and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines.</p> <p>A closed loop system (which has been indicated by operator on the Form 2A) must be implemented during drilling.</p> <p>Location is in a sensitive area due to shallow groundwater; therefore, any pit constructed to contain/hold fluids, must be lined.</p> <p>No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and certified by a professional engineer, subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.</p>	04/14/2011
------	-----------	--	------------

Comment:**CA:****Date:****Wildlife BMPs:**

BMP Type	Comment
PROPOSED BMPs	<p>(est Management Practices Summary</p> <p>Herring Draw #1 -9</p> <p>Stormwater Management Plans (SWMP) are in place to comply with both Colorado Department of Public Health and Environment (CDPHE) and Colorado Oil and Gas control Commission (COGCC) stormwater discharge permits. The construction layout or Herring Draw #1 -9 details Best Management Practices (BMP) to be installed during</p> <p>initial construction. Note that BMPs may be removed, altered, or replaced with changing conditions in the field and the SWMP will be updated accordingly.</p> <p>The BMPs prescribed for the initial construction phase include, but are not limited to</p> <ul style="list-style-type: none"> • Construction diversion ditch • Sediment reservoirs • Check dams • Level spreaders • Stabilized construction entrance • Slash • Sediment trap • Wattle • Terrace • Secondary containment berms • Detention ponds <p>Spill Prevention Plans (SPCC) are in place to address material releases and to prescribe materials handling BMPs for the facility. "Good house - keeping" measures will be taken to ensure proper waste disposal.</p>
Construction	The construction layout for Herring Draw #1-9 details Best Management Practices (BMP) to be installed during initial construction.
Storm Water/Erosion Control	Stormwater Management Plans (SWMP) are in place to comply with both Colorado Department of Public Health and Environment (CDPHE) and Colorado Oil and Gas Control Commission (COGCC) stormwater discharge permits.
Construction	<ul style="list-style-type: none"> • Construction diversion ditch • Sediment reservoirs • Check dams • Level spreaders • Stabilized construction entrance • Slash • Sediment trap • Wattle • Terrace • Secondary containment berms • Detention ponds
General Housekeeping	Spill Prevention Plans (SPCC) are in place to address material releases and to prescribe materials handling BMPs for the facility. "Good house-keeping" measures will be taken to ensure proper waste disposal.

Comment: _____**CA:** _____**Date:** _____**Stormwater:**

Erosion BMPs	Present	Other BMPs	Present

Corrective Action: _____ Date: _____

Comments: Erosion BMPs: _____

Other BMPs: _____

Comment: _____**Staking:****On Site Inspection (305):**Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:Summary of Operator Response to Landowner Issues:Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:**Facility**

Facility ID: 424552 Type: WELL API Number: 081-07667 Status: DG Insp. Status: DG

Well Drilling

Rig: Rig Name: neighbors 94 Pusher/Rig Manager: _____

Permit Posted: Satisfactory Access Sign: Satisfactory

Well Control Equipment:

Pipe Ram: YES Blind Ram: YES Hydril Type: _____

Pressure Test BOP: Pass Test Pressure PSI: 2000 Safety Plan: _____

Drill Fluids**Management:**

Lined Pit: _____ Unlined Pit: _____ Closed Loop: YES Semi-Closed Loop: _____

Multi-Well: NO Disposal Location: off site, "bluebell"

Comment: _____**Environmental**

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
 Comment: _____
 Corrective Action: _____ Date: _____
 Reportable: _____ GPS: Lat _____ Long _____
 Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____
 DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: no interim reclamation, drilling still underway.

1003a. Debris removed? _____ CM _____
 CA _____ CA Date _____
 Waste Material Onsite? _____ CM _____
 CA _____ CA Date _____
 Unused or unneeded equipment onsite? _____ CM _____
 CA _____ CA Date _____
 Pit, cellars, rat holes and other bores closed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors marked? _____ CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Inspector Name: NEIDEL, KRIS

Cropland

Top soil replaced _____

Recontoured _____

Perennial forage re-established _____

Non-Cropland

Top soil replaced _____

Recontoured _____

80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____

Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____

Pit mouse/rat holes, cellars backfilled _____

Debris removed _____

No disturbance /Location never built _____

Access Roads Regraded _____

Contoured _____

Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____

Locations, facilities, roads, recontoured _____

Compaction alleviation _____

Dust and erosion control _____

Non cropland: Revegetated 80% _____

Cropland: perennial forage _____

Weeds present _____

Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____

Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Blankets	Pass					
Compaction	Pass	Compaction	Pass	CM	Pass	
Gravel	Pass	Waddles	Pass			
Tackifiers	Pass					
Gradient Terraces	Pass	Culverts	Pass	MHSP	Pass	
Retention Ponds	Pass					down grade from pad.

S/U/V: Satisfactory _____ Corrective Date: _____

Comment: _____

CA: _____