

Header Information	measured depth (ft)	inclination (°)	azimuth (°)	true vertical depth (ft)	northing +N/-S (ft)	easting +E/-W (ft)
Operator Name	0	0	0	0	0	0
Ranchers Exploration Partners LLC	1	0	0	1	0	0
Operator Number	100	0	0	100	0	0
10350	200	0	0	200	0	0
Well Name and Number	300	0	0	300	0	0
River West - 2	400	0	0	400	0	0
API Number (if available)	450	0	0	450	0	0
	500	0.75	66.61	500	0.1	0.3
Location: QQ SEC TWP RGE	600	2.25	66.61	600	1.2	2.7
NWNW 24 6N 68W	700	3.75	66.61	699.8	3.2	7.5
Citing Type: Planned or Actual	800	5.25	66.61	799.5	6.4	14.7
Planned	900	6.75	66.61	899	10.5	24.3
Deviation Indicator	1000	8.25	66.61	998.1	15.7	36.3
Directional ▼	1100	9.75	66.61	1096.9	21.9	50.6
North Reference	1200	11.25	66.61	1195.2	29.1	67.4
Grid ▼	1262.8	12.19	66.61	1256.7	34.2	79.1
Grid Type	1300	12.19	66.61	1293	37.3	86.3
SPCS-Colorado North-NAD83 ▼	1400	12.19	66.61	1390.8	45.7	105.7
	1500	12.19	66.61	1488.5	54.1	125
	1600	12.19	66.61	1586.3	62.5	144.4
	1700	12.19	66.61	1684	70.9	163.8
	1800	12.19	66.61	1781.8	79.2	183.2
	1900	12.19	66.61	1879.5	87.6	202.6
	2000	12.19	66.61	1977.2	96	222
	2100	12.19	66.61	2075	104.4	241.4
	2200	12.19	66.61	2172.7	112.8	260.7
	2300	12.19	66.61	2270.5	121.2	280.1
	2400	12.19	66.61	2368.2	129.6	299.5
	2500	12.19	66.61	2466	137.9	318.9

2600	12.19	66.61	2563.7	146.3	338.3
2700	12.19	66.61	2661.5	154.7	357.7
2800	12.19	66.61	2759.2	163.1	377
2900	12.19	66.61	2856.9	171.5	396.4
3000	12.19	66.61	2954.7	179.9	415.8
3100	12.19	66.61	3052.4	188.2	435.2
3200	12.19	66.61	3150.2	196.6	454.6
3300	12.19	66.61	3247.9	205	474
3400	12.19	66.61	3345.7	213.4	493.3
3500	12.19	66.61	3443.4	221.8	512.7
3600	12.19	66.61	3541.2	230.2	532.1
3700	12.19	66.61	3638.9	238.5	551.5
3800	12.19	66.61	3736.6	246.9	570.9
3900	12.19	66.61	3834.4	255.3	590.3
4000	12.19	66.61	3932.1	263.7	609.6
4100	12.19	66.61	4029.9	272.1	629
4200	12.19	66.61	4127.6	280.5	648.4
4300	12.19	66.61	4225.4	288.9	667.8
4400	12.19	66.61	4323.1	297.2	687.2
4500	12.19	66.61	4420.9	305.6	706.6
4600	12.19	66.61	4518.6	314	725.9
4700	12.19	66.61	4616.3	322.4	745.3
4800	12.19	66.61	4714.1	330.8	764.7
4900	12.19	66.61	4811.8	339.2	784.1
5000	12.19	66.61	4909.6	347.5	803.5
5100	12.19	66.61	5007.3	355.9	822.9
5200	12.19	66.61	5105.1	364.3	842.2
5300	12.19	66.61	5202.8	372.7	861.6
5400	12.19	66.61	5300.6	381.1	881
5500	12.19	66.61	5398.3	389.5	900.4
5600	12.19	66.61	5496	397.9	919.8
5700	12.19	66.61	5593.8	406.2	939.2
5800	12.19	66.61	5691.5	414.6	958.5
5900	12.19	66.61	5789.3	423	977.9

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]