

T5N, R90W, 5th. P.M.

SWEPI LP

1914 Brass Cap,
2.0' High, Pile of
Stones, S/E/W
Fence
Lat: 40.349025°
Long: 107.509222°

1914 Brass Cap,
2.3' High, Pile of
Stones
Lat: 40.349286°
Long: 107.489947°


Well location, HERRING DRAW #1-33 PILOT HOLE,
located as shown in the NW 1/4 NW 1/4 of
Section 33, T5N, R90W, 6th. P.M., Moffat County,
Colorado.

BASIS OF ELEVATION


SPOT ELEVATION AT THE NORTHEAST CORNER OF SECTION 31,
T5N, R90W, 6th P.M. TAKEN FROM THE HAMILTON
QUADRANGLE, COLORADO, MOFFAT COUNTY, 7.5 MINUTE QUAD
(TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES
DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID
ELEVATION IS MARKED AS BEING 6664 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



NOTE:
SEE ADDENDUM TO LEGAL PLAT FOR
EXISTING IMPROVEMENTS WITHIN 400'
OF THE PROPOSED WELL DISTURBANCE.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

Robert L. ...
REGISTERED LAND SURVEYOR
REGISTRATION NO. 17492
STATE OF COLORADO

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

- LEGEND:**
- └─┘ = 90° SYMBOL
 - = PROPOSED WELL HEAD.
 - ▲ = SECTION CORNERS LOCATED.

PDOP = 1.3

NAD 83 (SURFACE LOCATION)	
LATITUDE = 40°20'45.10" (40.345861)	
LONGITUDE = 107°30'20.06" (107.505572)	
NAD 27 (SURFACE LOCATION)	
LATITUDE = 40°20'45.19" (40.345886)	
LONGITUDE = 107°30'17.84" (107.504956)	

SCALE 1" = 1000'	DATE SURVEYED: 06-28-11	DATE DRAWN: 12-10-12
PARTY D.N. C.Z. M.D.	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE SWEPI LP	