

FORM  
2A

Rev  
04/01

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400352141

Date Received:

12/04/2012

Oil and Gas Location Assessment

☒ New Location ☐ Amend Existing Location Location#: \_\_\_\_\_

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

**431312**

Expiration Date:

**01/10/2016**

☒ This location assessment is included as part of a permit application.

1. CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- ☐ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 100322

Name: NOBLE ENERGY INC

Address: 1625 BROADWAY STE 2200

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: SUSAN MILLER

Phone: (303) 228-4246

Fax: (303) 228-4286

email: smiller@nobleenergyinc.com

4. Location Identification:

Name: KEOTA PC Number: LB26-62HN

County: WELD

QuarterQuarter: SESE Section: 27 Township: 9N Range: 60W Meridian: 6 Ground Elevation: 4949

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1282 feet FSL, from North or South section line, and 350 feet FEL, from East or West section line.

Latitude: 40.717364 Longitude: -104.069986 PDOP Reading: 2.4 Date of Measurement: 07/31/2012

Instrument Operator's Name: Robert Kay

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="checkbox"/>	Drilling Pits: <input type="checkbox"/>	Wells: <input type="text" value="2"/>	Production Pits: <input type="checkbox"/>	Dehydrator Units: <input type="checkbox"/>
Condensate Tanks: <input type="checkbox"/>	Water Tanks: <input type="checkbox"/>	Separators: <input type="text" value="4"/>	Electric Motors: <input type="checkbox"/>	Multi-Well Pits: <input type="checkbox"/>
Gas or Diesel Motors: <input type="checkbox"/>	Cavity Pumps: <input type="checkbox"/>	LACT Unit: <input type="checkbox"/>	Pump Jacks: <input type="text" value="2"/>	Pigging Station: <input type="checkbox"/>
Electric Generators: <input type="checkbox"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="checkbox"/>	Water Pipeline: <input type="checkbox"/>	Flare: <input type="checkbox"/>
Gas Compressors: <input type="checkbox"/>	VOC Combustor: <input type="text" value="2"/>	Oil Tanks: <input type="text" value="8"/>	Fuel Tanks: <input type="checkbox"/>	

Other: 2 EFM, 2 water vaults, 2 three-phase flowlines. Production facilities will be situated on pad location and dedicated to the subject well being permitted.

6. Construction:

Date planned to commence construction: 12/25/2012 Size of disturbed area during construction in acres: 7.00  
Estimated date that interim reclamation will begin: 03/11/2013 Size of location after interim reclamation in acres: 2.00  
Estimated post-construction ground elevation: 4949 Will a closed loop system be used for drilling fluids: Yes ☒  
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒  
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒  
Mud disposal: Offsite ☒ Onsite ☐ Method: Land Farming ☒ Land Spreading ☐ Disposal Facility ☐  
Other: \_\_\_\_\_

## 7. Surface Owner:

Name: \_\_\_\_\_ Phone: \_\_\_\_\_  
Address: \_\_\_\_\_ Fax: \_\_\_\_\_  
Address: \_\_\_\_\_ Email: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Date of Rule 306 surface owner consultation: 07/25/2012  
Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian  
Mineral Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian  
The surface owner is: ☐ the mineral owner ☐ committed to an oil and gas lease  
☐ is the executer of the oil and gas lease ☐ the applicant  
The right to construct the location is granted by: ☐ oil and gas lease ☒ Surface Use Agreement ☐ Right of Way  
☐ applicant is owner  
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID \_\_\_\_\_

## 8. Reclamation Financial Assurance:

☒ Well Surety ID: 20030009 ☐ Gas Facility Surety ID: \_\_\_\_\_ ☐ Waste Mgmt. Surety ID: \_\_\_\_\_

## 9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒  
Distance, in feet, to nearest building: 4650, public road: 340, above ground utilit: 1359  
, railroad: 5280, property line: 350

## 10. Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP  
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_  
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## 11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP  
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_  
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## 12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 27: Epping silt loam, 0-9% slopes

NRCS Map Unit Name: 31: Kim-Mitchell complex, 0-6% slopes

NRCS Map Unit Name: 41: Nunn clay loam, 0-6% slopes

### 13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 07/31/2012

List individual species: \_\_\_\_\_

Check all plant communities that exist in the disturbed area.

- ☒ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)  
☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)  
☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)  
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)  
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)  
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)  
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)  
☐ Alpine (above timberline)  
☐ Other (describe): \_\_\_\_\_

### 14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☒ No ☐ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☒ No ☐ Yes

Distance (in feet) to nearest surface water: 336, water well: 3159, depth to ground water: 36

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Supply Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

### 15. Comments:

Nearest railroad located over 1 mile from location. Nearest water well permit no. 200307 (stock), located 3159' NE of location. Reference area located immediately adjacent to and north of location on undisturbed land as shown on attached photo. Please see attached Surface Use Agreement.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 12/04/2012 Email: smiller@nobleenergyinc.com

Print Name: SUSAN MILLER Title: Regulatory Analyst III

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 1/11/2013

**CONDITIONS OF  
APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

### Attachment Check List

Att Doc Num	Name
2233262	LOCATION DRAWING
400352141	FORM 2A SUBMITTED
400352146	ACCESS ROAD MAP
400352171	HYDROLOGY MAP
400352185	LOCATION PICTURES
400352190	MULTI-WELL PLAN
400352197	WASTE MANAGEMENT PLAN
400352198	REFERENCE AREA PICTURES
400352201	NRCS MAP UNIT DESC
400354040	SURFACE AGRMT/SURETY

Total Attach: 10 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Per operator attached new location drawing and updated distance to nearest building. Final Review Completed. No LGD or public comment received.	1/9/2013 6:29:20 AM
Permit	Requested updated distance to nearest building and surface and minerals information.	1/7/2013 9:34:16 AM
OGLA	initial review complete	12/10/2012 2:50:33 PM
Permit	Initial review complete. Form 2A and 2's compared.	12/10/2012 1:13:51 PM
Permit	operator included fourth NRCS map unit soil attachment (75 Wages Fine Sandy Loam 0-6% slope), due to limited space on form. This form passed completeness.	12/6/2012 10:27:56 PM

Total: 5 comment(s)

## BMP

<u>Type</u>	<u>Comment</u>
Material Handling and Spill Prevention	Spill Prevention Control and Countermeasures (SPCC) plans are in place to address any possible spill associated with Oil & Gas operations throughout the state of Colorado in accordance with CFR 112.
General Housekeeping	General housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite, suitable facilities. If spills occur, prompt cleanup is required to minimize any commingling of waste materials with stormwater runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal or recycling. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup of trash and discarded materials will be conducted at the end of each work day. Cleanup will consist of patrolling the roadway, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, and any contaminated soil. These materials will be disposed of properly.
Storm Water/Erosion Control	Stormwater management plans (SWMP) are in place to address construction, drilling and operations associated with Oil & Gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE) and General Permit No. COR-038637. BMP's will be constructed around the perimeter of the site prior to, or at the beginning of construction. BMP's used will vary according to the location and will remain in place until the pad reaches final reclamation.
Drilling/Completion Operations	<p>Anti-collision: Prior to drilling operations, Operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed wellpath with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottomhole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment. For the proposed well, upon conclusion of drilling operations, an as-constructed gyro survey will be submitted to COGCC with the Form 5.</p> <p>During and Post stimulation: Noble Energy Inc. will comply with the COGCC Policy for Bradenhead Monitoring During Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated 5/29/12.</p>

Total: 4 comment(s)