FORM 2

Rev 12/05

State of Colorado Oil and Gas Conservation Commission

OIL&

Document Number:

400350742

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109

APPLICATION FOR PERM	AIT TO: Date Received:				
1.	r, Recomplete and Operate				
2. TYPE OF WELL OIL GAS COALBED OTHER SINGLE ZONE MULTIPLE COM	Refiling PluggingBond SuretyID Sidetrack 20030009				
3. Name of Operator: NOBLE ENERGY INC 5. Address: 1625 BROADWAY STE 2200 City: DENVER State: CO Zip: 80202 6. Contact Name: SUSAN MILLER Phone: (303)228-4246 Fax: (303)228-4286 Email: smiller@nobleenergyinc.com 7. Well Name: KUMMER PC Well Number: LE23-65-1HN 8. Unit Name (if appl): Unit Number: Unit Number: 9. Proposed Total Measured Depth: 10736 WELL LOCATION INFORMATION 10. QtrQtr: NWSW Sec: 23 Twp: 8N Rng: 61W Meridian: 6 Latitude: 40.646244 Longitude: -104.181394 FNL/FSL FEL/FWL Footage at Surface: 2235 feet FSL 255 feet FWL 11. Field Name: Wildcat Field Number: 99999					
12. Ground Elevation: 4982 13. Coun 14. GPS Data: Date of Measurement: 10/10/2012 PDOP Reading: 2.2	Instrument Operator's Name: Robert Kay				
15. If well is Directional Horizontal (highly deviated) submit deviated drilling plan. Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL 2314 FSL 727 FWL 2310 FSL 660 FEL Sec: 23 Twp: 8N Rng: 61W Sec: 23 Twp: 8N Rng: 61W					
16. Is location in a high density area? (Rule 603b)? Yes No 17. Distance to the nearest building, public road, above ground utility or railroad: 2215 ft 18. Distance to nearest property line: 255 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 328 ft 20. LEASE, SPACING AND POOLING INFORMATION					
Objective Formation(s) Formation Code Spacing Order Number	er(s) Unit Acreage Assigned to Well Unit Configuration (N/2, SE/4, etc.)				
Niobrara NBRR 535-259	640 All				
23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease?	Federal Indian Lease #: Federal Indian /es No Surface Surety ID#: Yes No 5,000 Blanket Surface Bond \$2,000 Surface Bond \$5,000 Surface Bond				

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):								
T8N-R61W Sec 23: All								
25. Distance to	Nearest Min	eral Lease Line:	660 ft	2	6. Total Acres in	n Lease:	640	
		DF	RILLING PL	ANS AND PROC	EDURES			
27. Is H2S ant	icipated?	Yes	X	o If Yes, attacl	h contingency p	lan.		
28. Will salt sections be encountered during drilling?								
29. Will salt (>	29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling?							
30. If question	s 28 or 29 are	yes, is this location	on in a sensiti	ve area (Rule 901	.e)?	10.0		
31. Mud dispo	sal: 🔽	Offsite On	site				8, 29, or 30 are mit may be re	
Method:	X Land Farm	ning 🔲 L	and Spreadin	g Disp	osal Facility	Other:	CLOSED LOC	<u>)P</u>
Note: The use	of an earthen	pit for Recompleti	on fluids requ	iires a pit permit (F	Rule 905b). If air	r/gas drilling, n	otify local fire	officials.
Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR		16		0	100	6	100	0
SURF 1ST	13+3/4 8+3/4	9+5/8 7	36 26	0	700 6,842	330 470	700 6,842	0
1ST LINER	6+3/4	4+1/2	11.6	6692	10,736	0	0,042	0
					,			
32. BOP Equip 33. Comments	First string	Annular Property top of cement willing. This is a 4-wee PC LE23-65HN, an	l be 200' abov ell pad which i	ncludes: Kummer	mation. The pro	(REF), Kumm	will be hung o ner PC LE23-6	ff inside of 55-1HN,
34. Location II				_				
		omprehensive Drill	•	Yes	No Va a	- N-		
	-	submitted Oil and			Yes	No	_	
	an statement	s made in this forr	n are, to the t	•		•	.e.	
Signed:				— Print Na	me: SUSAN M	IILLER		
Title: Rec	gulatory Analys	st III		Date: 12/19/2	2012 Ema	il: smiller@	nobleenergyi	nc.com
Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).								
Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.								
COGCC Approved: Director of COGCC Date: 1/31/2013								
A	API NUMBER	Permit N	Number:		Expiration Da	nte: 1/30/20)15	
05 123 3	6684 00	CONDI	TIONS OF A	PPROVAL, IF A	ANY:			
All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.								

- 1) Provide 48 hour notice prior to spud via electronic Form 42.
- 2) Provide cement coverage to a minimum of 200' above Niobrara. Verify coverage with cement bond log.
- 3) Run and submit Directional Survey from TD to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

Applicable Policies and Notices to Operators

Notice Concerning Operating Requirements for Wildlife Protection.

Attachment Check List

Att Doc Num	Name
2485052	SURFACE CASING CHECK
400350742	FORM 2 SUBMITTED
400350751	30 DAY NOTICE LETTER
400356210	WELL LOCATION PLAT
400356212	DEVIATED DRILLING PLAN
400356213	DIRECTIONAL DATA
400360564	SURFACE AGRMT/SURETY

Total Attach: 7 Files

General Comments

<u>User Group</u>	Comment	Comment Date
Permit	Final Review Completed. No LGD or public comment received.	1/28/2013 7:27:03 AM
Engineer	No existing wells within 500' of proposed directional w/o zonal isolation.	1/8/2013 10:25:08 AM
Permit	Per operator corrected distance to lease line, distance to nearest wellbore, corrected operator comment, objective formation, and distance to road.	1/2/2013 3:05:50 PM
Permit	Requested updated distance to nearest well, distance to lease line, distance to road. Application for spacing has been submitted. Initial review complete.	1/2/2013 10:54:08 AM

Total: 4 comment(s)

Date Run: 1/31/2013 Doc [#400350742] Well Name: KUMMER PC LE23-65-1HN

<u>BMP</u>			
<u>Type</u>	Comment		
General Housekeeping	General housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite, suitable facilities. If spills occur, prompt cleanup is required to minimize any commingling of waste materials with stormwater runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal or recycling. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup of trash and discarded materials will be conducted at the end of each work day. Cleanup will consist of patrolling the roadway, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, and any contaminated soil. These materials will be disposed of properly.		
Material Handling and Spill Prevention	Spill Prevention Control and Countermeasures (SPCC) plans are in place to address any possible spill associated with Oil & Gas operations throughout the state of Colorado in accordance with CFR 112.		
Drilling/Completion Operations	Anti-collision: Prior to drilling operations, Operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed wellpath with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottomhole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment. For the proposed well, upon conclusion of drilling operations, an as-constructed gyro survey will be submitted to COGCC with the Form 5. During and Post stimulation: Noble Energy Inc. will comply with the COGCC Policy for Bradenhead Monitoring During Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated 5/29/12.		
Storm Water/Erosion Control	Stormwater management plans (SWMP) are in place to address construction, drilling and operations associated with Oil & Gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE) and General Permit No. COR-038637. BMP's will be constructed around the perimeter of the site prior to, or at the beginning of construction. BMP's used will vary according to the location and will remain in place until the pad reaches final reclamation.		

Total: 4 comment(s)