

Technical Report for

XTO Energy

NPU 197-19B

1202-08

Accutest Job Number: D40909

Sampling Date: 11/12/12

Report to:

KRW Consulting, Inc.
8000 West 14th Avenue
Lakewood, CO 80214
dknudson@krwconsulting.com; jhess@krwconsulting.com;
crachak@krwconsulting.com; rrasnic@krwconsulting.com;
ATTN: Dwayne Knudson

Total number of pages in report: 20



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.


Brad Madadian
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO, ID, NE, NM, ND (R-027) (PW), UT (NELAP CO00049), TX (T104704511-12-1)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	5
Section 4: Sample Results	6
4.1: D40909-1: CUTTINGS DISCRETE AS (1)	7
4.2: D40909-2: CUTTINGS DISCRETE AS (2)	8
4.3: D40909-3: CUTTINGS DISCRETE AS (3)	9
4.4: D40909-4: CUTTINGS DISCRETE AS (4)	10
4.5: D40909-5: CUTTINGS DISCRETE AS (5)	11
Section 5: Misc. Forms	12
5.1: Chain of Custody	13
Section 6: Metals Analysis - QC Data Summaries	15
6.1: Prep QC MP8891: As	16

1

2

3

4

5

6



Sample Summary

XTO Energy

Job No: D40909

NPU 197-19B

Project No: 1202-08

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
D40909-1	11/12/12	13:45 DS	11/14/12	SO	Soil	CUTTINGS DISCRETE AS (1)
D40909-2	11/12/12	13:50 DS	11/14/12	SO	Soil	CUTTINGS DISCRETE AS (2)
D40909-3	11/12/12	13:55 DS	11/14/12	SO	Soil	CUTTINGS DISCRETE AS (3)
D40909-4	11/12/12	14:00 DS	11/14/12	SO	Soil	CUTTINGS DISCRETE AS (4)
D40909-5	11/12/12	14:05 DS	11/14/12	SO	Soil	CUTTINGS DISCRETE AS (5)

Soil samples reported on a dry weight basis unless otherwise indicated on result page.



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: XTO Energy

Job No D40909

Site: NPU 197-19B

Report Date 11/19/2012 3:15:50 PM

On 11/14/2012, 5 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 3.1 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D40909 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Metals By Method SW846 6020A

Matrix SO	Batch ID: MP8891
------------------	-------------------------

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D40910-1MS, D40910-1MSD, D40910-1SDL were used as the QC samples for the metals analysis.

Wet Chemistry By Method SM19 2540B M

Matrix SO	Batch ID: GN17668
------------------	--------------------------

- The data for SM19 2540B M meets quality control requirements.

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Job Number: D40909
Account: XTO Energy
Project: NPU 197-19B
Collected: 11/12/12



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
D40909-1	CUTTINGS DISCRETE AS (1)					
Arsenic		7.3	0.12		mg/kg	SW846 6020A
D40909-2	CUTTINGS DISCRETE AS (2)					
Arsenic		10.3	0.12		mg/kg	SW846 6020A
D40909-3	CUTTINGS DISCRETE AS (3)					
Arsenic		9.4	0.12		mg/kg	SW846 6020A
D40909-4	CUTTINGS DISCRETE AS (4)					
Arsenic		7.9	0.13		mg/kg	SW846 6020A
D40909-5	CUTTINGS DISCRETE AS (5)					
Arsenic		9.6	0.12		mg/kg	SW846 6020A

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: CUTTINGS DISCRETE AS (1)	Date Sampled: 11/12/12
Lab Sample ID: D40909-1	Date Received: 11/14/12
Matrix: SO - Soil	Percent Solids: 87.2
Project: NPU 197-19B	

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	7.3	0.12	mg/kg	5	11/15/12	11/17/12 JM	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3008

(2) Prep QC Batch: MP8891

RL = Reporting Limit

4.1
 4

Report of Analysis

Client Sample ID: CUTTINGS DISCRETE AS (2)	Date Sampled: 11/12/12
Lab Sample ID: D40909-2	Date Received: 11/14/12
Matrix: SO - Soil	Percent Solids: 79.8
Project: NPU 197-19B	

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	10.3	0.12	mg/kg	5	11/15/12	11/17/12 JM	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3008

(2) Prep QC Batch: MP8891

RL = Reporting Limit

4.2
4

Report of Analysis

Client Sample ID: CUTTINGS DISCRETE AS (3)	Date Sampled: 11/12/12
Lab Sample ID: D40909-3	Date Received: 11/14/12
Matrix: SO - Soil	Percent Solids: 79.0
Project: NPU 197-19B	

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	9.4	0.12	mg/kg	5	11/15/12	11/17/12 JM	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3008

(2) Prep QC Batch: MP8891

RL = Reporting Limit

4.3
4

Report of Analysis

Client Sample ID: CUTTINGS DISCRETE AS (4)	Date Sampled: 11/12/12
Lab Sample ID: D40909-4	Date Received: 11/14/12
Matrix: SO - Soil	Percent Solids: 80.1
Project: NPU 197-19B	

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	7.9	0.13	mg/kg	5	11/15/12	11/17/12 JM	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3008

(2) Prep QC Batch: MP8891

RL = Reporting Limit

4.4
4

Report of Analysis

Client Sample ID: CUTTINGS DISCRETE AS (5)	Date Sampled: 11/12/12
Lab Sample ID: D40909-5	Date Received: 11/14/12
Matrix: SO - Soil	Percent Solids: 80.4
Project: NPU 197-19B	

4.5
4

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	9.6	0.12	mg/kg	5	11/15/12	11/17/12 JM	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3008

(2) Prep QC Batch: MP8891

RL = Reporting Limit

Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D40909

Client: KRW CONSULTING

Immediate Client Services Action Required: No

Date / Time Received: 11/14/2012 12:00:00 P

No. Coolers: 1

Client Service Action Required at Login: No

Project: XTO NPU 197-19B

Airbill #'s: HDCCO

<u>Cooler Security</u>	<u>Y</u>	<u>or</u>	<u>N</u>		<u>Y</u>	<u>or</u>	<u>N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	4. Smp'l Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Cooler temp verification:			Infrared gun
3. Cooler media:			Ice (bag)

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:			Intact

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume rec'd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories
V:(303) 425-6021

4036 Youngfield Street
F: (303) 425-6854

Wheat Ridge, CO
www.accutest.com

5.1
5

Metals Analysis

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D40909
Account: XTOKRWR - XTO Energy
Project: NPU 197-19B

QC Batch ID: MP8891
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 11/15/12

Metal	RL	IDL	MDL	MB raw	final
Aluminum	25	.22	.31		
Antimony	0.20	.0018	.0075		
Arsenic	0.10	.006	.06	0.015	<0.10
Barium	1.0	.0065	.037		
Beryllium	0.10	.016	.09		
Boron	20	1.2	1.2		
Cadmium	0.050	.014	.021		
Calcium	200	7.9	8		
Chromium	1.0	.033	.19		
Cobalt	0.10	.0012	.015		
Copper	1.0	.017	.065		
Iron	20	.8	5		
Lead	0.25	.0011	.024		
Magnesium	50	.44	.85		
Manganese	0.50	.0043	.02		
Molybdenum	0.50	.018	.018		
Nickel	1.0	.0049	.011		
Phosphorus	30	1.4	3.6		
Potassium	100	9.8	10		
Selenium	0.20	.029	.14		
Silver	0.050	.0009	.0065		
Sodium	250	1.5	2.3		
Strontium	10	.036	.036		
Thallium	0.10	.00095	.0095		
Tin	5.0	.023	.34		
Titanium	1.0	.044	.1		
Uranium	0.25	.00085	.001		
Vanadium	2.0	.12	.21		
Zinc	5.0	.033	.35		

Associated samples MP8891: D40909-1, D40909-2, D40909-3, D40909-4, D40909-5

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D40909
 Account: XTOKRWR - XTO Energy
 Project: NPU 197-19B

QC Batch ID: MP8891
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: mg/kg

Prep Date: 11/15/12

Metal	D40910-1 Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	6.6	117	127	86.9 75-125
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP8891: D40909-1, D40909-2, D40909-3, D40909-4, D40909-5

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D40909
 Account: XTOKRWR - XTO Energy
 Project: NPU 197-19B

QC Batch ID: MP8891
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: mg/kg

Prep Date: 11/15/12

Metal	D40910-1 Original	MSD	SpikeLot ICPALL2	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	6.6	112	126	83.8	4.4	20
Barium						
Beryllium						
Boron						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead						
Magnesium						
Manganese						
Molybdenum						
Nickel						
Phosphorus						
Potassium						
Selenium						
Silver						
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP8891: D40909-1, D40909-2, D40909-3, D40909-4, D40909-5

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D40909
 Account: XTOKRWR - XTO Energy
 Project: NPU 197-19B

QC Batch ID: MP8891
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: mg/kg

Prep Date: 11/15/12

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	91.5	100	91.5	80-120
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP8891: D40909-1, D40909-2, D40909-3, D40909-4, D40909-5

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: D40909
 Account: XTOKRWR - XTO Energy
 Project: NPU 197-19B

QC Batch ID: MP8891
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: ug/l

Prep Date: 11/15/12

Metal	D40910-1			QC
	Original	SDL 5:25	%DIF	Limits

Aluminum				
Antimony				
Arsenic	54.3	53.0	2.4	0-10
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP8891: D40909-1, D40909-2, D40909-3, D40909-4, D40909-5

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

6.1.4
 6