

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400345703

Date Received:

12/12/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322

2. Name of Operator: NOBLE ENERGY INC

3. Address: 1625 BROADWAY STE 2200

City: DENVER

State: CO

Zip: 80202

4. Contact Name: JEAN MUSE-REYNOLDS

Phone: (303) 228-4316

Fax: (303) 228-4286

5. API Number 05-123-35419-00

7. Well Name: FRONT RANGE

8. Location: QtrQtr: SWSW

Section: 9

Township: 3N

Range: 64W

Meridian: 6

9. Field Name: WATTENBERG

Field Code: 90750

6. County: WELD

Well Number: D09-25D

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>06/26/2012</u>		End Date: <u>06/26/2012</u>		Date of First Production this formation: <u>08/21/2012</u>	
Perforations	Top: <u>7150</u>	Bottom: <u>7164</u>	No. Holes: <u>56</u>	Hole size: <u>40/100</u>	

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

PUMPED 264538# OTTAWA SAND DOWNHOLE in 154686gals of 15% HCL/PermStim/GELLED/FRESH WATER  
 CODELL IS PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUG

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>3683</u>	Max pressure during treatment (psi): <u>4949</u>
Total gas used in treatment (mcf): <u>0</u>	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.89</u>
Total acid used in treatment (bbl): <u>12</u>	Number of staged intervals: <u>10</u>
Recycled water used in treatment (bbl): <u>185</u>	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): <u>3498</u>	Disposition method for flowback: <u>RECYCLE</u>
Total proppant used (lbs): <u>264538</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

\*\* Bridge Plug Depth: \_\_\_\_\_      \*\* Sacks cement on top: \_\_\_\_\_      \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL		Status: PRODUCING		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: 08/21/2012	
Perforations	Top: 6934	Bottom: 7164	No. Holes: 104	Hole size: 40/100	
Provide a brief summary of the formation treatment:			Open Hole: <input type="checkbox"/>		
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____			Max pressure during treatment (psi): _____		
Total gas used in treatment (mcf): _____			Fluid density at initial fracture (lbs/gal): _____		
Type of gas used in treatment: _____			Min frac gradient (psi/ft): _____		
Total acid used in treatment (bbl): _____			Number of staged intervals: _____		
Recycled water used in treatment (bbl): _____			Flowback volume recovered (bbl): _____		
Fresh water used in treatment (bbl): _____			Disposition method for flowback: _____		
Total proppant used (lbs): _____			Rule 805 green completion techniques were utilized: <input type="checkbox"/>		
Reason why green completion not utilized: _____					
<b>Fracture stimulations must be reported on FracFocus.org</b>					
<b><u>Test Information:</u></b>					
Date: 08/27/2012	Hours: 24	Bbl oil: 63	Mcf Gas: 178	Bbl H2O: 0	
Calculated 24 hour rate:	Bbl oil: 63	Mcf Gas: 178	Bbl H2O: 0	GOR: 2825	
Test Method: FLOWING	Casing PSI: 828	Tubing PSI: 0	Choke Size: 10/64		
Gas Disposition: SOLD	Gas Type: WET	Btu Gas: 1220	API Gravity Oil: 52		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.			

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 06/26/2012 End Date: 06/26/2012 Date of First Production this formation: 08/21/2012

Perforations Top: 6934 Bottom: 7034 No. Holes: 48 Hole size: 73/100

Provide a brief summary of the formation treatment: Open Hole: ☐

PUMPED 263608# OTTAWA SAND DOWNHOLE in 173292gals of PermStim/GELLED/SLICK/FRESH WATER

CODELL IS PRODUCING THROUGH COMPOSITE FLOW-THROUGH PLUG

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 4126 Max pressure during treatment (psi): 6067

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Min frac gradient (psi/ft): 0.95

Total acid used in treatment (bbl): 12 Number of staged intervals: 10

Recycled water used in treatment (bbl): 173 Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): 3941 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 263608 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: JEAN MUSE-REYNOLDS

Title: REGULATORY COMPLIANCE Date: 12/12/2012 Email: jmuse@nobleenergyinc.com

### Attachment Check List

Att Doc Num	Name
400345703	FORM 5A SUBMITTED

Total Attach: 1 Files

### General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)