



01/15/13

Technical Report for

XTO Energy

PCU 296-6A

1211-02

Accutest Job Number: D42434

Sampling Date: 01/04/13

Report to:

KRW Consulting, Inc.
8000 West 14th Avenue
Lakewood, CO 80214
dknudson@krwconsulting.com; jhess@krwconsulting.com;
crachak@krwconsulting.com; rrasnic@krwconsulting.com;
ATTN: Dwayne Knudson

Total number of pages in report: 20



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.


Brad Madadian
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO, ID, NE, NM, ND (R-027) (PW), UT (NELAP CO00049), TX (T104704511-12-1)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary 3

Section 2: Case Narrative/Conformance Summary 4

Section 3: Summary of Hits 5

Section 4: Sample Results 6

4.1: D42434-1: RP DISCRETE AS (1) 7

4.2: D42434-2: RP DISCRETE AS (2) 8

4.3: D42434-3: RP DISCRETE AS (3) 9

4.4: D42434-4: RP DISCRETE AS (4) 10

4.5: D42434-5: RP DISCRETE AS (5) 11

Section 5: Misc. Forms 12

5.1: Chain of Custody 13

Section 6: Metals Analysis - QC Data Summaries 15

6.1: Prep QC MP9222: As 16



Sample Summary

XTO Energy

Job No: D42434

PCU 296-6A
Project No: 1211-02

Sample Number	Collected			Received	Matrix		Client Sample ID
	Date	Time	By		Code	Type	
D42434-1	01/04/13	12:30	DS	01/09/13	SO	Soil	RP DISCRETE AS (1)
D42434-2	01/04/13	12:35	DS	01/09/13	SO	Soil	RP DISCRETE AS (2)
D42434-3	01/04/13	12:40	DS	01/09/13	SO	Soil	RP DISCRETE AS (3)
D42434-4	01/04/13	12:45	DS	01/09/13	SO	Soil	RP DISCRETE AS (4)
D42434-5	01/04/13	12:50	DS	01/09/13	SO	Soil	RP DISCRETE AS (5)

Soil samples reported on a dry weight basis unless otherwise indicated on result page.



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: XTO Energy

Job No D42434

Site: PCU 296-6A

Report Date 1/15/2013 3:35:10 PM

On 01/09/2013, 5 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 3.7 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D42434 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Metals By Method SW846 6020A

Matrix SO

Batch ID: MP9222

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D42445-1MS, D42445-1MSD, D42445-1SDL were used as the QC samples for the metals analysis.

Wet Chemistry By Method SM19 2540B M

Matrix SO

Batch ID: GN18369

- The data for SM19 2540B M meets quality control requirements.

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D42434
Account: XTO Energy
Project: PCU 296-6A
Collected: 01/04/13



Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
D42434-1	RP DISCRETE AS (1)					
Arsenic		5.6	0.15		mg/kg	SW846 6020A
D42434-2	RP DISCRETE AS (2)					
Arsenic		8.9	0.18		mg/kg	SW846 6020A
D42434-3	RP DISCRETE AS (3)					
Arsenic		14.0	0.15		mg/kg	SW846 6020A
D42434-4	RP DISCRETE AS (4)					
Arsenic		17.6	0.15		mg/kg	SW846 6020A
D42434-5	RP DISCRETE AS (5)					
Arsenic		6.6	0.079		mg/kg	SW846 6020A

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	RP DISCRETE AS (1)	Date Sampled:	01/04/13
Lab Sample ID:	D42434-1	Date Received:	01/09/13
Matrix:	SO - Soil	Percent Solids:	67.4
Project:	PCU 296-6A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.6	0.15	mg/kg	5	01/11/13	01/15/13 JB	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3174
(2) Prep QC Batch: MP9222

RL = Reporting Limit

Report of Analysis

Client Sample ID:	RP DISCRETE AS (2)	Date Sampled:	01/04/13
Lab Sample ID:	D42434-2	Date Received:	01/09/13
Matrix:	SO - Soil	Percent Solids:	54.1
Project:	PCU 296-6A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	8.9	0.18	mg/kg	5	01/11/13	01/15/13 JB	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3174
(2) Prep QC Batch: MP9222

RL = Reporting Limit

Report of Analysis

Client Sample ID:	RP DISCRETE AS (3)	Date Sampled:	01/04/13
Lab Sample ID:	D42434-3	Date Received:	01/09/13
Matrix:	SO - Soil	Percent Solids:	61.5
Project:	PCU 296-6A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	14.0	0.15	mg/kg	5	01/11/13	01/15/13 JB	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3174
(2) Prep QC Batch: MP9222

RL = Reporting Limit

Report of Analysis

Client Sample ID:	RP DISCRETE AS (4)	Date Sampled:	01/04/13
Lab Sample ID:	D42434-4	Date Received:	01/09/13
Matrix:	SO - Soil	Percent Solids:	62.8
Project:	PCU 296-6A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	17.6	0.15	mg/kg	5	01/11/13	01/15/13 JB	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3174
(2) Prep QC Batch: MP9222

RL = Reporting Limit

4.4
4

Report of Analysis

Client Sample ID:	RP DISCRETE AS (5)	Date Sampled:	01/04/13
Lab Sample ID:	D42434-5	Date Received:	01/09/13
Matrix:	SO - Soil	Percent Solids:	75.5
Project:	PCU 296-6A		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.6	0.079	mg/kg	5	01/11/13	01/15/13 JB	SW846 6020A ¹	SW846 3050B ²

(1) Instrument QC Batch: MA3174
(2) Prep QC Batch: MP9222

RL = Reporting Limit

Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

4036 Youngfield Street, Wheat Ridge, CO 80033
TEL: 303-425-6021 FAX: 303-425-6854
www.accutest.com

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job # D42434

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)												Matrix Codes	
Company Name KRW Consulting		Project Name XTO PCU 296-6A		ARSENIC												<div>DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank</div>	
Street Address 8000 West 14th Street, Suite 200		Street															
City Lakewood, CO 80214		City State															
Project Contact Dwayne Knudson		Project # 1211-02															
Phone # 970-488-1098		Client Purchase Order #															
Sampler(s) Name(s) DAVID SANDERS 970-488-1098		Project Manager Joe Hess		Billing Information (if different from Report to) Company Name XTO Energy		Street Address 21459 CR 5		City Rifle, CO 81650		Attention: Jessica Dooling							
Accutest Sample #	Field ID / Point of Collection	MECH/DI/Vial #	Date	Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HN03	H2SO4	HNO2	DI Water	MEOH	ENCODE	Blank	LAB USE ONLY
	RP DISCRETE AS (1)		1-4-13	12:30	DS	SO	1						X				01
	RP DISCRETE AS (2)			12:35	DS		1						X				02
	RP DISCRETE AS (3)			12:40	DS		1						X				03
	RP DISCRETE AS (4)			12:45	DS		1						X				04
	RP DISCRETE AS (5)		1-4-13	12:50	DS	SO	1						X				05
Turnaround Time (Business days)		Data Deliverable Information		Comments / Special Instructions													
<input type="checkbox"/> Std. 10 Business Days <input checked="" type="checkbox"/> Std. 5 Business Days (By contract only) <input type="checkbox"/> 3 Day Emergency <input type="checkbox"/> 2 Day Emergency <input type="checkbox"/> 1 Day Emergency <input type="checkbox"/> Emergency & Rush T/A data available VIA Lablink		Approved By (Accutest PM): / Date:		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> COMMBN <input type="checkbox"/> COMMBN+ <input type="checkbox"/> Commercial "A" = Results Only Commercial "B" = Results + QC Summary Commercial BN = Results/QC/Narrative (+ = chromatograms)		<input type="checkbox"/> State Forms Required <input type="checkbox"/> Send Forms to State <input type="checkbox"/> Report by Fax <input checked="" type="checkbox"/> Report by PDF ONLY <input type="checkbox"/> EDD Format		Please email to: KRW Piceance Team THESE ARE "GRABS", NOT COMPOSITE									
Sample Custody must be documented below each time samples change possession, including courier delivery.																	
Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1 DAVID SANDERS	1/7/13 17:00	Enviro Service Center	2			3			4			5			6		
Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
3			4			5			6			7			8		
Relinquished by:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
5			6			7			8			9			10		
Custody Seal # H100		Intact <input checked="" type="checkbox"/> Not Intact <input type="checkbox"/>		Preserved where applicable <input checked="" type="checkbox"/>		On ice <input checked="" type="checkbox"/>		Cooler Temp. 3.7°C									

D42434: Chain of Custody

Page 1 of 2

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D42434

Client: KRW

Immediate Client Services Action Required: No

Date / Time Received: 1/9/2013 1:15:00 PM

No. Coolers: 1

Client Service Action Required at Login: No

Project: XTO PCU 296-6A

Airbill #'s: HDCO

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Cooler temp verification:			Infrared gun
3. Cooler media:			Ice (bag)

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:			Intact

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume rec'd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories
V:(303) 425-6021

4036 Youngfield Street
F: (303) 425-6854

Wheat Ridge, CO
www.accutest.com

Metals Analysis

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D42434
Account: XTOKRWR - XTO Energy
Project: PCU 296-6A

QC Batch ID: MP9222
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 01/11/13

Metal	RL	IDL	MDL	MB raw	final
Aluminum	25	.22	.31		
Antimony	0.20	.0018	.0075		
Arsenic	0.10	.006	.06	0.016	<0.10
Barium	1.0	.0065	.037		
Beryllium	0.10	.016	.09		
Boron	20	1.2	1.2		
Cadmium	0.050	.014	.021		
Calcium	200	7.9	8		
Chromium	1.0	.033	.19		
Cobalt	0.10	.0012	.015		
Copper	1.0	.017	.065		
Iron	20	.8	5		
Lead	0.25	.0011	.024		
Magnesium	50	.44	.85		
Manganese	0.50	.0043	.02		
Molybdenum	0.50	.018	.018		
Nickel	1.0	.0049	.011		
Phosphorus	30	1.4	3.6		
Potassium	100	9.8	10		
Selenium	0.20	.029	.14		
Silver	0.050	.0009	.0065		
Sodium	250	1.5	2.3		
Strontium	10	.036	.036		
Thallium	0.10	.00095	.0095		
Tin	5.0	.023	.34		
Titanium	1.0	.044	.1		
Uranium	0.25	.00085	.001		
Vanadium	2.0	.12	.21		
Zinc	5.0	.033	.35		

Associated samples MP9222: D42434-1, D42434-2, D42434-3, D42434-4, D42434-5

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D42434
Account: XTOKRWR - XTO Energy
Project: PCU 296-6A

QC Batch ID: MP9222
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 01/11/13

Metal	D42445-1 Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	7.7	139	120	109.5
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP9222: D42434-1, D42434-2, D42434-3, D42434-4, D42434-5

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D42434
Account: XTOKRWR - XTO Energy
Project: PCU 296-6A

QC Batch ID: MP9222
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 01/11/13

Metal	D42445-1 Original	MSD	SpikeLot ICPALL2	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	7.7	123	120	96.2	12.2	20
Barium						
Beryllium						
Boron						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead						
Magnesium						
Manganese						
Molybdenum						
Nickel						
Phosphorus						
Potassium						
Selenium						
Silver						
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP9222: D42434-1, D42434-2, D42434-3, D42434-4, D42434-5

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D42434
Account: XTOKRWR - XTO Energy
Project: PCU 296-6A

QC Batch ID: MP9222
Matrix Type: SOLID

Methods: SW846 6020A
Units: mg/kg

Prep Date: 01/11/13

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	99.9	100	99.9	80-120
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP9222: D42434-1, D42434-2, D42434-3, D42434-4, D42434-5

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: D42434
 Account: XTOKRWR - XTO Energy
 Project: PCU 296-6A

QC Batch ID: MP9222
 Matrix Type: SOLID

Methods: SW846 6020A
 Units: ug/l

Prep Date: 01/11/13

Metal	D42445-1 Original	SDL 5:25	%DIF	QC Limits
Aluminum				
Antimony				
Arsenic	66.2	69.4	4.9	0-10
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP9222: D42434-1, D42434-2, D42434-3, D42434-4, D42434-5

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested