



## Mesa Wireline

Company	ENCANA OIL & GAS INC. (USA)		
Well	DINNER 14-B1		
Field	WATTENBERG		
County	WELD		
State	COLORADO		
Location:	API #: 05-123-17813		
SHL: 614' FSL & 1902' FEL	Other Service: NONE		
SEC: 14 TWP: 4N RGE: 66W	Elevation		
Permanent Datum	GROUND LEVEL	Elevation	4772'
Log Measured From	KELLY BUSHING = 10'	D.F.	4733'
Drilling Measured From	KELLY BUSHING	G.L.	4722'

Date		11 FEB 2013		
Run Number		ONE		
Depth Driller		7277'		
Depth Logger		2700'		
Bottom Logged Interval		2700'		
Top Log Interval		SURFACE		
Open Hole Size		7.875"		
Type Fluid		WATER		
Density / Viscosity		~ 8.34 LBS/GAL		
Max. Recorded Temp.		N/A		
Estimated Cement Top		SEE LOG		
Time Well Ready		N/A		
Time Logger on Bottom		N/A		
Equipment Number		10801W / PB01		
Location		AULT CO		
Recorded By		BEN MILTON		
Witnessed By		JACK RUSSELL		
Borehole Record				
Run Number	Bit	From	To	Size
ONE	12.25"	0	362'	N/A
TWO	7.875"	0	7333'	
Tubing Record				
Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8.625"	24#	0	362'
Prod. String				
Production String	4.5"	11.6#	0	7277'
Liner				

&lt;&lt;&lt; Fold Here &gt;&gt;&gt;

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

## Comments

NO OTHER LOGS AVAILABLE TO CORRELATE TO

WE APPRECIATE YOUR BUSINESS. MESA WIRELINE LLC, AULT CO. (970) 834-2495




## MAIN PASS


Database File: dinner 14-b1.db  
Dataset Pathname: pass6  
Presentation Format: dobl\_prb  
Dataset Creation: Mon Feb 11 16:09:42 2013 by Log Std Casedhole 09061  
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	200
0	LTEN (lb)	5000
9	CCL	-1

0	Amplified Amplitude (mV)	20
0	Amplitude (mV)	100
0	TT3 (usec)	280

200 Variable Density 1200






200


250


300


350





TT3








600  
650  
700  
750  
800








850

900

950

1000







1050


1100

1150

1200

1250








1300

1350

1400

1450







1500


1550

1600

1650

1700







1700


1750

1800

1850

1900








1950

2000

2050

2100








2150


2200

2250

2300

2350








2400

2450


2500


2550





Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			titan Titan Cable Head Go Pin.	1.02	1.44	1.50
			Centralizer-Probe (CENT-PROBE-1) Probe Bowspring Centralizer	2.88	2.75	10.00

WVF3	11.67		CBL-PRB_CBL_DIGITAL (PRB_CBL_DIG_28.77 1) Probe 2.75" Dual Receiver Bond	2.75	60.00	
WVF5	10.67					
			Centralizer-Probe (CENT-PROBE-2) Probe Bowspring Centralizer	2.88	2.75	10.00
CCL	3.63		GR-PROBE_GRCL (PRB_GRCL_275_014.54) Probe 2.75" 4 Channel Pulse	2.75	30.00	
GR	0.90					
<div>Dataset: dinner 14-b1.db: field/well/run1/pass6</div> <div>Total Length: 20.08 ft</div> <div>Total Weight: 111.50 lb</div> <div>O.D.: 2.75 in</div>						

	Company	ENCANA OIL & GAS INC. (USA)
	Well	DINNER 14-B1
	Field	WATTENBERG
	County	WELD
	State	COLORADO