


Current Wellbore Schematic

EnCana Oil & Gas (USA) Inc.



WELL : Stelling 3B-4H – Cemented Perf/Plug
LOCATION : Lat: 40.075200 Long: -104.671120
COUNTY : WELD **STATE**: CO
FIELD : Wattenburg - NIOBRARA
ELEVATION : 4917' (GL) 4930' (KB) Δ 13'

SPUD DATE: 6/24/12
COMPL. DATE: 8/7/12
API #: 05123354120000



WELL HISTORY:

PROPOSED COMPLETION:
 17 STAGES

STAGES 1-15:
 50 BPM RATE
 65 KLBS/CLUSTER, 10 BPM/CLUSTER

STAGES 16-17:
 60 BPM RATE
 65 KLBS/CLUSTER, 10 BPM/CLUSTER

TOTAL WELL STIMULATION:
 93,820 BBLS TOTAL FLUID
 5,318,903 LBS TOTAL SAND

PERFORATIONS:
 6 SPF, 60 DEG PHASED, 15g, 0.38" EHD, 36" PENETRATION

DRILLOUT:
 3-5/8" SEALED BEARING BIT, ALL PLUGS DRILLED

Directional Data

KOP: 6350'
 30°: 6900'
 60°: 7100'
 80°: 7200'
 90°: 7400'
 Max DLS: 11.6°/100' @ 7083' MD

4-1/2" 13.5# P-110 DQX Prod. Csg @ 11,736'

CEMENTED
 3.920" ID
 3.795" Drift
 12,410 psi Burst (100%), 9928 psi (80%)

TD: 11,761'
 PBTD (FC): 11,691'
 TVD: ~7044'
 BHT: 240 F

Lateral Length: 4497' (Int. Shoe-TD)