

FORM  
5A

Rev  
06/12

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400388578

Date Received:

03/07/2013

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10401  
2. Name of Operator: MAK-J ENERGY COLORADO LLC  
3. Address: 1600 N BROADWAY, SUITE 1740  
City: DENVER State: CO Zip: 80202  
4. Contact Name: Dawn G. Meek  
Phone: (303) 339-5877  
Fax: (303) 468-0093

5. API Number 05-123-35230-00  
6. County: WELD  
7. Well Name: MCCOY  
Well Number: 24-33  
8. Location: QtrQtr: NWSW Section: 33 Township: 4N Range: 68W Meridian: 6  
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/18/2012 End Date: 05/18/2012 Date of First Production this formation: 07/17/2012

Perforations Top: 7744 Bottom: 7764 No. Holes: 60 Hole size: 42/100

Provide a brief summary of the formation treatment: Open Hole: ☒

Fractured Codell formation with 154,940 lbs of 30/50 white and 20/40 SLC sand.

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 4966 Max pressure during treatment (psi): 5542

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.33

Type of gas used in treatment: Min frac gradient (psi/ft): 0.80

Total acid used in treatment (bbl): Number of staged intervals: 1

Recycled water used in treatment (bbl): 1000 Flowback volume recovered (bbl): 4711

Fresh water used in treatment (bbl): 3966 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 154940 Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/18/2012 End Date: 05/18/2012 Date of First Production this formation: 07/17/2012

Perforations Top: 7495 Bottom: 7764 No. Holes: 60 Hole size: 42/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☒

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on [FracFocus.org](http://FracFocus.org)**

**Test Information:**

Date: 07/22/2012 Hours: 24 Bbl oil: 187 Mcf Gas: 102 Bbl H2O: 72

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: 545

Test Method: Flowing Casing PSI: 620 Tubing PSI: \_\_\_\_\_ Choke Size: 12

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1283 API Gravity Oil: 45

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7725 Tbg setting date: 12/06/2012 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/18/2012 End Date: 05/18/2012 Date of First Production this formation: 07/17/2012

Perforations Top: 7495 Bottom: 7672 No. Holes: 60 Hole size: 42/100

Provide a brief summary of the formation treatment: Open Hole: ☒

Fractured Niobrara formation with 204,800 lbs of 30/50 white and 20/40 SLC sand.

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 6205 Max pressure during treatment (psi): 6034

Total gas used in treatment (mcf):                      Fluid density at initial fracture (lbs/gal): 8.33

Type of gas used in treatment:                                      Min frac gradient (psi/ft): 0.85

Total acid used in treatment (bbl):                      Number of staged intervals: 1

Recycled water used in treatment (bbl): 1000 Flowback volume recovered (bbl): 4711

Fresh water used in treatment (bbl): 5205 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 204800 Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:                                     

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date:                      Hours:              Bbl oil:              Mcf Gas:              Bbl H2O:             

Calculated 24 hour rate: Bbl oil:              Mcf Gas:              Bbl H2O:              GOR:             

Test Method:                      Casing PSI:              Tubing PSI:              Choke Size:             

Gas Disposition:                      Gas Type:              Btu Gas:              API Gravity Oil:             

Tubing Size:              Tubing Setting Depth:              Tbg setting date:              Packer Depth:             

Reason for Non-Production:   

Date formation Abandoned:                      Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt             

\*\* Bridge Plug Depth:                      \*\* Sacks cement on top:                      \*\* Wireline and Cement Job Summary must be attached.

Comment:   

No wellbore diagrams created.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed:    Print Name: Peter R. Mounsey

Title: CEO Date: 3/7/2013 Email: pmounsey@makjenergy.com

#### Attachment Check List

Att Doc Num	Name
400388578	FORM 5A SUBMITTED

Total Attach: 1 Files

#### General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)