

FORM INSP
Rev 05/11

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
03/18/2013

Document Number:
669300403

Overall Inspection:
Satisfactory

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	<input type="checkbox"/>
	<u>430052</u>	<u>430051</u>	<u>NEIDEL, KRIS</u>	2A Doc Num:	

Operator Information:

OGCC Operator Number: 10339 Name of Operator: GULFPORT ENERGY CORPORATION
 Address: 14313 N. MAY AVENUE - SUITE 100
 City: OKLAHOMA CITY State: OK Zip: 73134

Contact Information:

Contact Name	Phone	Email	Comment
thomas, jay	(405) 848-8807	jthomas@gulfportenergy.com	

Compliance Summary:

QtrQtr: NESW Sec: 16 Twp: 6N Range: 91W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Unsatisfactory	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
11/21/2012	669600007			S			N

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	
430052	WELL	DG	09/07/2012		081-07747	Ridgeview 32-16-1	<input checked="" type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>1</u>	Separators: _____	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: <u>1</u>	Fuel Tanks: _____

Location

Signs/Marker:

Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
WELLHEAD	Satisfactory			

Emergency Contact Number: (S/U/V) Satisfactory Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date

Multiple Spills and Releases?

Fencing/:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
WELLHEAD	Satisfactory			

Equipment:					
Type	#	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date
Veritcal Heater Treater	1	Unsatisfactory	location not bermed	inspector talked to operator; they are awaiting parts and will berm treater after it is repaired.	04/05/2013
Pump Jack	1		casing gas.		

Facilities:				
<input type="checkbox"/> New Tank		Tank ID: _____		
Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	300 BBLS	STEEL AST	,
S/U/V:	Satisfactory	Comment:		
Corrective Action:				Corrective Date:

Paint	
Condition	Adequate
Other (Content)	_____
Other (Capacity)	_____
Other (Type)	_____

Berms				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficent	Base Sufficent	Adequate
Corrective Action				Corrective Date
Comment				

Facilities:		<input type="checkbox"/> New Tank	Tank ID: _____		
Contents	#	Capacity	Type	SE GPS	
CRUDE OIL	2	300 BBLS	STEEL AST		
S/U/V:	Satisfactory	Comment: _____			
Corrective Action:	_____			Corrective Date:	_____
Paint					
Condition	Adequate				
Other (Content)	_____				
Other (Capacity)	_____				
Other (Type)	_____				
Berms					
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance	
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate	
Corrective Action	_____			Corrective Date	_____
Comment	_____				
Venting:					
Yes/No	Comment				_____
Flaring:					
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date	

Predrill

Location ID: 430051

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>A closed loop system must be implemented during drilling (which operator has indicated on the Form 2A); or, if a closed loop system drilling rig is not used/available, then an amended Form 2A will need to be submitted/approved to include a drilling pit, and a Form 15 Earthen Pit Permit will also need to be submitted/approved prior to construction of the pit (the drilling pit will be required to be lined, fenced, and netted). All cuttings generated during drilling with oil based muds or high chloride/TDS mud must be kept in containers, a lined/bermed portion of the well pad, or the lined drilling pit (if permitted and constructed) prior to offsite disposal. The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>Notify the COGCC 48 hours prior to start of pad construction, pit liner installation (if applicable), rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations (as shown on the Construction Layout Drawings attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (preferably corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p> <p>The moisture content of any freshwater generated drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the freshwater generated drill cuttings are to be onsite, they must also meet the applicable standards of table 910-1.</p>	08/13/2012

Comment:

CA:

Date: _____

Wildlife BMPs:

BMP Type	Comment
Wildlife	<p>1) Where oil and gas activieiew must occur in elk winter concentration areas, conduct these activities outside the time period from December 1 through April 15, emergency and unusual situations exempt.</p> <p>2) Restrict post-developmet well site visitations between the hours of 10:00 AM an 3:00 PM and reduce well site visitations between December 1 and April 15 in elk winter concentration areas; emergency, unusual, or necessary maintenance situations are exempt; however prior notification to COGCC and CPW is required detailing the needed work and estimated schedule.</p> <p>3) Avoid aggressive non-native grasses adn shrubs in elk habitat restoration.</p> <p>4) Reclaim elk habitats with native shurbs, grassed, and forbs appropriate to the ecological site disturbed.</p> <p>5) Close and immediately reclaim all roads that are redundant, not used regularly, or have been abandoned to the maximum extent possible to minimize disturbance and habitat fragmentation.</p> <p>6) Establish company guidelines to minimize wildlife mortality from vehicle collisions on private roads.</p> <p>7) COGCC staff will attach a copy of email correspondence between Gulfport and CPW accepting CPW BMPs, along with CPW's note allowing non-routine work (emergency, unusual, or necessary maintenance situations) to take place between December 1 and April 15 and outside the hours of 10:00 AM an 3:00 PM as deemed necessary by the operator.</p>

Comment: _____

CA: _____ **Date:** _____

Stormwater:

Erosion BMPs	Present	Other BMPs	Present

Corrective Action: _____ Date: _____

Comments: Erosion BMPs: _____

Other BMPs: _____

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 430052 Type: WELL API Number: 081-07747 Status: DG Insp. Status: SI

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: _____

S/V: Satisfactory CA Date: _____

CA: recent production, shut in at time of inspection.

Comment: _____

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: IMPROVED PASTURE, RANGELAND

Comment: _____

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? _____ CM _____

CA _____ CA Date _____

Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized? _____
 1003c. Compacted areas have been cross ripped? _____
 1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
 Cuttings management: _____
 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
 Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____
 Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: IMPROVED PASTURE, RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Berms	Pass					

S/U/V: **Violation** Corrective Date: **04/12/2013**

Comment: location is under water; 8" deep puddles everywhere. there does not appear to be a stormwater plan in place.

CA: inspector talked to operator, they will be redoing stormwater BMP's and starting interim reclamation after snowmelt.

