



Allison - DNR, Rick <rick.allison@state.co.us>

Tateyama 15U-434 Pad and Facility Form 2As 400385890 400393515

Julie Webb <Julie.Webb@pdce.com>

Wed, Mar 27, 2013 at 7:56 AM

To: "Allison - DNR, Rick" <rick.allison@state.co.us>

Hi Rick,

Thank you for updating these. I will make sure to tell my team about the COAs.

Thank you,



Julie Webb, Regulatory Analyst

PDC Energy

1775 Sherman Street, Suite 3000, Denver, CO 80203

| julie.webb@pdce.com

From: Allison - DNR, Rick [<mailto:rick.allison@state.co.us>]

Sent: Friday, March 22, 2013 1:33 PM

To: Julie Webb

Subject: Tateyama 15U-434 Pad and Facility Form 2As 400385890 400393515

Julie,

I am reviewing the Form 2A location assessments for the Tateyama 15U-434 Pad and Facility locations.

Both locations are in a Sensitive Area because shallow ground water is present. I have changed the Sensitive Area designation to Yes on both Form 2As.

The Facility location is also in a Sensitive Area because it is proximate to a creek. The following condition of approval will apply to the Facility location: "Operator must implement site-specific best management practices in accordance with good engineering practices, including, but not limited to, construction of a berm or diversion dike, site grading, or other comparable measures, sufficient to protect the creek located east of the production facility from a release of produced fluids and chemical products."

Please acknowledge the condition of approval.

Finally, I changed the distance to nearest water well on the Facility From 2A to be 1100 feet to water well permit 219457.

Regards,

Rick Allison, P.G.

Oil and Gas Location Specialist - Northeast Colorado

Colorado Oil and Gas Conservation Commission

303-894-2100 x5102