

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400397898

Date Received:

03/30/2013

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185  
2. Name of Operator: ENCANA OIL & GAS (USA) INC  
3. Address: 370 17TH ST STE 1700  
City: DENVER State: CO Zip: 80202-  
4. Contact Name: Sheilla Reed-High  
Phone: (720) 876-3678  
Fax: (720) 876-4678

5. API Number 05-123-34132-00  
6. County: WELD  
7. Well Name: FILE  
Well Number: 4-2-17  
8. Location: QtrQtr: NWNE Section: 17 Township: 2N Range: 68W Meridian: 6  
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: <u>CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>09/21/2012</u>		End Date: <u>09/21/2012</u>		Date of First Production this formation: <u>12/11/2012</u>	
Perforations	Top: <u>7514</u>	Bottom: <u>7528</u>	No. Holes: <u>42</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

Set CFP @ 7580'. 09-21-12  
 Frac'd the Codell 7514'-7528' (42 holes) w/ 88,116 gal 22# Vistar Hybrid cross linked gel containing 250,560 # 30/50 sand. 09-21-12

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>2723</u>	Max pressure during treatment (psi): <u>4911</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.74</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): <u>2723</u>	Flowback volume recovered (bbl): <u>264</u>
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>DISPOSAL</u>
Total proppant used (lbs): <u>250560</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	-------------------------------------------------------------------	-----------------------------------

\*\* Bridge Plug Depth: \_\_\_\_\_     
 \*\* Sacks cement on top: \_\_\_\_\_     
 \*\* Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: \_\_\_\_\_  
Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 12/11/2012  
Perforations Top: 7296 Bottom: 7982 No. Holes: 136 Hole size: 0.42  
Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

Set CBP @ 7250'. 10-03-12  
Drilled out CBP, CFP's to commingle the JSND-NBRR-CDL. 10-04-12

This formation is commingled with another formation: ☐ Yes ☒ No  
Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_  
Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_  
Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_  
Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_  
Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_  
Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_  
Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐  
Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 12/12/2012 Hours: 24 Bbl oil: 110 Mcf Gas: 259 Bbl H2O: 27  
Calculated 24 hour rate: Bbl oil: 110 Mcf Gas: 259 Bbl H2O: 27 GOR: 2355  
Test Method: FLOWING Casing PSI: 2316 Tubing PSI: 1616 Choke Size: 12/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1239 API Gravity Oil: 1  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7939 Tbg setting date: 10/04/2012 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: <u>J SAND</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>09/20/2012</u>		End Date: <u>09/20/2012</u>		Date of First Production this formation: <u>12/11/2012</u>	
Perforations	Top: <u>7959</u>	Bottom: <u>7982</u>	No. Holes: <u>46</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

Frac'd the J-Sand 7959'-7982', (46 holes)w/ 62,370 gal 18 # Vistar Hybrid cross linked gel containing 250,380 # 20/40 Sand.09-20-12

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>3758</u>	Max pressure during treatment (psi): <u>3446</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.59</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): <u>3758</u>	Flowback volume recovered (bbl): <u>264</u>
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>DISPOSAL</u>
Total proppant used (lbs): <u>250380</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/21/2012 End Date: 09/22/2012 Date of First Production this formation: 12/11/2012

Perforations Top: 7514 Bottom: 7528 No. Holes: 90 Hole size: 0.42

Provide a brief summary of the formation treatment: Open Hole: ☐

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: \_\_\_\_\_  
Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 12/11/2012  
Perforations Top: 7296 Bottom: 7308 No. Holes: 48 Hole size: 0.42  
Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

Set CFP @ 7350'. 09-21-12  
Frac'd the Niobrara 7296-7308', (48 holes), w/ 97,860 gals 18 # Vistar Hybrid cross linked  
gel containing 253,360 # 30/50 sand. 09-22-12

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 2723 Max pressure during treatment (psi): 4911  
Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): 8.34  
Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.74  
Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: 1  
Recycled water used in treatment (bbl): 2723 Flowback volume recovered (bbl): 264  
Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 253360 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_  
Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_  
Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_  
Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_  
Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment: \_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Sheilla Reed-High  
Title: Drilling and Compl. Tech. Date: 3/30/2013 Email: sheilla.reedhigh@Encana.com  
:

**Attachment Check List**

Att Doc Num	Name
400397898	FORM 5A SUBMITTED
400398006	WELLBORE DIAGRAM

Total Attach: 2 Files

**General Comments**

User Group	Comment	Comment Date

Total: 0 comment(s)