



Service Ticket

9181582

Field Estimate

| | | | | | | | | |
|-----------------------------------------------|-------------|----------------------|------------------------------------------|--|-----------------------------|--|----------------------------|-----------------------|
| Client Name Anadarko Petroleum Corporation | | | Well Name Weichel 33-14 | | Location Sec 14:T2N:R65W | | Job Date March 21, 2013 | |
| | | | Job Type Cement Top Off | | County Weld | | Service Point Riverton | Call Sheet 1023749 |
| Address 1099 18th Street, Suite 1800 | | | Client Representative Mr Jay Chandler | | State CO | | Pricing Area Area U | |
| City Denver | State CO | Postal Code 80202 | Drilling Company ECWS | | Rig No. 21 | | AFE/PO # | |

| District | Service, Equipment & Material Type | Disc | 12 | Code | Quantity/Unit |
|----------|------------------------------------|------|----|------|---------------|
| 47 | Travel Charge | 56 | 12 | 1380 | 1 |
| 47 | Service Charge 0 to 2000 ft | 56 | 12 | 1100 | 1 |
| 47 | Twin Pumping | 56 | 12 | 1150 | 1 |
| 47 | Handling Service Charge Min | 56 | 12 | 1481 | 1 |
| 47 | Bulk Delivery / Return Minimum | 56 | 12 | 1485 | 1 |
| 47 | SAM Unit | 56 | 12 | 1497 | 1 |
| 47 | OWG | 56 | 12 | 3000 | 150 |
| 47 | CFR | 56 | 12 | 3160 | 70.5 |
| 47 | EnviroBag | 56 | 12 | 1492 | 1 |
| 47 | Polyflake | 56 | 12 | 3247 | 37.5 |
| 47 | Environmental Surcharge | - | 12 | 1493 | 1 |
| 47 | Fuel Surcharge | - | 12 | 2992 | 2 |
| 47 | Sugar | - | 12 | 3265 | 100 |

| FOR OFFICE USE ONLY | | | |
|---------------------|-----------------|-----------|--|
| Cementing - Prim | Cementing -Rem. | Code 9000 | |
| Coiled Tubing | Nitrogen | | |
| Acidization | Fracturing | | |
| Industrial Services | MPCT | | |
| Other | | | |
| Field | Sales 1 | Sales 2 | |

This Space Reserved for Client Coding Stamp

| | |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Comments | <p>This service ticket is not an invoice; pricing is subject to review and change without notice. This signature confirms that I have read and comply with the terms and conditions as noted on page {1@TermsPageNumber}</p> <p>X</p> |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Terms & Conditions

1. **Agreement for Services.** Sanjel (USA) Inc. ("Sanjel") and the customer for whom Sanjel is providing the Services ("Customer"), (collectively, the "Parties"), expressly understand and agree that the terms and conditions in this agreement (the "Agreement") shall govern and control the provision of all services provided by Sanjel to Customer, including any services, materials or consumables provided or performed by Sanjel under written or oral requests for services or job orders ("Services").
2. **Entire Agreement and Conflict.** Subject to any Master Service Agreement ("MSA") in effect between the Parties, this Agreement constitutes the entire agreement of the Parties with respect to the subject matter herein. This Agreement shall not be superseded or replaced by any other agreement (including any terms and conditions which may be found in any purchase order, service order, or invoice produced by Customer or found in Sanjel's Price Book) unless specifically agreed to by the Parties in writing. If there is any conflict between the terms of this Agreement and the MSA, the provisions of the MSA shall prevail.
3. **Results of Services.** The Customer acknowledges and agrees that the Services are of such a nature that no results of the work performed can be guaranteed and Sanjel specifically does not make any representations, warranties or guarantees with respect to the results of the Services.
4. **Price and Price Changes.** Customer shall pay for the Services at the rates set out in Sanjel's current Price Book ("Price Book"). All rates and prices quoted in the Price Book are subject to change without prior notice to the Customer, including the imposition of fuel or other surcharges related to increases in commodity prices. Special jobs undertaken by Sanjel outside of the scope of the Services shall not be subject to Price Book or any previously agreed upon discounts.
5. **Taxes.** All prices are exclusive of any municipal, state, federal, and/or special taxes or levies imposed on the sale of the Services. Customer shall be responsible for all taxes applicable to the provision of the Services.
6. **Additional Services Requests.** Services, equipment or materials not listed in the Price Book or a Sanjel proposal but purchased or rented by Sanjel at Customer's request shall be charged to Customer at actual cost plus twenty five percent (25%). Sanjel shall have no liability to Customer in respect of such services, equipment or materials.
7. **Payment Terms.** Payment terms are cash, net thirty (30) days. Interest shall be charged at eighteen percent (18%) per annum on all overdue accounts, and where necessary, all costs of collection of overdue accounts, including any legal fees and disbursements.
8. **Standby Charge.** In the event that Sanjel is unable to perform a job or provide requested Services to Customer due to circumstances beyond its control, including instances of force majeure, Sanjel retains the right to charge Customer seventy five percent (75%) of the applicable base charge, plus 100% of costs including, but not limited to, mileage, blending, material handling/hauling, materials and/or return delivery and restocking charges, and all location time in excess of the location time allowance.
9. **Warranties.** Sanjel warrants only that title to the product, supplies and materials, shall pass and vest in Customer, free and clear of all liens, claims and encumbrances of any nature, and that the same are free from defects in workmanship. There are no warranties, express or implied, of merchantability, use, and fitness or otherwise which extend beyond those expressly stated herein.
10. **Proprietary Rights.** Customer acknowledges that any intellectual property which is used by Sanjel for the provision of Services, or is created or developed by Sanjel in the course of performing the Services, is and shall remain the property of and is owned by Sanjel at all times.
11. **Confidentiality.** The Parties agree to take all reasonable precautions to protect the confidential information of the other from unauthorized use and disclosure and each Party shall use the confidential information of the other only for the purpose of conducting the Services.
12. **LIABILITY AND INDEMNITY. (A) SUBJECT TO SECTIONS 12(b),13,14 & 15 BELOW, CUSTOMER SHALL BE LIABLE TO SANJEL FOR ALL CLAIMS, DEMANDS, ACTIONS, CAUSES OF ACTION, DAMAGES, LOSSES, DEFICIENCIES, COSTS, LIABILITIES, EXPENSES (INCLUDING LEGAL FEES, ON A SOLICITOR-CLIENT BASIS ("CLAIMS")), THAT MAY BE MADE OR BROUGHT AGAINST SANJEL (EITHER DIRECTLY BY CUSTOMER, ITS AFFILIATES OR SUBSIDIARIES OR BY ANY THIRD PARTY) OR WHICH SANJEL MAY SUFFER OR INCUR AS A RESULT OF, ARISING OUT OF OR INCIDENT TO THIS AGREEMENT OR ANY SERVICES PROVIDED HEREUNDER, WHETHER SUCH CLAIM IS FOUNDED IN CONTRACT, TORT OR ANY OTHER CAUSE OF ACTION WHATSOEVER, UNLESS CAUSED BY THE NEGLIGENCE OR WILLFUL MISCONDUCT OF SANJEL. (B) NOTWITHSTANDING SECTION 12(A), CUSTOMER SHALL AT ALL TIMES BE SOLELY LIABLE FOR ANY CLAIMS MADE OR BROUGHT AGAINST SANJEL (EITHER BY CUSTOMER, ITS AFFILIATES OR SUBSIDIARIES OR BY ANY THIRD PARTY) OR WHICH SANJEL MAY SUFFER OR INCUR AS A RESULT OF, ARISING OUT OF OR INCIDENT TO: WELL BLOWOUT OR ANY UNCONTROLLED WELL CONDITION, FIRE, CRATERING, REDRILL OR SIDETRACKING, SEEPAGE OR RESERVOIR DAMAGE, LOSS OR DAMAGE TO THE HOLE, POLLUTION AND CONTAMINATION (EXCEPT SUDDEN AND ACCIDENTAL POLLUTION ORIGINATING ABOVE THE SERVICE OF THE EARTH AND EMANATING FROM SANJEL'S EQUIPMENT WHILE SUCH EQUIPMENT IS IN SANJEL'S CARE, CUSTODY AND CONTROL); EVEN IF CAUSED IN WHOLE OR IN PART BY THE SOLE, JOINT OR CONCURRENT NEGLIGENCE, GROSS NEGLIGENCE, WILLFUL MISCONDUCT OR OTHER FAULT (ACTIVE OR PASSIVE) OF SANJEL OR ANY OTHER PERSON. (C) CUSTOMER SHALL PROTECT, DEFEND, INDEMNIFY AND SAVE HARMLESS SANJEL, ITS AFFILIATES AND SUBSIDIARIES, FROM AND AGAINST ALL OF THE CLAIMS DESCRIBED IN SECTIONS 12(A) AND 12(B) ABOVE.**
13. **LIABILITY CAP. NOTWITHSTANDING SECTION 12 OR ANY OTHER TERM HEREIN TO THE CONTRARY, SANJEL'S MAXIMUM LIABILITY TO CUSTOMER ARISING OUT OF OR IN CONNECTION WITH THIS AGREEMENT AND ANY SERVICES PROVIDED HEREUNDER IS LIMITED TO THE COST OF THE PRODUCTS OR SERVICES SUPPLIED FOR THE PARTICULAR JOB IN WHICH SUCH DAMAGES AROSE.**
14. **Consequential damages.** Notwithstanding section 12 or any other term herein to the contrary, neither Party shall be liable to the other for business interruptions, punitive, indirect or consequential damages relating thereto (including but not limited to any loss of profit, loss of expected revenue, loss of hydrocarbons or loss of rig time).
15. **Equipment and Materials.** Customer shall be liable to Sanjel for any and all loss or damage to Sanjel equipment, tools or materials: (i) while located down hole; and (ii) while being transported to or from the work-site by Customer at any time or while such equipment, tools or materials are being loaded onto or attached to any transportation unit or vehicle furnished by or arranged for by Customer. In the event any Sanjel equipment is lost, damaged or destroyed during the provision of Service, Customer shall use reasonable efforts to diligently recover or repair said equipment, and in the event recovery or repair are not possible, Customer agrees to reimburse Sanjel for the lost, damaged or destroyed equipment at actual replacement cost value plus twenty-five percent (25%).
16. **Disposal of Chemicals.** Customer shall arrange for and be responsible for the disposal of any used chemicals, hazardous material(s), including but not limited to, any waste produced or accumulated during the provision of Services.
17. **Waiver.** Failure to enforce any or all of the above terms and conditions shall not relieve the Parties of their rights and obligations hereunder or constitute a waiver thereof or preclude subsequent enforcement of same.
18. **Amendments.** This Agreement may only be amended by a written agreement between the Parties signed by a duly authorized representative of each Party.
19. **Governing Law.** The Parties agree that the laws of the State of Colorado shall govern this Agreement, without the application of choice of law rules. The parties voluntarily submit to the jurisdiction and venue of the federal or state courts (as applicable) of the State of Colorado for the adjudication of all disputes under this Agreement.



**Pumping
Service Report**

9181582

| | | | |
|-----------------------------------------------|-----------------------------|----------------------------|-----------------------|
| Client Name Anadarko Petroleum Corporation | Well Name Weichel 33-14 | Job Date March 21, 2013 | Call Sheet 1023749 |
| Client Representative Mr Jay Chandler | Location Sec 14:T2N:R65W | Job Type Cement Top Off | |

| | | | |
|------------------------------------------------|-----|---|----|
| Well Profile | | | |
| Well Type: | Oil | | |
| Maximum Treating Pressure (psi): | --- | | |
| Predicted Bottom Hole Static Temperature (°F): | --- | @ | -- |
| Bottom Hole Circulating Temperature (°F): | --- | @ | -- |
| Bottom Hole Logged Temperature (°F): | --- | @ | -- |

| | | | |
|--------------------------------------------------------------------------------------|----------------|--|--|
| Products | | | |
| Plug 1 | | | |
| From Depth (ft): | 0 | | |
| To Depth (ft): | 530 | | |
| Plug Type : | Well Stability | | |
| Acids/Blends/Fluids : | | | |
| Tail: 150 Sacks of 0-1-0 G, Density = 15.8 lb/gal, Volume Pumped = 30.5 (bbl) | | | |
| Water Temperature(°F) = 40 , Bulk Temperature(°F) = 50 , Slurry Temperature(°F) = 43 | | | |
| + 0.5 % of CFR (Preblend), | | | |
| + 0.25 lb/sack of Polyflake (Preblend) | | | |

| | | | | | |
|--------------------------------|----------------|-------------------|-------------------|------------------|--------------------|
| Fluid & Cement Data | | | | | |
| Expected Cement Top: | Surface | | | | |
| Wellbore Fluid | | | | | |
| Fluid Type | Viscosity (cP) | Density (lbs/gal) | Yield Point (psi) | Temperature (°F) | Recorded@ |
| Water | -- | 8.340 | -- | -- | Mar 20, 2013 19:46 |

| | | | | | | | |
|------------------------------|-----------|-----------------|------------------|-----------|----------|------------------|-------------------|
| Units & Personnel | | | | | | | |
| Units | | | | | | | |
| Truck Unit No. | Main Type | Sub Type | Tractor Unit No. | Main Type | Sub Type | Time On Location | Time Off Location |
| 449093 | TRAILER | Utility Trailer | 201173 | PICKUP | 1 Ton | 03/21/13 09:30 | 03/21/13 12:15 |
| 445052 | TRAILER | SCM Twin | 745052 | TRACTOR | SCM Twin | 03/21/13 09:30 | 03/21/13 12:15 |
| 746506 | BODY JOB | Baby Bulker | | | | 03/21/13 09:30 | 03/21/13 12:15 |

| | | | | |
|-------------------------|------------------|------------------|--------------------|------------------|
| Crew and Bonuses | | | | |
| Employee | Start Shift | End Shift | Second Start Shift | Second End Shift |
| Roseleip, Derek | 03/21/2013 09:30 | 03/21/2013 12:15 | | |
| Bell, Wesley | 03/21/2013 09:30 | 03/21/2013 12:15 | | |
| Gordon, Jeffrey | 03/21/2013 09:30 | 03/21/2013 12:15 | | |
| Keeton, Derek | 03/21/2013 09:30 | 03/21/2013 12:15 | | |
| Hickman, James | 03/21/2013 09:30 | 03/21/2013 12:15 | | |



**Pumping
Service Report**

9181582

Treatment Reports & Remarks

Treatment Report

| Event # | Event Time | Event Description | Fluid Type | Rate (bbl/min) | Tubular Pressure (psi) | Annular Pressure (psi) | Stage Volume (bbl) | Total Volume (bbl) |
|---------|-------------------|--------------------------------------------------------------|------------|-------------------|---------------------------|---------------------------|-----------------------|-----------------------|
| 1 | Mar 21,2013 09:00 | Arrive On Location Remarks: Arrive Location | | -- | -- | -- | -- | 0.00 |
| 2 | Mar 21,2013 09:10 | Tailgate Meeting Remarks: Safety Meeting With Sanjel Crew | | -- | -- | -- | -- | 0.00 |
| 3 | Mar 21,2013 09:30 | Rig In | | -- | -- | -- | -- | 0.00 |
| 4 | Mar 21,2013 10:15 | Safety Meeting Remarks: Safety Meeting With Rig Crew | | -- | -- | -- | -- | 0.00 |
| 5 | Mar 21,2013 10:35 | Pump Preflush | Water | 1.00 | 30.0 | -- | 2.00 | 2.00 |
| 6 | Mar 21,2013 10:38 | Pressure Test | | -- | 2,000.0 | -- | -- | 2.00 |
| 7 | Mar 21,2013 10:40 | Pump Preflush | Water | 2.00 | 200.0 | -- | 8.00 | 10.00 |
| 8 | Mar 21,2013 10:45 | Mix Cement Remarks: Mix And Pump 0-1-0 G @ 15.8# | 0-1-0 G | 2.00 | 500.0 | -- | 30.50 | 40.50 |
| 9 | Mar 21,2013 10:59 | Displace Fluid Remarks: Flush Lines | Water | 2.00 | 300.0 | -- | 1.50 | 42.00 |
| 10 | Mar 21,2013 11:00 | Job Complete | | -- | -- | -- | -- | 42.00 |
| 11 | Mar 21,2013 11:02 | Rig Out | | -- | -- | -- | -- | 42.00 |
| 12 | Mar 21,2013 11:45 | Sign-off on Safety | | -- | -- | -- | -- | 42.00 |
| 13 | Mar 21,2013 12:00 | Pre-Departure Meeting | | -- | -- | -- | -- | 42.00 |
| 14 | Mar 21,2013 12:15 | Leave Location | | -- | -- | -- | -- | 42.00 |

Did Float Hold: Yes
 Fluid Returns : Yes
 Type : Cement
 Volume (bbl) : 5
 Temperature (°F) : 40
 FDAS Functioning Correctly : Yes
 Was the Program Followed As Per Design? : Yes

Material Transfer Sheet Number

Material Transfer Sheet Number
4868



| | | | | | |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------|------------------|----------------|
| Client | Anadarko | Client Rep | Jay Chandler | Supervisor | Derek Roseleip |
| Ticket No. | 9181582 | Well Name | Weichel 33-14 | Unit No. | 445052 |
| Location | Sec 14-T2N-R65W | Job Type | Abandonment Plugs | Service District | 47 Riverton |
| Comments | Fill Lines, Pressure Test 2000, Pump 10 BBL Fresh H2O, Mix And Pump 0-1-0 G Till Get Returns, Displace 1.5 BBL Fresh H2O To Clear Lines | | | Job Date | 03/21/2013 |

