

FORM
6Rev
12/05

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

2622584

Date Received:

07/11/2011

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 100185

Contact Name: RUTHANN MORSS

Name of Operator: ENCANA OIL & GAS (USA) INC

Phone: (720) 876-5060

Address: 370 17TH ST STE 1700

Fax: (720) 876-6060

City: DENVER State: CO Zip: 80202-

Email: RUTHANN.MORSS@ENCANA.COM

For "Intent" 24 hour notice required,

Name: LONGWORTH, MIKE

Tel: (970) 812-7644

COGCC contact:

Email:

API Number 05-045-13437-00

Well Name: GMU

Well Number: 24-13D (P23)

Location: QtrQtr: SESE Section: 23 Township: 6S Range: 93W Meridian: 6

County: GARFIELD

Federal, Indian or State Lease Number: C56035

Field Name: MAMM CREEK

Field Number: 52500

☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.506304

Longitude: -107.736257

GPS Data:

Date of Measurement: 03/02/2007

PDOP Reading: 1.9

GPS Instrument Operator's Name: J SHIRLEY

Reason for Abandonment: ☐ Dry ☐ Production for Sub-economic ☐ Mechanical Problems☒ Other NEVER DRILLEDCasing to be pulled: ☐ Yes ☒ No

Estimated Depth:

Fish in Hole: ☐ Yes ☒ No

If yes, explain details below

Wellbore has Uncemented Casing leaks: ☐ Yes ☒ No

If yes, explain details below

Details: NEVER DRILLED

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth

Total: 0 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
CONDUCTOR	24	16	42	40	5	40	0	

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth _____ with _____ sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set _____ 39 _____ sks cmt from _____ 40 _____ ft. to _____ 0 _____ ft. Plug Type: CASING Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing

Plugging Date: 06/08/2011

*Wireline Contractor: _____

*Cementing Contractor: B.J. SERVICES

Type of Cement and Additives Used: CLASS G NEAT

Flowline/Pipeline has been abandoned per Rule 1103 ☐ Yes ☐ No

*ATTACH JOB SUMMARY

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: RUTHANN MORSS

Title: REGULATORY ANALYST

Date: 7/6/2011

Email: RUTHANN.MORSS@ENCANA.COM

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEHLER, BOB

Date: 4/25/2013

CONDITIONS OF APPROVAL, IF ANY:

Attachment Check List

Att Doc Num	Name
2486310	WELLBORE DIAGRAM
2622584	WELL ABANDONMENT REPORT (SUBSEQUENT)

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	RuthAnn Morss provided cement tickets and as plugged wellbore diagram 4/24/2013. This SRA is for filling up conductor. Well was not drilled beyond that.	4/25/2013 8:45:20 AM

Total: 1 comment(s)