



DE	ET	OE	ES
Document Number: 400426462			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 100185 Contact Name Dan Prokop
 Name of Operator: ENCANA OIL & GAS (USA) INC Phone: (970) 285-2707
 Address: 370 17TH ST STE 1700 Fax: ()
 City: DENVER State: CO Zip: 80202-5632 Email: daniel.prokop@encana.com

Complete the Attachment
Checklist

OP OGCC

API Number : 05- 045 22050 00 OGCC Facility ID Number: 432810
 Well/Facility Name: Hagen Clem Well/Facility Number: 15-10C (PC22)
 Location QtrQtr: NENW Section: 22 Township: 7S Range: 95W Meridian: 6
 County: GARFIELD Field Name: _____
 Federal, Indian or State Lease Number: _____

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
 - 1 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
 - 4 Number of Water Source Exceptions requested per Rule 609.c.
 - 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - 1 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

A total of one potential monitoring well was identified within a one half mile radius of the PC22 well pad location (DWR Permit ID 211945), located on the property of Mr. David Furr. A sampling notification letter was sent via certified mail on April 26, 2013 and collected by Mr. Furr on May 16, 2013. When no response was received, a follow up phone call was placed by Mr. Aaron Stacy of Olsson Associates on 5/23/13. Mr. Furr answered and stated that he had received the letter, however no permission was granted to sample the well.

Included as attachments are the following:

USPS certified mail tracking sheet showing letter delivery.
 Notification Cover letter
 Notification letter
 PC 22 Radius Map showing well DWR Permit Number 211945
 Communication log.

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Dan Prokop
 Title: Environmental Field Email: daniel.prokop@encana.com Date: 5/30/2013
Coord

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 6/3/2013

CONDITIONS OF APPROVAL, IF ANY:

Received the operator's approval to change the number of exceptions from 1 to 4.

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental	On hold pending additional information from the operator.	3/3/2013 1:06:52 PM

Total: 1 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400426462	FORM 4 SUBMITTED
400426538	LOCATION DRAWING
400426568	CORRESPONDENCE
400426579	CORRESPONDENCE
400426580	CORRESPONDENCE
400426582	CORRESPONDENCE

Total Attach: 6 Files