

T12N, R97W, 6th P.M.

WEXPRO COMPANY


Well location, CARL ALLEN #45, located as shown in the SE 1/4 SW 1/4 of Section 28, T12N, R97W, 6th P.M., Moffat County, Colorado.

BASIS OF ELEVATION

SPOT ELEVATION LOCATED AT THE SOUTHEAST CORNER OF SECTION 4, T11N, R97W, 6th P.M. TAKEN FROM THE POWDER WASH QUADRANGLE, COLORADO, MOFFAT COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 6644 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR  
REGISTRATION NO. 1492  
STATE OF COLORADO  
08-27-11

REVISED: 06-16-11 S.L.  
REVISED: 01-05-11 S.L.


UINTAH ENGINEERING & LAND SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078  
(435) 789-1017

SCALE	DATE SURVEYED:	DATE DRAWN:
1" = 1000'	07-27-10	09-03-10

PARTY	REFERENCES
D.K. J.D. C.C.	G.L.O. PLAT

WEATHER	FILE
HOT	WEXPRO COMPANY



NOTE:  
SEE ADDENDUM TO LEGAL PLAT FOR  
EXISTING IMPROVEMENTS WITHIN 400'  
OF THE PROPOSED DISTURBANCE AREA.

CARL ALLEN #45  
Elev. Ungraded Ground = 6585'

2008 UELS Alum. Cap 1.0' High,  
Buried SMS Next to  
Cap, Steel Post  
Lat: 40.964042  
Long: 108.306222

LEGEND:  
= 90° SYMBOL  
= PROPOSED WELL HEAD.  
= SECTION CORNERS LOCATED.

(NAD 83)  
LATITUDE = 40°57'56.20" (40.965611)  
LONGITUDE = 108°17'55.45" (108.298736)  
(NAD 27)  
LATITUDE = 40°57'56.33" (40.965647)  
LONGITUDE = 108°17'53.11" (108.298086)

PDOP = 2.3