

FORM  
2A

Rev  
04/01

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400421504

Date Received:

05/22/2013

Oil and Gas Location Assessment

☒ New Location ☐ Amend Existing Location Location#: \_\_\_\_\_

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

**433305**

Expiration Date:

**06/13/2016**

☒ This location assessment is included as part of a permit application.

1. CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- ☐ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 96850

Name: WPX ENERGY ROCKY MOUNTAIN LLC

Address: 1001 17TH STREET - SUITE #1200

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Greg Davis

Phone: (303) 606-4071

Fax: (303) 629-8268

email: Greg.J.Davis@WPXEnergy.com

4. Location Identification:

Name: Morgan Number: CMU 22-33

County: GARFIELD

QuarterQuarter: SENW Section: 33 Township: 6S Range: 90W Meridian: 6 Ground Elevation: 7238

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1762 feet FNL, from North or South section line, and 2614 feet FWL, from East or West section line.

Latitude: 39.488187 Longitude: -107.446465 PDOP Reading: 2.5 Date of Measurement: 02/26/2013

Instrument Operator's Name: J. Kirkpatrick

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text"/>	Drilling Pits: <input type="text"/>	Wells: <input type="text" value="1"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text" value="1"/>
Condensate Tanks: <input type="text" value="2"/>	Water Tanks: <input type="text" value="2"/>	Separators: <input type="text" value="1"/>	Electric Motors: <input type="text"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text"/>	Cavity Pumps: <input type="text"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text"/>	Pigging Station: <input type="text"/>
Electric Generators: <input type="text"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text"/>	Water Pipeline: <input type="text"/>	Flare: <input type="text"/>
Gas Compressors: <input type="text" value="1"/>	VOC Combustor: <input type="text" value="1"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: \_\_\_\_\_

6. Construction:

Date planned to commence construction: 07/15/2013 Size of disturbed area during construction in acres: 6.17  
Estimated date that interim reclamation will begin: 07/15/2014 Size of location after interim reclamation in acres: 0.95  
Estimated post-construction ground elevation: 7238 Will a closed loop system be used for drilling fluids: Yes ☒  
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒  
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒  
Mud disposal: Offsite ☐ Onsite ☒ Method: Land Farming ☐ Land Spreading ☐ Disposal Facility ☐  
Other: Re-use, evap & backfill

## 7. Surface Owner:

Name: \_\_\_\_\_ Phone: \_\_\_\_\_  
Address: \_\_\_\_\_ Fax: \_\_\_\_\_  
Address: \_\_\_\_\_ Email: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Date of Rule 306 surface owner consultation: \_\_\_\_\_  
Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian  
Mineral Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian  
The surface owner is: ☒ the mineral owner ☒ committed to an oil and gas lease  
☐ is the executer of the oil and gas lease ☐ the applicant  
The right to construct the location is granted by: ☒ oil and gas lease ☐ Surface Use Agreement ☐ Right of Way  
☐ applicant is owner  
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID \_\_\_\_\_

## 8. Reclamation Financial Assurance:

☐ Well Surety ID: 20030107 ☐ Gas Facility Surety ID: \_\_\_\_\_ ☐ Waste Mgmt. Surety ID: \_\_\_\_\_

## 9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒  
Distance, in feet, to nearest building: 1067, public road: 4300, above ground utility: 1326,  
railroad: 28000, property line: 436

## 10. Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP  
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_  
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## 11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP  
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_  
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## 12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 24 Dollar-Rro outcrop, shale complex, 25 to 65percent slopes

NRCS Map Unit Name: 16 Cimarron Loam, 2 to 12 percent slopes

NRCS Map Unit Name:

### 13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☐ field observation Date of observation: 02/26/2013

List individual species: Oak, Sage, Service berry, Wheatgrass

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)  
☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)  
☒ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)  
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)  
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)  
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)  
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)  
☐ Alpine (above timberline)  
☐ Other (describe):

### 14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☐ No ☒ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☐ No ☒ Yes

Distance (in feet) to nearest surface water: 245, water well: 1312, depth to ground water: 19

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Supply Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

### 15. Comments:

This location assessment form 2A is for the CMU 22-33 pad from which one well, the CMU 323-33 is being permitted at this time. The location reference point for this pad is the CMU 32-33 well location from which point all measurements are taken. Reference photos for this pad will be provided at a later date. Surface and minerals are owned in fee, however the well is within a Federal Unit. A sensitive area determination concludes that this location is within a sensitive area. Because this location is in a Sensitive Area (See attached SAD), WPX will employ the following BMPs to support protection of surface and ground water: • WPX will ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations. • WPX will implement best management practices to contain any unintentional release of fluids. • Either a lined drilling pit or closed loop system will be implemented.


I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Date: 05/22/2013 Email: Greg.J.Davis@WPXEnergy.com

Print Name: Greg Davis Title: Supervisor Permits

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:



Director of COGCC

Date: 6/14/2013

**CONDITIONS OF  
APPROVAL, IF ANY:**

**All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.**

**GENERAL SITE COAs:**

Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines

Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

The location is in an area of moderate to high run-on/run-off potential; therefore standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater run-off.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if drill cuttings are to remain/disposed of onsite, they must also meet the applicable standards of table 910-1.

Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

Berms or other containment devices shall be constructed to be sufficiently impervious (preferably corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.

**PIPELINE COAs:**

Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service.

Operator must implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located.

Operator must routinely inspect the entire length of the surface pipeline to ensure integrity.

Operator must ensure 110 percent secondary containment for any potential volume of fluids that may be released from the surface pipeline at all stream, intermittent stream, ditch, and drainage crossings.

Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.

**GROUNDWATER BASELINE SAMPLING COA:**

Operator shall comply with Rule 609. STATEWIDE GROUNDWATER BASELINE SAMPLING AND MONITORING.

### Attachment Check List

Att Doc Num	Name
2106630	CORRESPONDENCE
400421504	FORM 2A SUBMITTED
400422140	ACCESS ROAD MAP
400422142	CONST. LAYOUT DRAWINGS
400422145	HYDROLOGY MAP
400422147	LOCATION DRAWING
400422148	LOCATION PICTURES
400422152	NRCS MAP UNIT DESC
400422153	REFERENCE AREA MAP
400422154	SENSITIVE AREA DATA
400422155	SURFACE AGRMT/SURETY
400422156	MULTI-WELL PLAN

Total Attach: 12 Files

### General Comments

User Group	Comment	Comment Date
Permit	No LGD or public comments. Final Review--passed.	6/13/2013 12:17:10 PM
LGD	Approved, KHW	6/12/2013 6:23:39 PM
OGLA	Initiated/Completed OGLA Form 2A review on 06-09-13 by Dave Kubeczko; placed notification, fluid containment, spill/release BMPs, cuttings moisture content, tank berming, flowback to tanks, Rule 609 GW sampling, and pipeline COAs on Form 2A and sent email to operator on 06-09-13; no CPW; passed OGLA Form 2A review on 06-13-13 by Dave Kubeczko; notification, fluid containment, spill/release BMPs, cuttings moisture content, tank berming, flowback to tanks, Rule 609 GW sampling, and pipeline COAs.	6/9/2013 10:02:40 PM
Permit	Pass completeness. Corrected sized of location after interim reclamation with consent of Operator.	5/23/2013 8:35:27 AM

Total: 4 comment(s)

## **BMP**

<b><u>Type</u></b>	<b><u>Comment</u></b>
Drilling/Completion Operations	Utilize staked soil retention blankets for erosion control and reclamation of large surface areas with 1.5:1 or steeper slopes. Avoid use of plastic blanket materials. * Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements * Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife * WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas. * Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. * Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors. * Avoid dust suppression activities within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river where possible.
Planning	PLANNING BMP's * Use existing roads where possible * Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors * Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development * Place roads to avoid obstructions to migratory routes for wildlife, and to avoid displacement of wildlife from public to private lands. * Maximize use of remote telemetry for well monitoring to minimize traffic * Restrict oil and gas activities as practical during critical seasonal periods * Implement self imposed timing limitations to protect species and/or habitat

Total: 2 comment(s)