



25-Jun-2013

Mark Mumby
HRL Compliance Solutions
2385 F 1/2 Road
Grand Junction, CO 81505

Re: **Antero Grant Bros. Gravel Pit 10-422 6/20/13**

Work Order: **1306854**

Dear Mark,

ALS Environmental received 3 samples on 21-Jun-2013 09:30 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

Sample results are compliant with NELAP standard requirements and QC results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 13.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Ann Preston".

Electronically approved by: Bill Carey

Ann Preston
Project Manager



Certificate No: MN 532786

Report of Laboratory Analysis

ADDRESS 3352 128th Avenue Holland, Michigan 49424-9263 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental The ALS logo, a stylized blue triangle with a yellow flame-like shape inside.

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: HRL Compliance Solutions
Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13
Work Order: 1306854

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1306854-01	Seep 01R	Groundwater		6/20/2013 09:35	6/21/2013 09:30	<input type="checkbox"/>
1306854-02	Seep 03R	Groundwater		6/20/2013 09:25	6/21/2013 09:30	<input type="checkbox"/>
1306854-03	Seep 3	Groundwater		6/20/2013 09:15	6/21/2013 09:30	<input type="checkbox"/>

Client: HRL Compliance Solutions
Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13
WorkOrder: 1306854

QUALIFIERS, ACRONYMS, UNITS

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
TDL	Target Detection Limit
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
µg/L	Micrograms per Liter
mg/L	Milligrams per Liter

ALS Group USA, Corp

Date: 25-Jun-13

Client: HRL Compliance Solutions

Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13

Sample ID: Seep 01R

Collection Date: 6/20/2013 09:35 AM

Work Order: 1306854

Lab ID: 1306854-01

Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW8015M		Prep Date: 6/24/2013	Analyst: RD
DRO (C10-C28)	ND		0.10	mg/L	1	6/24/2013 06:30 PM
ORO (C28-C40)	ND		0.10	mg/L	1	6/24/2013 06:30 PM
Surr: 4-Terphenyl-d14	62.4		21-90	%REC	1	6/24/2013 06:30 PM
GASOLINE RANGE ORGANICS BY GC-FID			SW8015			Analyst: RD
GRO (C6-C10)	ND		0.20	mg/L	1	6/21/2013 05:53 PM
Surr: Toluene-d8	112		70-130	%REC	1	6/21/2013 05:53 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: AK
Benzene	ND		1.0	µg/L	1	6/22/2013 07:50 AM
Ethylbenzene	ND		1.0	µg/L	1	6/22/2013 07:50 AM
m,p-Xylene	ND		2.0	µg/L	1	6/22/2013 07:50 AM
o-Xylene	ND		1.0	µg/L	1	6/22/2013 07:50 AM
Toluene	ND		1.0	µg/L	1	6/22/2013 07:50 AM
Xylenes, Total	ND		3.0	µg/L	1	6/22/2013 07:50 AM
Surr: 1,2-Dichloroethane-d4	96.2		70-120	%REC	1	6/22/2013 07:50 AM
Surr: 4-Bromofluorobenzene	95.3		75-120	%REC	1	6/22/2013 07:50 AM
Surr: Dibromofluoromethane	101		85-115	%REC	1	6/22/2013 07:50 AM
Surr: Toluene-d8	100		85-120	%REC	1	6/22/2013 07:50 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 25-Jun-13

Client: HRL Compliance Solutions

Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13

Sample ID: Seep 03R

Collection Date: 6/20/2013 09:25 AM

Work Order: 1306854

Lab ID: 1306854-02

Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW8015M		Prep Date: 6/24/2013	Analyst: RD
DRO (C10-C28)	ND		0.10	mg/L	1	6/24/2013 07:00 PM
ORO (C28-C40)	ND		0.10	mg/L	1	6/24/2013 07:00 PM
Surr: 4-Terphenyl-d14	55.5		21-90	%REC	1	6/24/2013 07:00 PM
GASOLINE RANGE ORGANICS BY GC-FID			SW8015			Analyst: RD
GRO (C6-C10)	ND		0.20	mg/L	1	6/21/2013 06:17 PM
Surr: Toluene-d8	111		70-130	%REC	1	6/21/2013 06:17 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: AK
Benzene	ND		1.0	µg/L	1	6/22/2013 08:14 AM
Ethylbenzene	ND		1.0	µg/L	1	6/22/2013 08:14 AM
m,p-Xylene	ND		2.0	µg/L	1	6/22/2013 08:14 AM
o-Xylene	ND		1.0	µg/L	1	6/22/2013 08:14 AM
Toluene	ND		1.0	µg/L	1	6/22/2013 08:14 AM
Xylenes, Total	ND		3.0	µg/L	1	6/22/2013 08:14 AM
Surr: 1,2-Dichloroethane-d4	95.8		70-120	%REC	1	6/22/2013 08:14 AM
Surr: 4-Bromofluorobenzene	95.0		75-120	%REC	1	6/22/2013 08:14 AM
Surr: Dibromofluoromethane	101		85-115	%REC	1	6/22/2013 08:14 AM
Surr: Toluene-d8	101		85-120	%REC	1	6/22/2013 08:14 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 25-Jun-13

Client: HRL Compliance Solutions

Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13

Sample ID: Seep 3

Collection Date: 6/20/2013 09:15 AM

Work Order: 1306854

Lab ID: 1306854-03

Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW8015M		Prep Date: 6/24/2013	Analyst: RD
DRO (C10-C28)	ND		0.10	mg/L	1	6/24/2013 07:30 PM
ORO (C28-C40)	ND		0.10	mg/L	1	6/24/2013 07:30 PM
Surr: 4-Terphenyl-d14	60.1		21-90	%REC	1	6/24/2013 07:30 PM
GASOLINE RANGE ORGANICS BY GC-FID			SW8015			Analyst: RD
GRO (C6-C10)	ND		0.20	mg/L	1	6/21/2013 06:42 PM
Surr: Toluene-d8	110		70-130	%REC	1	6/21/2013 06:42 PM
VOLATILE ORGANIC COMPOUNDS			SW8260			Analyst: AK
Benzene	ND		1.0	µg/L	1	6/22/2013 08:37 AM
Ethylbenzene	ND		1.0	µg/L	1	6/22/2013 08:37 AM
m,p-Xylene	ND		2.0	µg/L	1	6/22/2013 08:37 AM
o-Xylene	ND		1.0	µg/L	1	6/22/2013 08:37 AM
Toluene	ND		1.0	µg/L	1	6/22/2013 08:37 AM
Xylenes, Total	ND		3.0	µg/L	1	6/22/2013 08:37 AM
Surr: 1,2-Dichloroethane-d4	95.8		70-120	%REC	1	6/22/2013 08:37 AM
Surr: 4-Bromofluorobenzene	96.0		75-120	%REC	1	6/22/2013 08:37 AM
Surr: Dibromofluoromethane	101		85-115	%REC	1	6/22/2013 08:37 AM
Surr: Toluene-d8	100		85-120	%REC	1	6/22/2013 08:37 AM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: HRL Compliance Solutions

QC BATCH REPORT

Work Order: 1306854

Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13

Batch ID: 49258

Instrument ID GC8

Method: SW8015M

MBLK		Sample ID: DBLKW1-49258-49258				Units: mg/L		Analysis Date: 6/24/2013 04:31 PM		
Client ID:		Run ID: GC8_130624A				SeqNo: 2359593		Prep Date: 6/24/2013		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
DRO (C10-C28)	ND	0.10								
ORO (C28-C40)	ND	0.10								
Surr: 4-Terphenyl-d14	0.07307	0	0.1143	0	63.9	21-90	0			

LCS		Sample ID: DLC SW1-49258-49258				Units: mg/L		Analysis Date: 6/24/2013 05:00 PM		
Client ID:		Run ID: GC8_130624A				SeqNo: 2359595		Prep Date: 6/24/2013		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
DRO (C10-C28)	5.555	0.10	11.43	0	48.6	44-116	0			
ORO (C28-C40)	7.287	0.10	11.43	0	63.8	44-116	0			
Surr: 4-Terphenyl-d14	0.07856	0	0.1143	0	68.7	21-90	0			

MS		Sample ID: 1306854-01B MS				Units: mg/L		Analysis Date: 6/24/2013 05:30 PM		
Client ID: Seep 01R		Run ID: GC8_130624A				SeqNo: 2359597		Prep Date: 6/24/2013		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
DRO (C10-C28)	19.25	0.35	40	0	48.1	44-116	0			
ORO (C28-C40)	26.05	0.35	40	0	65.1	44-116	0			
Surr: 4-Terphenyl-d14	0.2791	0	0.4	0	69.8	21-90	0			

MSD		Sample ID: 1306854-01B MSD				Units: mg/L		Analysis Date: 6/24/2013 06:00 PM		
Client ID: Seep 01R		Run ID: GC8_130624A				SeqNo: 2359598		Prep Date: 6/24/2013		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
DRO (C10-C28)	20.23	0.35	40	0	50.6	44-116	19.25	4.96	30	
ORO (C28-C40)	25.27	0.35	40	0	63.2	44-116	26.05	3.02	30	
Surr: 4-Terphenyl-d14	0.2702	0	0.4	0	67.5	21-90	0.2791	3.26	30	

The following samples were analyzed in this batch:

1306854-01B 1306854-02B 1306854-03B

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: HRL Compliance Solutions
Work Order: 1306854
Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13

QC BATCH REPORT

Batch ID: **R122664** Instrument ID **GC10** Method: **SW8015**

MBLK	Sample ID: GBLK1-130621-R122664					Units: µg/L		Analysis Date: 6/21/2013 12:30 PM		
Client ID:	Run ID: GC10_130621A				SeqNo: 2357862		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GRO (C6-C10)	ND	200								
<i>Surr: Toluene-d8</i>	<i>109.8</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>110</i>	<i>70-130</i>	<i>0</i>			

LCS	Sample ID: GLCS1-130621-R122664					Units: µg/L		Analysis Date: 6/21/2013 12:05 PM		
Client ID:	Run ID: GC10_130621A				SeqNo: 2357861		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GRO (C6-C10)	8382	200	10000	0	83.8	70-130	0			
<i>Surr: Toluene-d8</i>	<i>114.9</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>115</i>	<i>70-130</i>	<i>0</i>			

MS	Sample ID: 1306765-06A MS					Units: µg/L		Analysis Date: 6/21/2013 09:09 PM		
Client ID:	Run ID: GC10_130621A				SeqNo: 2357880		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GRO (C6-C10)	8626	200	10000	0	86.3	70-130	0			
<i>Surr: Toluene-d8</i>	<i>110.5</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>110</i>	<i>70-130</i>	<i>0</i>			

MSD	Sample ID: 1306765-06A MSD					Units: µg/L		Analysis Date: 6/21/2013 09:34 PM		
Client ID:	Run ID: GC10_130621A				SeqNo: 2357881		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GRO (C6-C10)	8356	200	10000	0	83.6	70-130	8626	3.19	30	
<i>Surr: Toluene-d8</i>	<i>111.6</i>	<i>0</i>	<i>100</i>	<i>0</i>	<i>112</i>	<i>70-130</i>	<i>110.5</i>	<i>0.964</i>	<i>30</i>	

The following samples were analyzed in this batch:

1306854-01A	1306854-02A	1306854-03A
-------------	-------------	-------------

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: HRL Compliance Solutions
Work Order: 1306854
Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13

QC BATCH REPORT

Batch ID: **R122658** Instrument ID **VMS8** Method: **SW8260**

MBLK		Sample ID: VBLKW2-130621-R122658				Units: µg/L		Analysis Date: 6/22/2013 04:14 AM		
Client ID:		Run ID: VMS8_130621B				SeqNo: 2357831		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	ND	1.0								
Ethylbenzene	ND	1.0								
m,p-Xylene	ND	2.0								
o-Xylene	ND	1.0								
Toluene	ND	1.0								
Xylenes, Total	ND	3.0								
Surr: 1,2-Dichloroethane-d4	19.37	0	20	0	96.8	70-120	0			
Surr: 4-Bromofluorobenzene	18.73	0	20	0	93.6	75-120	0			
Surr: Dibromofluoromethane	20.14	0	20	0	101	85-115	0			
Surr: Toluene-d8	20.03	0	20	0	100	85-120	0			

LCS		Sample ID: VLCSW2-130621-R122658				Units: µg/L		Analysis Date: 6/22/2013 03:03 AM		
Client ID:		Run ID: VMS8_130621B				SeqNo: 2357830		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	20.19	1.0	20	0	101	80-120	0			
Ethylbenzene	21.02	1.0	20	0	105	75-125	0			
m,p-Xylene	41.73	2.0	40	0	104	75-130	0			
o-Xylene	20.75	1.0	20	0	104	80-120	0			
Toluene	20.14	1.0	20	0	101	75-120	0			
Xylenes, Total	62.48	3.0	60	0	104	75-130	0			
Surr: 1,2-Dichloroethane-d4	19.64	0	20	0	98.2	70-120	0			
Surr: 4-Bromofluorobenzene	20.14	0	20	0	101	75-120	0			
Surr: Dibromofluoromethane	20.12	0	20	0	101	85-115	0			
Surr: Toluene-d8	19.66	0	20	0	98.3	85-120	0			

MS		Sample ID: 1306859-04A MS				Units: µg/L		Analysis Date: 6/22/2013 12:37 PM		
Client ID:		Run ID: VMS8_130621B				SeqNo: 2357852		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	18.92	1.0	20	0	94.6	80-120	0			
Ethylbenzene	19.2	1.0	20	0	96	75-125	0			
m,p-Xylene	37.76	2.0	40	0	94.4	75-130	0			
o-Xylene	18.83	1.0	20	0	94.2	80-120	0			
Toluene	18.89	1.0	20	0	94.4	75-120	0			
Xylenes, Total	56.59	3.0	60	0	94.3	75-130	0			
Surr: 1,2-Dichloroethane-d4	19.35	0	20	0	96.8	70-120	0			
Surr: 4-Bromofluorobenzene	19.9	0	20	0	99.5	75-120	0			
Surr: Dibromofluoromethane	19.87	0	20	0	99.4	85-115	0			
Surr: Toluene-d8	19.37	0	20	0	96.8	85-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: HRL Compliance Solutions
Work Order: 1306854
Project: Antero Grant Bros. Gravel Pit 10-422 6/20/13

QC BATCH REPORT

Batch ID: **R122658** Instrument ID **VMS8** Method: **SW8260**

MSD		Sample ID: 1306859-04A MSD				Units: µg/L		Analysis Date: 6/22/2013 01:00 PM		
Client ID:		Run ID: VMS8_130621B				SeqNo: 2357853		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	18.7	1.0	20	0	93.5	80-120	18.92	1.17	30	
Ethylbenzene	19.17	1.0	20	0	95.8	75-125	19.2	0.156	30	
m,p-Xylene	37.7	2.0	40	0	94.2	75-130	37.76	0.159	30	
o-Xylene	18.66	1.0	20	0	93.3	80-120	18.83	0.907	30	
Toluene	18.97	1.0	20	0	94.8	75-120	18.89	0.423	30	
Xylenes, Total	56.36	3.0	60	0	93.9	75-130	56.59	0.407	30	
<i>Surr: 1,2-Dichloroethane-d4</i>	19.35	0	20	0	96.8	70-120	19.35	0	30	
<i>Surr: 4-Bromofluorobenzene</i>	19.74	0	20	0	98.7	75-120	19.9	0.807	30	
<i>Surr: Dibromofluoromethane</i>	20.15	0	20	0	101	85-115	19.87	1.4	30	
<i>Surr: Toluene-d8</i>	19.85	0	20	0	99.2	85-120	19.37	2.45	30	

The following samples were analyzed in this batch: 1306854-01A 1306854-02A 1306854-03A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



Chain-of-Custody

WORKORDER
#

1306854

0/2013





PAGE | **1** **of** **1**

DISPOSAL ☒ By Lab ☐ or ☐ Return to Client

*Time Zone (Circle): EST CST **MST** PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

6.07

	SIGNATURE	PRINTED NAME	DATE	TIME
RELINQUISHED BY		Dan Pinegar	6/20/2013	1025
RECEIVED BY		Nick M.	6-20-13	1026
RELINQUISHED BY		Nick M.	6-20-13	1200
RECEIVED BY		Ashley Beard	6-21-13	0930
RELINQUISHED BY				
RECEIVED BY				

Sample Receipt Checklist

Client Name: HRL

Date/Time Received: 21-Jun-13 09:30

Work Order: 1306854

Received by: AB

Checklist completed by Ashley Beard 21-Jun-13
eSignature Date

Reviewed by: Ann Preston 23-Jun-13
eSignature Date

Matrices: water

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	<u>6.0c</u>		
Cooler(s)/Kit(s):			
Date/Time sample(s) sent to storage:	<u>6/21/2013 10:29:16 AM</u>		
Water - VOA vials have zero headspace?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:			
Login Notes:			

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

CorrectiveAction:

From: (970) 424-4749

Lab Hub, LLC

Origin ID: RILA



Ship Date: 20JUN13

Act Wgt: 36.0 LB

CAD: 103923490/NET3370

Dims: 25 X 14 X 15 IN

127 E First Street

PARACHUTE, CO 81635



J13111302120326

SHIP TO: (616) 399-6870

Sample receiving

ALS Holland

3352 128TH AVE

HOLLAND, MI 49424

BILL RECIPIENT

Delivery Address Bar Code



Ref # 1001-062013-1

Invoice #

PO #

Dept #


FRI - 21 JUN 3:00P
STANDARD OVERNIGHTTRK# 7960 5926 8157
0201

XX GRRA

49424

MI-US

GRR



518G1D771E3AB

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.