

STATE BEATRICE 16-1 (SUBSEQUENT REPORT P&A)			
DESCRIPTION	DEPTH	WELLBORE	WELL HISTORY



The diagram illustrates a wellbore profile with various casing and production zones. Key features include:

- Surface Plug:** 13 sx at surface.
- 8-5/8" Surface Casing:** 308' depth.
- CICR at 258' with 5 sx on Top:** Pump 80 sx, Perforate at 358'.
- CICR at 590' with 5 sx on Top:** Perforate at 690'. Squeeze from with 47 sx.
- Balance Plug at 1,800' to 1,470':** 25 sx.
- 4-1/2" Production TOC:** 6,572' depth.
- Balance Plug at 4,300' to 3,970':** 25 sx.
- CIBP at 6,858' with 2 sx on Top:**
- 4-1/2" Production Casing:** 7,374' depth.
- PBTD: 7,336'**
- TD: 7377'**

Perforation Data

Zone	Top (ft)	Bottom (ft)	Length (ft)	Perf Size and Type
Niobrara	6908	6908	1	1 - 0.34' Hole
Niobrara	6917	6917	1	1 - 0.34' Hole
Niobrara	6921	6921	1	1 - 0.34' Hole
Niobrara	7023	7023	1	1 - 0.34' Hole
Niobrara	7028	7028	1	1 - 0.34' Hole
Niobrara	7032	7032	1	1 - 0.34' Hole
Niobrara	7035	7035	1	1 - 0.34' Hole
Niobrara	7038	7038	1	1 - 0.34' Hole
Niobrara	7042	7042	1	1 - 0.34' Hole
Niobrara	7044	7044	1	1 - 0.34' Hole
Codell	7210	7210	1	1 - 0.34' Hole
Codell	7215	7215	1	1 - 0.34' Hole
Codell	7217	7217	1	1 - 0.34' Hole
Codell	7233	7233	1	1 - 0.34' Hole

WELL: State Beatrice 16-1
LOCATION: NWNE 16 6N 66W
FNL: 660' FEL: 2110
FORMATION: Niobrara - Codell
API #: 05-123-13069
Field: Bracewell
CLASSIFICATION:
CURRENT STATUS: Shut In
Spud: 06/09/86

TUBULAR DATA							
<u>Type</u>	<u>Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Top</u>	<u>Bottom</u>	<u>Burst</u>	<u>Collapse</u>
Surface	8 5/8"	24.0 ppf	-	0	308'		
Production	4 1/2"	11.6 ppf	J-55	0	7,374'		
Tubing	2 3/8"	4.6 ppf	-	0	7,053'		