

FORM  
2

Rev  
12/05

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400425588

Date Received:

06/28/2013

PluggingBond SuretyID

20100017

APPLICATION FOR PERMIT TO:

1.  Drill,  Deepen,  Re-enter,  Recomplete and Operate

2. TYPE OF WELL

OIL  GAS  COALBED  OTHER \_\_\_\_\_  
SINGLE ZONE  MULTIPLE  COMMINGLE

Refiling

Sidetrack

3. Name of Operator: ENCANA OIL & GAS (USA) INC 4. COGCC Operator Number: 100185

5. Address: 370 17TH ST STE 1700  
City: DENVER State: CO Zip: 80202-5632

6. Contact Name: Chris McRickard Phone: (720)876-5586 Fax: (720)876-6584  
Email: chris.mcrickard@encana.com

7. Well Name: Vogl-McCoy Well Number: 2B-5H-E267

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 15117

WELL LOCATION INFORMATION

10. QtrQtr: SWNW Sec: 5 Twp: 2N Rng: 67W Meridian: 6

Latitude: 40.168190 Longitude: -104.922360

Footage at Surface: 2602 feet FNL 321 feet FWL

11. Field Name: Wattenberg Field Number: 90750

12. Ground Elevation: 4835 13. County: WELD

14. GPS Data:

Date of Measurement: 04/03/2013 PDOP Reading: 2.1 Instrument Operator's Name: John Rice

15. If well is  Directional  Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  
2551 FSL 332 FWL 460 FSL 500 FWL  
Sec: 5 Twp: 2N Rng: 67W Sec: 8 Twp: 2N Rng: 67W

16. Is location in a high density area? (Rule 603b)?  Yes  No

17. Distance to the nearest building, public road, above ground utility or railroad: 296 ft

18. Distance to nearest property line: 223 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 62 ft

LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
CODELL	CODL		560	GWA

21. Mineral Ownership:  Fee  State  Federal  Indian Lease #: \_\_\_\_\_

22. Surface Ownership:  Fee  State  Federal  Indian

23. Is the Surface Owner also the Mineral Owner?  Yes  No Surface Surety ID#:

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease?  Yes  No

23b. If 23 is No:  Surface Owners Agreement Attached or  \$25,000 Blanket Surface Bond  \$2,000 Surface Bond  \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

2N-67W Sec. 5: NW/4 and other lands. Horizontal wellbore crosses lease lines within drilling and spacing unit; distance to lease line is 0'; distance to unit boundary is 460'.

25. Distance to Nearest Mineral Lease Line: 0 ft 26. Total Acres in Lease: 320

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated?  Yes  No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling?  Yes  No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling?  Yes  No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)?  Yes  No

31. Mud disposal:  Offsite  Onsite **If 28, 29, or 30 are "Yes" a pit permit may be required.**

Method:  Land Farming  Land Spreading  Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	22	16	30	0	80	80	80	0
SURF	12+1/4	9+5/8	40	0	800	100	800	0
1ST	8+3/4	7	26	0	7677	435	7677	500
2ND	6+1/8	4+1/2	13.5	0	15117	294	15117	7377

32. BOP Equipment Type:  Annular Preventer  Double Ram  Rotating Head  None

33. Comments - Encana requests approval of a Rule 318Aa and Rule 318Ac exception location: Wellhead is to be located outside of a GWA drilling window and will be located more than 50' from an existing well location. Request and waivers attached.- Encana requests the approval of the omission of open hole logs; request letter attached.- Proposed spacing unit is 2N-67W SWNW & W2SW Sec. 5; W2W2 Sec. 8; SENE & E2SE Sec. 6; E2E2 Sec. 7.- Horizontal wellbore crosses lease lines within drilling and spacing unit; distance to lease line is 0'; distance to unit boundary is greater than 460'. -The distance to nearest well permitted/completed in the same formation (BHL) is found on page 10 of the Anti-Collision report.

34. Location ID: \_\_\_\_\_

35. Is this application in a Comprehensive Drilling Plan ?  Yes  No

36. Is this application part of submitted Oil and Gas Location Assessment ?  Yes  No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Chris McRickard

Title: Permitting Analyst Date: 6/28/2013 Email: chris.mcrickard@encana.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Matthew Lee Director of COGCC Date: 8/13/2013

API NUMBER Permit Number: \_\_\_\_\_ Expiration Date: 8/12/2015

**API NUMBER**  
05 123 37815 00

**CONDITIONS OF APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

<b>COA Type</b>	<b>Description</b>
	1)Provide notice of MIRU via an electronic Form 42 2)Comply with Rule 317.i and provide cement coverage a minimum of 200' above the Niobrara. Verify cement coverage with a cement bond log per Rule 317.o.

**Applicable Policies and Notices to Operators**

Notice Concerning Operating Requirements for Wildlife Protection.
Policy for Bradenhead Monitoring During Hydraulic Fracturing Treatments in the Greater Wattenberg Area.

**Attachment Check List**

<b>Att Doc Num</b>	<b>Name</b>
1695773	PROPOSED SPACING UNIT
1695774	VARIANCE REQUEST
1695775	EXCEPTION LOC REQUEST
1695776	EXCEPTION LOC WAIVERS
400425588	FORM 2 SUBMITTED
400428688	DIRECTIONAL DATA
400434027	WELL LOCATION PLAT
400435603	DEVIATED DRILLING PLAN
400435617	30 DAY NOTICE LETTER
400439307	OTHER
400440447	OFFSET WELL EVALUATION
400440448	MINERAL LEASE MAP

Total Attach: 12 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed. No LGD or public comment received.	3/8/2013 9:26:52 AM
Engineer	Evaluated offset wells for adequate coverage.	7/24/2013 11:47:29 AM
Permit	Received and attached 30 Day Cert letter and PSU & 318A.m Variance Request letter. Corrected PSU description. ok to pass.	7/12/2013 9:40:53 AM
Permit	Per operator changed Mineral lease description from W/2 to "2N-67W Sec. 5: NW/4 and other lands. Horizontal wellbore crosses lease lines within drilling and spacing unit; distance to lease line is 0'; distance to unit boundary is 460'." Attached Exception to 318A.a & 318A.c Exception Loc & Twinning Request and waiver. ON HOLD: Requesting correction to 30 Day Cert letter and Proposed Spacing Unit. Requesting 318A.m Variance Request letter and waiver.	7/10/2013 9:28:20 AM
Permit	ON HOLD: Request correction to Mineral lease description. Requesting Exception to 318A.a & 318A.c Exception Loc & Twinning Request and waiver. Requesting correction to 30 Day Cert letter and Proposed Spacing Unit. Requesting 318A.m Variance Request letter and waiver.	7/8/2013 3:12:27 PM
Permit	Operator requests approval of a Rule 318Am exception location: Wellbore is to be located less than 150' from an existing wellbore. Request and waivers attached.	7/8/2013 3:12:26 PM
Permit	Operator requests approval of a Rule 318Aa and Rule 318Ac exception location: Wellhead is to be located outside of a GWA drilling window and will be located more than 50' from an existing well location. Request and waivers attached.	7/8/2013 3:12:25 PM
Permit	Operator's request for omission of open hole logs.	7/8/2013 3:12:24 PM
Permit	Horizontal wellbore crosses lease lines within drilling and spacing unit; distance to lease line is 0'; distance to unit boundary is 460'.	7/8/2013 3:12:24 PM
Permit	Form passes completeness.	7/1/2013 2:32:21 PM

Total: 10 comment(s)

## Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Drilling/Completion Operations	Encana will comply with the "COGCC Policy for Bradenhead Monitoring During Hydraulic Fracturing Treatments in the Greater Wattenberg Area", dated May 29, 2012.
2	Drilling/Completion Operations	Prior to drilling operations, Operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed wellpath with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottomhole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment. For the proposed well, upon conclusion of drilling operations, an as-constructed gyro survey will be submitted to COGCC with the Form 5.

Total: 2 comment(s)