

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>400466610</u>			
Date Received: <u>08/12/2013</u>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10071 Contact Name Venessa Langmacher  
 Name of Operator: BARRETT CORPORATION\* BILL Phone: (303) 312-8172  
 Address: 1099 18TH ST STE 2300 Fax: (303) 291-0420  
 City: DENVER State: CO Zip: 80202 Email: vlangmacher@billbarrettcorp.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- 123 37751 00 OGCC Facility ID Number: 433696  
 Well/Facility Name: Hawkins Well/Facility Number: 5-61-21-6457BH  
 Location QtrQtr: NWSW Section: 21 Township: 5N Range: 61W Meridian: 6  
 County: WELD Field Name: WILDCAT  
 Federal, Indian or State Lease Number: \_\_\_\_\_

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**GROUND WATER SAMPLING**

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c.  
 Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.  
 (3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- \_\_\_\_\_ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- \_\_\_\_\_ Number of Water Source Exceptions requested per Rule 609.c.
- \_\_\_\_\_ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- \_\_\_\_\_ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.  
**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

\_\_\_\_\_ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

**COMMENTS**

Bill Barrett Corp. made a good faith effort to sample the listed water wells below but due to the following reasons no samples could be obtained:  
Permit No. 221096 – Request to sample was denied by surface owner  
Permit No. 36951 – Attempts to contact the surface owner were unsuccessful

**Operator Comments:**

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Venessa Langmacher  
Title: Sr. Permit Analyst Email: vlangmacher@billbarrettcorp.com Date: 8/12/2013

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 8/26/2013

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

	Approval of this Exception Request is for the Pre Drill sample only.  The operator must make an attempt to collect the post drilling sample as described in rule 318Ae4 from Facility ID 750123 (DWR permit # 221096). If the well owner denies access for collection of a post drilling sample a Sundry Notice will be required. The Sundry Notice should document the good faith efforts of BBC to collect the sample as described in rule 318Ae4.
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Environmental Data	There is a sample point in the COGCC data base (750123) DWR permit # 221096 however the analytical data is not in the database at this time. This is the same well BBC was unable to access to collect a sample. There are no other water sources that meet the requirements of 318Ae4.	8/20/2013 7:55:28 AM

Total: 1 comment(s)

**Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
2533715	CORRESPONDENCE
400466610	FORM 4 SUBMITTED

Total Attach: 2 Files