

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400457300

Date Received:

07/26/2013

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850  
2. Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLC  
3. Address: 1001 17TH STREET - SUITE #1200  
City: DENVER State: CO Zip: 80202  
4. Contact Name: Michele Weybright  
Phone: (303) 629-8449  
Fax: (303) 629-8268

5. API Number 05-045-21821-00  
6. County: GARFIELD  
7. Well Name: Goldsborough  
Well Number: PA 311-11  
8. Location: QtrQtr: SEnw Section: 11 Township: 7S Range: 95W Meridian: 6  
9. Field Name: PARACHUTE Field Code: 67350

### Completed Interval

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/14/2013 End Date: 05/21/2013 Date of First Production this formation: 05/19/2013

Perforations Top: 6365 Bottom: 8126 No. Holes: 136 Hole size: 35/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

871800# 40/70 Sand; 24564 Bbls Slickwater; (Summary)

\*All flowback water entries are total estimates based on commingled volumes.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 24564

Max pressure during treatment (psi): 5432

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: \_\_\_\_\_

Min frac gradient (psi/ft): 0.65

Total acid used in treatment (bbl): \_\_\_\_\_

Number of staged intervals: 6

Recycled water used in treatment (bbl): 24564

Flowback volume recovered (bbl): 12161

Fresh water used in treatment (bbl): \_\_\_\_\_

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 871800

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 06/30/2013 Hours: 24 Bbl oil: 0 Mcf Gas: 621 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 621 Bbl H2O: 0 GOR: 0

Test Method: Flowing Casing PSI: 1624 Tubing PSI: 997 Choke Size: 13/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1028 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7876 Tbg setting date: 06/15/2013 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Michele L Weybright

Title: Permit Technician I Date: 7/26/2013 Email: michele.veybright@wpenergy.com

### Attachment Check List

Att Doc Num	Name
400457300	FORM 5A SUBMITTED
400457319	WELLBORE DIAGRAM

Total Attach: 2 Files

## General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)