



STATE OF  
COLORADO

Andrews - DNR, Doug <doug.andrews@state.co.us>

---

## Thornton 2As On Hold.

1 message

---

**Greg Deranleau - DNR** <Greg.Deranleau@state.co.us>

Sun, Sep 8, 2013 at 11:00 AM

To: Doug Andrews - DNR <doug.andrews@state.co.us>, Toby Sachen - DNR <toby.sachen@state.co.us>, Liz Lindow <Liz.Lindow@pdce.com>

Doug, Toby, and Liz,

I have placed the following Form 2As ON HOLD during my final review for the Director's approval.

400425960

400421035

400419096

Please see the attached document for an aerial image of the locations.

PDC has proposed a 6 well pad with a remote tank battery and a 4 well pad also with a remote tank battery in the SE qtr of Section 28, T7N, R66W. Based on the geography, the facilities should be consolidated into the tank battery situated between the 2 multi-well pads. This would reduce the residual disturbance and minimize impacts to residents to the east and northeast.

To move forward, the documents for 400425960 should be modified to remove the facilities, and the documents for 400421035 should be modified to include the additional facilities required to handle the additional 4 wells, and the documents (primarily location drawings) for all three of these locations should be modified to include all proposed operations in the quarter section.

If there are operational reasons that the facilities for the 4 well pad (400425960) can't be included with the tank battery to the west, then PDC should remove them from the 4 well pad and put them on their own Oil and Gas Location, as they have done for the other well pads in the section. This will require the submittal of an additional Form 2A for the tank battery location.

Doug, would you please upload this correspondence to each of the Form 2As?

Thanks,

## **Greg Deranleau**

### **Oil and Gas Location Assessment Supervisor**

Colorado Oil & Gas Conservation Commission

1120 Lincoln Street, Suite 801

Denver, CO 80203

[303-894-2100](tel:303-894-2100), ext 5153



---

 **PDC City of Thornton Locations.ppt**  
755K