

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400479997

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR-MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Katie Kistner

Phone: (720) 9294317

Fax:

5. API Number 05-123-36219-00

7. Well Name: BYDALEK

8. Location: QtrQtr: SWSW Section: 20 Township: 2N Range: 65W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 29C-20HZ

### Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation: 07/25/2013

Perforations Top: 7745 Bottom: 11880 No. Holes: 0 Hole size: 0

Provide a brief summary of the formation treatment: Open Hole: ☒

COMPLETED THROUGH AN OPEN HOLE LINER FROM 7745-11880.  
9963 BBL CROSSLINK GEL, 1251 BBL LINEAR GEL, 73385 BBL SLICKWATER, 84598 BBL TOTAL FLUID.  
283143# 30/50 SAND, 1828529# 40/70 SAND, 2111672# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 84598 Max pressure during treatment (psi): 6889  
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.85  
Total acid used in treatment (bbl): 0 Number of staged intervals: 32  
Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 5378  
Fresh water used in treatment (bbl): 0 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 2111672 Rule 805 green completion techniques were utilized: ☒  
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

#### Test Information:

Date: 09/07/2013 Hours: 24 Bbl oil: 288 Mcf Gas: 607 Bbl H2O: 0  
Calculated 24 hour rate: Bbl oil: 288 Mcf Gas: 607 Bbl H2O: 0 GOR: 2107  
Test Method: FLOWING Casing PSI: 1917 Tubing PSI: 1294 Choke Size: 16/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1289 API Gravity Oil: 47  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7249 Tbg setting date: 07/31/2013 Packer Depth:  
Reason for Non-Production:  
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt  
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Katie Kistner  
Title: Regulatory Analyst Date: Email: rscdjpostdrill@anadarko.com

### Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

## General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)