

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400480069

Date Received:

09/12/2013

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120  
2. Name of Operator: KERR-MCGEE OIL & GAS ONSHORE LP  
3. Address: P O BOX 173779  
City: DENVER State: CO Zip: 80217-  
4. Contact Name: Katie Kistner  
Phone: (720) 9294317  
Fax:

5. API Number 05-123-36750-00  
6. County: WELD  
7. Well Name: MELBON  
Well Number: 23C-8HZ  
8. Location: QtrQtr: SWNW Section: 17 Township: 2N Range: 65W Meridian: 6  
9. Field Name: WATTENBERG Field Code: 90750

### Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 07/22/2013 End Date: 07/25/2013 Date of First Production this formation: 07/29/2013

Perforations Top: 7883 Bottom: 11888 No. Holes: 0 Hole size: 0

Provide a brief summary of the formation treatment:

Open Hole: ☒

COMPLETED THROUGH AN OPEN HOLE LINER FROM 7883-11888.  
26334 BBL CROSSLINK GEL, 1324 BBL LINEAR GEL, 83190 BBL SLICKWATER, 110848 BBL TOTAL FLUID.  
1836880# 30/50 SAND, 2402600# 40/70 SAND, 4239480# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 110848

Max pressure during treatment (psi): 7733

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.88

Total acid used in treatment (bbl): 0

Number of staged intervals: 32

Recycled water used in treatment (bbl): 0

Flowback volume recovered (bbl): 8561

Fresh water used in treatment (bbl): 0

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 4239480

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

#### Test Information:

Date: 08/07/2013 Hours: 24 Bbl oil: 111 Mcf Gas: 265 Bbl H2O: 464

Calculated 24 hour rate: Bbl oil: 111 Mcf Gas: 265 Bbl H2O: 464 GOR: 2387

Test Method: FLOWING Casing PSI: 2551 Tubing PSI: 1657 Choke Size: 16/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1287 API Gravity Oil: 48

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7420 Tbg setting date: 07/29/2013 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth:

\*\* Sacks cement on top:

\*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Katie Kistner

Title: Regulatory Analyst Date: 9/12/2013 Email: rscdjpostdrill@anadarko.com

### Attachment Check List

Att Doc Num Name

400480069 FORM 5A SUBMITTED

Total Attach: 1 Files

## General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)