



FIELD TICKET & TREATMENT REPORT CEMENT

TICKET NUMBER 37983
LOCATION Oakley Rr
FOREMAN Jerry Y (Trance)
ORT W214 D

| | | | | | | | |
|---------------|-------------------|------------------|---------------|--------------|------------|-----------------------|-----------------|
| JOB TYPE | <u>Surface</u> | HOLE SIZE | <u>12 1/4</u> | HOLE DEPTH | <u>310</u> | CASING SIZE & WEIGHT | <u>8 7/8 24</u> |
| CASING DEPTH | <u>309</u> | DRILL PIPE | | TUBING | | OTHER | |
| SLURRY WEIGHT | <u>15.2</u> | SLURRY VOL | | WATER gal/sk | | CEMENT LEFT in CASING | <u>20'</u> |
| DISPLACEMENT | <u>17 3/4 bbl</u> | DISPLACEMENT PSI | | MIX PSI | | RATE | |

REMARKS: Sp. by unloading and rig up on Muckin 25, break circulation with trees hook up centralizers on middle of first joint and on 4th joint to truck and mix 26.55 kgs of cement class A with 3% calcium chloride and 2% bentonite release plug & displace with 1.234 bbl fresh water & shut in. Cement did circulate approx 5 bbl to pit

Cement did circulate

Thanks Jerry
Calt & crew

[illegible]

Ravin 3737

AUTHORIZTION

TITLE DRUGS, 407

DATE 7-13-2013

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT

TICKET NUMBER 38035
LOCATION Oakley KS
FOREMAN Miles Shaw

| | | | | | | |
|-----------------|----------------------|--------------------|----------|----------|---------|---------|
| DATE | CUSTOMER # | WELL NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
| 7-29-13 | 9160 | Baptist #7 | 18 | 10S | 55W | Lincoln |
| CUSTOMER | We: p King Fullerton | | TRUCK # | DRIVER | TRUCK # | DRIVER |
| MAILING ADDRESS | | | 45: T118 | Dane R | | |
| CITY | STATE | ZIP CODE | 56: | Dustin | | |

JOB TYPE Long String HOLE SIZE 7 7/8" HOLE DEPTH 2,320 CASING SIZE & WEIGHT 5 1/2" 17#
CASING DEPTH 7348/15 DRILL PIPE TUBING OTHER 10 tons @ 4553
SLURRY WEIGHT 14.2 SLURRY VOL 1.42 WATER gal/sk CEMENT LEFT in CASING 26.86'
DISPLACEMENT 170 DISPLACEMENT PSI 800 MIX PSI 1400 RATE

REMARKS: Safety meeting and rig up on morning drilling #25 float equipment
Turbo lizers on snits 2, 5, 8, 9, 10, 15, 19, 20, 23, 24, 25. 26 Centralizers on 45, 67
Baskets on 2 & bottom #66 Port collar trail on top of #66 @ 4553 Run 100 joints
in Circulate casing. Run rest of casing to bottom 1765 lbs. Run 100 joints pump
5 bbls water mud flush 5 bbls water pump 125 SMS class A cement with 5#
Kolsen 108 salt 289 gal Shut down release plug cleared pump & lines
displaced 170 bbls water with 800 PSI. Plug landed 1400 PSI. Shut in

Thanks Miles & crew

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TOTAL |
|--------------|-------------------|------------------------------------|------------|----------|
| 5401C | 1 | PUMP CHARGE | 3175.00 | 3175.00 |
| 5406 | 110 | MILEAGE | 5.25 | 525.00 |
| 5407A | 6.34 Tons | Ton Mileage delivery | 1.75 | 1110.00 |
| 1115A | 1355 lbs | Class A Cement | 16.75 | 2261.25 |
| 1111 | 685 # | Salt | 1.50 | 337.50 |
| 1110A | 675 # | Kolsen | 1.56 | 378.00 |
| 1110B | 253 # | Bentonite gel | .27 | 68.31 |
| 1144G | 520 gal | Mud flush | 1.00 | 520.00 |
| 4104 | 2 | 5 1/2" Baskets | 290.00 | 580.00 |
| 4130 | 2 | 5 1/2" Centralizers | 61.00 | 122.00 |
| 4136 | 12 | 5 1/2" Turbo lizers | 75.75 | 909.00 |
| 4159 | 1 | 5 1/2" Float shoe | 433.75 | 433.75 |
| 4285 | 1 | 5 1/2" Port collar | 2178.75 | 2178.75 |
| 4404 | 1 | 5 1/2" Rubber plug | 92.50 | 92.50 |
| | | Subtotal | | 12671.06 |
| | | less 10% discount | | 1267.11 |
| | | Sub total | | 11403.95 |
| | | SALES TAX | | 541.24 |
| | | ESTIMATED TOTAL | | 11945.19 |

Ravin 3737

AUTHORIZATION Ralph Hamby

TITLE DRLG Foreman

DATE 7-29-2013

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

TICKET NUMBER 38052

LOCATION Oakley, KS

FOREMAN Kelly Gabel
PORT Walt Dinkel

| DATE | CUSTOMER # | WELL NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
|--------------------------------|------------|--------------------|----------|------------------|---------|---------|
| 8-5-13 | 9160 | Reptor #7 | 8 | 105 | 5540 | Lincoln |
| CUSTOMER Wierking-Fullerton | | | Lilmoor | | | |
| MAILING ADDRESS | | | TRUCK # | DRIVER | TRUCK # | DRIVER |
| | | | 466118 | Tim Wierking | | |
| | | | 60 | Jack Johnson | | |
| | | | 566 | Jeremy Richerson | | |
| CITY | | | STATE | | | |
| ZIP CODE | | | JOB TYPE | | | |

| | | | |
|----------------------------|------------------------|---------------------|-----------------------------------|
| JOB TYPE <u>Porecoller</u> | HOLE SIZE _____ | HOLE DEPTH _____ | CASING SIZE & WEIGHT <u>5 1/2</u> |
| CASING DEPTH _____ | DRILL PIPE _____ | TUBING <u>2 7/8</u> | OTHER <u>PC@ 4578</u> |
| SLURRY WEIGHT _____ | SLURRY VOL _____ | WATER gal/sk _____ | CEMENT LEFT in CASING _____ |
| DISPLACEMENT <u>25 1/2</u> | DISPLACEMENT PSI _____ | MIX PSI _____ | RATE _____ |

| REMARKS: | MIXTURE | RATE |
|--|---------|------|
| safety meeting, rigged up on well, pressured tool to 1200# opened tool, Pump 4 BPM @ 800#, mix 250 Sks 694 pump, 6% Gel, 2% CC | | |
| 1/4" Flu-Seal, Displace 25 1/2 BBL H ₂ O, Shut Tool + Test to 1500#, Hold | | |
| ran 5 JTs, Circ. casing clean, | | |

Thank You
Walt, Jerry + crew

[illegible]

Rayin 3737

AUTHORIZATION

TITLE

DATE 8-5-13

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.