

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400484758

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 16700 4. Contact Name: Julie Justus
2. Name of Operator: CHEVRON USA INC Phone: (970) 257-6042
3. Address: 6001 BOLLINGER CANYON RD City: SAN RAMON State: CA Zip: 94583 Fax: (970) 245-6489

5. API Number 05-045-15404-00 6. County: GARFIELD
7. Well Name: SKR-598-25-BV- Well Number: 12
8. Location: QtrQtr: SENW Section: 25 Township: 5S Range: 98W Meridian: 6
9. Field Name: SKINNER RIDGE Field Code: 77548

Completed Interval

FORMATION: WILLIAMS FORK Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/11/2013 End Date: 08/21/2013 Date of First Production this formation: 12/05/2009

Perforations Top: 4363 Bottom: 4660 No. Holes: 54 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: []

Pumped 336,378 gallons treated produced water with 209,300 lbs of sand.

This formation is commingled with another formation: [] Yes [X] No

Total fluid used in treatment (bbl): 8009 Max pressure during treatment (psi): 5246
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.43
Type of gas used in treatment: Min frac gradient (psi/ft): 0.75
Total acid used in treatment (bbl): 0 Number of staged intervals: 2
Recycled water used in treatment (bbl): 8009 Flowback volume recovered (bbl): 4762
Fresh water used in treatment (bbl): 0 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 209300 Rule 805 green completion techniques were utilized: [X]

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 10/06/2013 Hours: 24 Bbl oil: 0 Mcf Gas: 313 Bbl H2O: 134
Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 313 Bbl H2O: 134 GOR: 0
Test Method: FLOWTEST Casing PSI: 520 Tubing PSI: 103 Choke Size: 32/64
Gas Disposition: FLARED Gas Type: DRY Btu Gas: 1068 API Gravity Oil: 0
Tubing Size: 2 + 3/8 Tubing Setting Depth: 5610 Tbg setting date: 09/24/2013 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [] Yes [X] No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jessica Hale

Title: Technical Assistant Date: _____ Email: jhale@chevron.com
:

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400484769	COMPLETED INTERVAL REPORT
400484770	COMPLETED INTERVAL REPORT
400485520	WELLBORE DIAGRAM

Total Attach: 3 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)