

FORM  
5A

Rev  
06/12

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
400495378

Date Received:

**COMPLETED INTERVAL REPORT**

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120  
2. Name of Operator: KERR-MCGEE OIL & GAS ONSHORE LP  
3. Address: P O BOX 173779  
City: DENVER State: CO Zip: 80217-  
4. Contact Name: Katie Kistner  
Phone: (720) 9294317  
Fax: \_\_\_\_\_

5. API Number 05-123-36870-00  
6. County: WELD  
7. Well Name: THOMSEN  
Well Number: 36C-18HZ  
8. Location: QtrQtr: SENW Section: 7 Township: 2N Range: 65W Meridian: 6  
9. Field Name: WATTENBERG Field Code: 90750

### Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/05/2013 End Date: 08/14/2013 Date of First Production this formation: 09/02/2013

Perforations Top: 14352 Bottom: 14453 No. Holes: 957 Hole size: 0.42

Provide a brief summary of the formation treatment: Open Hole:

PERF AND FRAC FROM 14352-14453  
574 BBL ACID,139695 BBL SLICKWATER,140269 BBL TOTAL FLUID.  
4193419# 40/70 OTTAWA/ST. PETERS SAND,4193419# TOTAL SAND.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 140269 Max pressure during treatment (psi): 7415

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.94

Total acid used in treatment (bbl): 574 Number of staged intervals: 23

Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 13743

Fresh water used in treatment (bbl): 0 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 4193419 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 09/19/2013 Hours: 24 Bbl oil: 266 Mcf Gas: 511 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 266 Mcf Gas: 511 Bbl H2O: 0 GOR: 1921

Test Method: FLOWING Casing PSI: 605 Tubing PSI: 33 Choke Size: 14/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1274 API Gravity Oil: 49

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7291 Tbg setting date: 09/19/2013 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Katie Kistner

Title: Regulatory Analyst Date: \_\_\_\_\_ Email: rscdjpostdrill@anadarko.com

### Attachment Check List

Att Doc Num Name

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Total Attach: 0 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)