

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400501805

Date Received:

10/24/2013

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 100185 Contact Name Nathan Fons
 Name of Operator: ENCANA OIL & GAS (USA) INC Phone: (720) 876-5490
 Address: 370 17TH ST STE 1700 Fax: ()
 City: DENVER State: CO Zip: 80202-5632 Email: nathan.fons@encana.com

Complete the Attachment
Checklist

OP OGCC

API Number : 05- 123 37304 00 OGCC Facility ID Number: 432825
 Well/Facility Name: Peppler Farms Well/Facility Number: 1A-4H
 Location QtrQtr: SENE Section: 4 Township: 3N Range: 68W Meridian: 6
 County: WELD Field Name: WATTENBERG
 Federal, Indian or State Lease Number: _____

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

_____ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

_____ Number of Water Source Exceptions requested per Rule 609.c.

_____ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

_____ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.

The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.

Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Land owners did not respond to sampling request (map attached). This excepton is for wells with API#:
 05-123-37304
 05-123-37301
 05-123-37302
 05-123-37306
 05-123-37306
 05-123-37303
 05-123-37307
 05-123-37300
 05-123-37305

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Nathan Fons
 Title: Env. Coordinator Email: nathan.fons@encana.com Date: 10/24/2013

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSELL, ARTHUR Date: 10/24/2013

CONDITIONS OF APPROVAL, IF ANY:

COA Type	Description

General Comments

User Group	Comment	Comment Date
Environmental Data	Encana has provided a contact record for the well owners of potential wells sources surrounding the pad. The records indicates that Encana complied with Rule 318Ae4. The contact record is in the attachments under other.	10/24/2013 12:53:37 PM

Total: 1 comment(s)

Attachment Check List

Att Doc Num	Name
2533731	OTHER
400501805	FORM 4 SUBMITTED
400501815	WATER ANALYSIS

Total Attach: 3 Files