

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400507415

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR-MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Katie Kistner

Phone: (720) 9294317

Fax:

5. API Number 05-123-36695-00

7. Well Name: CANNON

8. Location: QtrQtr: NWNW Section: 10 Township: 2N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 34C-10HZ

Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/22/2013 End Date: 10/02/2013 Date of First Production this formation: 10/18/2013

Perforations Top: 7748 Bottom: 11884 No. Holes: 2664 Hole size: 0.37

Provide a brief summary of the formation treatment:

Open Hole: ☐

PERF AND FRAC FROM -7748-11884.
681 BBL ACID,5910 BBL CROSSLINK GEL,745 BBL LINEAR GEL,101739 BBL SLICKWATER,109075 BBL TOTAL FLUID.
77197# 100 MESH SAND,188640# 30/50 SAND,2669121# 40/70 SAND,2934958# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 109075

Max pressure during treatment (psi): 7688

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.99

Total acid used in treatment (bbl): 681

Number of staged intervals: 23

Recycled water used in treatment (bbl): 0

Flowback volume recovered (bbl): 12627

Fresh water used in treatment (bbl): 0

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 2934958

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 10/26/2013 Hours: 24 Bbl oil: 284 Mcf Gas: 510 Bbl H2O: 380

Calculated 24 hour rate: Bbl oil: 284 Mcf Gas: 510 Bbl H2O: 380 GOR: 1796

Test Method: FLOWING Casing PSI: 2462 Tubing PSI: 1871 Choke Size: 16/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1298 API Gravity Oil: 49

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7472 Tbg setting date: 10/17/2013 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth:

** Sacks cement on top:

** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Katie Kistner

Title: Regulatory Analyst Date: Email: rscdjpostdrill@anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)