

FORM  
2

Rev  
12/05

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400407542

Date Received:

07/30/2013

PluggingBond SuretyID

20010023

## APPLICATION FOR PERMIT TO:

1.  Drill,  Deepen,  Re-enter,  Recomplete and Operate

### 2. TYPE OF WELL

OIL  GAS  COALBED  OTHER \_\_\_\_\_  
SINGLE ZONE  MULTIPLE  COMMINGLE

Refiling

Sidetrack

3. Name of Operator: K P KAUFFMAN COMPANY INC 4. COGCC Operator Number: 46290

5. Address: 1675 BROADWAY, STE 2800  
City: DENVER State: CO Zip: 80202

6. Contact Name: Susana Lara-Mesa Phone: (303)825-4822 Fax: (303)825-4825  
Email: slaramesa@kpk.com

7. Well Name: Bernhardt Well Number: #18-7H

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 16533

## WELL LOCATION INFORMATION

10. QtrQtr: SWSW Sec: 18 Twp: 4N Rng: 66W Meridian: 6

Latitude: 40.305850 Longitude: -104.829130

Footage at Surface: 512 feet FSL 158 feet FWL

11. Field Name: Wattenberg Field Number: 90750

12. Ground Elevation: 4719 13. County: WELD

### 14. GPS Data:

Date of Measurement: 06/12/2013 PDOP Reading: 2.0 Instrument Operator's Name: E. Davis

15. If well is  Directional  Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  
1065 FSL 736 FWL 840 FSL 740 FEL  
Sec: 18 Twp: 4 Rng: 66 Sec: 17 Twp: 4 Rng: 66

16. Is location in a high density area? (Rule 603b)?  Yes  No

17. Distance to the nearest building, public road, above ground utility or railroad: 219 ft

18. Distance to nearest property line: 412 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 417 ft

## LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR		640	GWA

21. Mineral Ownership:  Fee  State  Federal  Indian Lease #: \_\_\_\_\_

22. Surface Ownership:  Fee  State  Federal  Indian

23. Is the Surface Owner also the Mineral Owner?  Yes  No Surface Surety ID#:

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease?  Yes  No

23b. If 23 is No:  Surface Owners Agreement Attached or  \$25,000 Blanket Surface Bond  \$2,000 Surface Bond  \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

S/2 of section 18 and the S/2 of section 17-T4N-R66W

25. Distance to Nearest Mineral Lease Line: 158 ft

26. Total Acres in Lease: 240

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated?  Yes  No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling?  Yes  No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling?  Yes  No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)?  Yes  No

31. Mud disposal:  Offsite  Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method:  Land Farming  Land Spreading  Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	13+3/4	9+5/8	36	0	700	320	700	0
1ST	8+3/4	7	26	0	7440	650	7440	0
1ST LINER	6+1/8	4+1/2	11.6	7240	16533			

32. BOP Equipment Type:  Annular Preventer  Double Ram  Rotating Head  None

33. Comments Proposed spacing unit is S/2 of section 18 and the S/2 of section 17-T4N-R66W No conductor casing will be used Operator requests approval of a Rule 318Aa and Rule 318Ac exception location: Wellhead is to be located outside of a GWA drilling window and will be located more than 50' from an existing well location. Request and waivers attached. Waivers are highlighted in SUA.KMG release letter has been attached to permit. See correspondence.

34. Location ID: \_\_\_\_\_

35. Is this application in a Comprehensive Drilling Plan ?  Yes  No

36. Is this application part of submitted Oil and Gas Location Assessment ?  Yes  No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_

Print Name: Susana Lara-Mesa

Title: Engineering Project Mgr.

Date: 7/30/2013

Email: slaramesa@kpk.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Matthew Lee Director of COGCC Date: 11/5/2013

**API NUMBER**

05 123 38378 00

Permit Number: \_\_\_\_\_ Expiration Date: 11/4/2015

**CONDITIONS OF APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

**Description**

- 1) Submit Form 42 electronically to COGCC 48 hours prior to MIRU.
- 2) Comply with Rule 317.i and provide cement coverage from the end of the 7" casing shoe to a minimum of 200' above Niobrara. Verify coverage with cement bond log.
- 3) Run and submit Directional Survey from TD to base of surface casing. The operator shall comply with Rule 321, and it shall be the operator's responsibility to ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

Operator must meet water well testing requirements per Rule 318A.

**Applicable Policies and Notices to Operators**

Notice Concerning Operating Requirements for Wildlife Protection.

**Attachment Check List**

<b>Att Doc Num</b>	<b>Name</b>
1535540	CORRESPONDENCE
2167337	CORRESPONDENCE
2167455	OFFSET WELL EVALUATION
2167531	MINERAL LEASE MAP
2167542	PROPOSED SPACING UNIT
400407542	FORM 2 SUBMITTED
400450993	EXCEPTION LOC REQUEST
400451072	DEVIATED DRILLING PLAN
400451073	DIRECTIONAL DATA
400457275	EXCEPTION LOC REQUEST
400459391	SURFACE AGRMT/SURETY
400459755	PLAT

Total Attach: 12 Files

**General Comments**

<b>User Group</b>	<b>Comment</b>	<b>Comment Date</b>
Permit	Attached corrected proposed spacing unit map as per opr. Final review complete.	11/1/2013 12:11:06 PM
Permit	See attached correspondence removing KMG objection. Form back to In Process.	10/18/2013 1:39:44 PM
Engineer	Offset well evaluation completed.	9/27/2013 11:29:12 AM
Permit	Kerr McGee has registered an objection to this unit.  Question lease, which is the same as the proposed spacing unit. Lease map shows lease as 120 acres. Form on hold.	8/15/2013 10:33:44 AM
Permit	Passed completeness.	7/31/2013 11:29:19 AM

Total: 5 comment(s)

## Best Management Practices

No	BMP/COA Type	Description
1	General Housekeeping	Housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite suitable facilities according to WMP. If spills occur prompt cleanup is required to minimize any commingling of waste materials with stormwater runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal at a certified facility. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup of trash and discarded materials will be conducted at the end of each workday. Cleanup will consist of patrolling the roadway, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, any contaminated soil, and dust control on location. Materials will be disposed of properly.
2	Storm Water/Erosion Control	Storm water Management Plan (SWMP) will be in place to address construction, drilling and operations associated with oil and gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE) General Permit rules. BMP's used will vary according to location, and will remain in place until the pad reached final reclamation.
3	Material Handling and Spill Prevention	Spill Prevention Control and countermeasure plan (SPCC) is in place to address construction, drilling and operations associated with oil and gas development throughout the state of Colorado in accordance with CFR 112.
4	Drilling/Completion Operations	<p><b>Pre-Spud Anti-collision</b>            Prior to drilling operations, operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed wellpath with its respective error of uncertainty. If current surveys do not exist for the offset wells, operator may have gyro surveys conducted to verify bottomhole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment. For the proposed well, upon conclusion of drilling operations, an as-constructed gyro survey will be submitted to the COGCC with the Form 5.</p> <p><b>During and Post Stimulation</b>            K.P. Kauffman, Inc. will comply with the COGCC Policy for Bradenhead Monitoring during Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated May 29, 2012.</p> <p>At least 90 days prior to fracture stimulation, the Operator shall notify all operators of non-operated wells within 1500' of the wellbore to be fracture stimulated of the anticipated stimulation date and the recommended best management practice to shut-in all wells within 1500' of the stimulated wellbore completed in the same formation. The Operator will monitor bradenhead pressure of all wells under Operator's control within 300 feet of the well which is to be treated, provided such other wells penetrate the productive zone which is to be treated.</p>

Total: 4 comment(s)