

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

400506047

Date Received:

11/04/2013

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850
2. Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLC
3. Address: 1001 17TH STREET - SUITE #1200
City: DENVER State: CO Zip: 80202
4. Contact Name: Sandra Salazar
Phone: (303) 629-8456
Fax: (303) 629-8268

5. API Number 05-045-21548-00
6. County: GARFIELD
7. Well Name: Hoeppli
Well Number: RWF 44-36
8. Location: QtrQtr: SWNE Section: 36 Township: 6S Range: 94W Meridian: 6
9. Field Name: RULISON Field Code: 75400

Completed Interval

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/07/2013 End Date: 08/10/2013 Date of First Production this formation: 08/07/2013

Perforations Top: 7439 Bottom: 9292 No. Holes: 144 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

1500 Gals 7 1/2% HCL; 865500 # 40/70 Sand; 24606 Bbls Slickwater (Summary)

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 24641 Max pressure during treatment (psi): 6169

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: Min frac gradient (psi/ft): 0.75

Total acid used in treatment (bbl): 35 Number of staged intervals: 7

Recycled water used in treatment (bbl): 24606 Flowback volume recovered (bbl): 14483

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 865500 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 09/30/2013 Hours: 24 Bbl oil: 0 Mcf Gas: 957 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 957 Bbl H2O: 0 GOR: 0

Test Method: FLOWING Casing PSI: 1826 Tubing PSI: 1514 Choke Size: 11/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1104 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 9089 Tbg setting date: 09/05/2013 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

All flowback water entries are total estimates based on commingled volumes.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Sandra Salazar

Title: Permit Technician II Date: 11/4/2013 Email: sandra.salazar@wpenergy.com

Attachment Check List

| Att Doc Num | Name |
|-------------|--------------------|
| 400506047 | FORM 5A SUBMITTED |
| 400507399 | CEMENT JOB SUMMARY |

Total Attach: 2 Files

General Comments

User Group

Comment

Comment Date

| | | |
|--|--|--|
| | | |
|--|--|--|

Total: 0 comment(s)