

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

400509833

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185
2. Name of Operator: ENCANA OIL & GAS (USA) INC
3. Address: 370 17TH ST STE 1700
City: DENVER State: CO Zip: 80202-
4. Contact Name: Cristi Cota-Smith
Phone: (720) 876-3083
Fax: (720) 876-4083

5. API Number 05-123-36822-00
6. County: WELD
7. Well Name: McPeek
Well Number: 4-8-10
8. Location: QtrQtr: SESW Section: 10 Township: 2N Range: 66W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/07/2013 End Date: 09/07/2013 Date of First Production this formation: 10/11/2013

Perforations Top: 7483 Bottom: 7500 No. Holes: 75 Hole size: 0.42

Provide a brief summary of the formation treatment: Open Hole: ☐

Set CFP @ 7550', perforate Codell
Frac Codell with 150,210# 30/50 and 153,930 gals SLF

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 4420 Max pressure during treatment (psi): 4609

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: Min frac gradient (psi/ft): 0.85

Total acid used in treatment (bbl): Number of staged intervals: 1

Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 1010

Fresh water used in treatment (bbl): Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 150210 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: <u>J-NIOBRARA-CODELL</u>		Status: <u>COMMINGLED</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: _____		End Date: _____		Date of First Production this formation: <u>10/11/2013</u>	
Perforations	Top: <u>7262</u>	Bottom: <u>7985</u>	No. Holes: <u>234</u>	Hole size: <u>0.42</u>	
Provide a brief summary of the formation treatment:			Open Hole: <input type="checkbox"/>		
Drilled up CFPs to commingle the JSND-NBRR-CODL 9-18-2013					
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____			Max pressure during treatment (psi): _____		
Total gas used in treatment (mcf): _____			Fluid density at initial fracture (lbs/gal): _____		
Type of gas used in treatment: _____			Min frac gradient (psi/ft): _____		
Total acid used in treatment (bbl): _____			Number of staged intervals: _____		
Recycled water used in treatment (bbl): _____			Flowback volume recovered (bbl): _____		
Fresh water used in treatment (bbl): _____			Disposition method for flowback: _____		
Total proppant used (lbs): _____			Rule 805 green completion techniques were utilized: <input type="checkbox"/>		
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: <u>10/20/2013</u>	Hours: <u>24</u>	Bbl oil: <u>22</u>	Mcf Gas: <u>239</u>	Bbl H2O: <u>17</u>	
Calculated 24 hour rate:	Bbl oil: <u>22</u>	Mcf Gas: <u>239</u>	Bbl H2O: <u>17</u>	GOR: <u>10863</u>	
Test Method: <u>Flowing</u>	Casing PSI: <u>959</u>	Tubing PSI: <u>363</u>	Choke Size: <u>14/64</u>		
Gas Disposition: <u>SOLD</u>	Gas Type: <u>DRY</u>	Btu Gas: <u>1303</u>	API Gravity Oil: <u>49</u>		
Tubing Size: <u>2 + 3/8</u>	Tubing Setting Depth: <u>7938</u>	Tbg setting date: <u>09/17/2013</u>	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.			

FORMATION: <u>J SAND</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>09/03/2013</u>		End Date: <u>09/07/2013</u>		Date of First Production this formation: <u>10/11/2013</u>	
Perforations	Top: <u>7960</u>	Bottom: <u>7985</u>	No. Holes: <u>75</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Pioneer Wireline perforated J Sand
 7960-7985 w/3 jspf - 75 holes
 Frac J Sand with 155,010# 30/50 and 153,930 gals SLF

This formation is commingled with another formation: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Total fluid used in treatment (bbl): <u>4463</u>	Max pressure during treatment (psi): <u>3199</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.30</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.67</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): <u>1010</u>
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>DISPOSAL</u>
Total proppant used (lbs): <u>155010</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____
---------------------------------	---	-----------------------------------

** Bridge Plug Depth: _____
 ** Sacks cement on top: _____
 ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/07/2013 End Date: 09/07/2013 Date of First Production this formation: 10/11/2013

Perforations Top: 7262 Bottom: 7500 No. Holes: 159 Hole size: 0.42

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBARRA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION
Treatment Date: 09/07/2013 End Date: 09/07/2013 Date of First Production this formation: 10/11/2013
Perforations Top: 7262 Bottom: 7283 No. Holes: 84 Hole size: 0.42
Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Set CFP @7340', perforate Niobrara
Frac Niobrara with 150,400# 30/50 and 153,804 gals SLF

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 4388 Max pressure during treatment (psi): 4721
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: _____ Min frac gradient (psi/ft): 0.95
Total acid used in treatment (bbl): _____ Number of staged intervals: 1
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): 1010
Fresh water used in treatment (bbl): _____ Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 150400 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment: _____

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Cristi L. Cota-Smith
Title: Permitting Analyst Date: _____ Email: cristi.cota-smith@encana.com

Attachment Check List

Att Doc Num **Name**

400509891 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group **Comment** **Comment Date**

Total: 0 comment(s)