

FORM  
2

Rev  
08/13

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
400503143

APPLICATION FOR PERMIT TO:

Drill  Deepen  Re-enter  Recomplete and Operate

Date Received:  
11/12/2013

TYPE OF WELL OIL  GAS  COALBED  OTHER \_\_\_\_\_

Refiling

ZONE TYPE SINGLE ZONE  MULTIPLE ZONES  COMMINGLE ZONES

Sidetrack

Well Name: Dreyer Well Number: 1  
Name of Operator: ENCANA OIL & GAS (USA) INC COGCC Operator Number: 100185  
Address: 370 17TH ST STE 1700  
City: DENVER State: CO Zip: 80202-5632  
Contact Name: Bonnie Lamond Phone: (720)876-5156 Fax: ( )  
Email: bonnie.lamond@encana.com

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20100017

WELL LOCATION INFORMATION

QtrQtr: NWSE Sec: 31 Twp: 1N Rng: 65W Meridian: 6  
Latitude: 40.006029 Longitude: -104.704426

Footage at Surface: 1980 feet FNL/FSL FSL 1980 feet FEL/FWL FEL

Field Name: WATTENBERG Field Number: 90750

Ground Elevation: 5026 County: WELD

GPS Data:

Date of Measurement: 10/04/1975 PDOP Reading: 0.0 Instrument Operator's Name: Barry Halloway

If well is  Directional  Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL \_\_\_\_\_ FEL/FWL \_\_\_\_\_ Bottom Hole: FNL/FSL \_\_\_\_\_ FEL/FWL \_\_\_\_\_

Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_ Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_

LOCATION SURFACE & MINERALS & RIGHT TO CONSTRUCT

Surface Ownership:  Fee  State  Federal  Indian

The Surface Owner is:  is the mineral owner beneath the location.

(check all that apply)  is committed to an Oil and Gas Lease.

has signed the Oil and Gas Lease.

is the applicant.

The Mineral Owner beneath this Oil and Gas Location is:  Fee  State  Federal  Indian

The Minerals beneath this Oil and Gas Location will be developed by this Well: \_\_\_\_\_

The right to construct the Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: \_\_\_\_\_ Surface Surety ID: \_\_\_\_\_

**LEASE INFORMATION**

Using standard QtrQtr, Sec, Twp, Rng format, describe one entire mineral lease that will be produced by this well (Describe lease beneath surface location if produced. Attach separate description page or map if necessary.)

\_\_\_\_\_

Total Acres in Described Lease: 80 Described Mineral Lease is:  Fee  State  Federal  Indian

Federal or State Lease # \_\_\_\_\_

Distance from Completed Portion of Wellbore to Nearest Lease Line of described lease: 660 Feet

**CULTURAL DISTANCE INFORMATION**

Distance to nearest:

Building: 208 Feet  
 Building Unit: 66 Feet  
 High Occupancy Building Unit: 5070 Feet  
 Designated Outside Activity Area: 5280 Feet  
 Public Road: 6 Feet  
 Above Ground Utility: 590 Feet  
 Railroad: 580 Feet  
 Property Line: 10 Feet

**INSTRUCTIONS:**

- All measurements shall be provided from center of the Proposed Well to nearest of each cultural feature as described in Rule 303.a.(5).  
 - Enter 5280 for distance greater than 1 mile.  
 - Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.  
 - Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.

**DESIGNATED SETBACK LOCATION INFORMATION**

Check all that apply. This location is within a:  Buffer Zone  
 Exception Zone  
 Urban Mitigation Area

- Buffer Zone – as described in Rule 604.a.(2), within 1,000' of a Building Unit  
 - Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.  
 - Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

**SPACING and UNIT INFORMATION**

Distance from Completed Portion of Wellbore to Nearest Wellbore Permitted or Completed in the same formation: 533 Feet

Distance from Completed Portion of Wellbore to Nearest Unit Boundary \_\_\_\_\_ Feet (Enter 5280 for distance greater than 1 mile.)

Federal or State Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

**SPACING & FORMATIONS COMMENTS**

\_\_\_\_\_

**OBJECTIVE FORMATIONS**

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
J SAND	JSND		80	N2SE

**DRILLING PROGRAM**

Proposed Total Measured Depth: 8000 Feet

Distance to nearest permitted or existing wellbore penetrating objective formation: 533 Feet (Including plugged wells)

Will a closed-loop drilling system be used? \_\_\_\_\_

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? \_\_\_\_\_ (If Yes, attach an H<sub>2</sub>S Drilling Operations Plan)

Will salt sections be encountered during drilling? \_\_\_\_\_

Will salt based (>15,000 ppm Cl) drilling fluids be used? \_\_\_\_\_

Will oil based drilling fluids be used? \_\_\_\_\_

BOP Equipment Type:  Annular Preventor  Double Ram  Rotating Head  None

### GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule     N/A    

### DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: \_\_\_\_\_ Drilling Fluids Disposal Methods: \_\_\_\_\_

Cuttings Disposal: \_\_\_\_\_ Cuttings Disposal Method: \_\_\_\_\_

Other Disposal Description:

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

### CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	8+5/8	24	0	199	200		
1ST	7+5/8	4+1/2	11.6	0	8053	250		

Conductor Casing is NOT planned

### DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

### GREATER WATTENBERG AREA LOCATION EXCEPTIONS

Check all that apply:

- Rule 318A.a. Exception Location (GWA Windows).
- Rule 318A.c. Exception Location (GWA Twinning).

### RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number     305.c    

### OTHER LOCATION EXCEPTIONS

Check all that apply:

- Rule 318.c. Exception Location from Rule or Spacing Order Number \_\_\_\_\_
- Rule 603.a.(2) Exception Location (Property Line Setback).

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

### OPERATOR COMMENTS AND SUBMITTAL

Comments

The purpose of re-entry is to adequately re-plug the subject well. The subject well is 533 feet off from the proposed Lochbouie 2H-31H well, document #400435947. The as-built coordinates for this well have changed from the COGCC Scout Card - the actual coordinates are: 40.00591155 / -104.7040567. As-built GPS well location data will be submitted on the Form 6 Well Abandonment Report after plugging is completed.

Procedure is as follows:

1. MIRU pulling unit. NU BOP.
2. Drill out surface cement plug, J sand cement plug and circulate out sand across J sand zone.
3. RIH and set CIBP #1 @ 7884' (50' above top perforation). Ensure that CIBP is set in the middle of the joint of casing.
4. Dump bail 4 sxs of Class G Neat cement on top of CIBP (50' of cement).
5. RIH and set CIBP #2 @ 1295' (50' below DV tool). Ensure that CIBP is set in the middle of the joint of casing.
6. Dump bail 4 sxs of Class G Neat cement on top of CIBP (50' of cement).
7. RIH and set CIBP #3 @ 250' (50' below surface shoe). Ensure that CIBP is set in the middle of the joint of casing.
8. RIH with wireline and shoot four squeeze holes at 240'. POOH and ensure all shots were fired.
9. Establish injection through squeeze holes.
10. Pump 85 sxs of Class G Neat cement (15% excess) down 4.5" casing while taking returns up 8-5/8" x 4-1/2" annulus.
11. WOC
12. Top off casing and annulus with cement as necessary.
13. ND BOP, RDMO pulling unit.
14. Cut off casing 4' below ground level.
15. Weld on metal plate and dry hole marker.
16. Restore surface location.
17. Ensure all cement tickets are mailed or emailed to the Denver office for subsequent reporting.

Encana Oil & Gas (USA) Inc. requests a Rule 502.b Variance from Rule 305.c to approve the Re-Entry Form 2 without the 20-day comment period.

A new Form 2A will not be required since the location will not be enlarged beyond the original disturbance.

This application is in a Comprehensive Drilling Plan \_\_\_\_\_ CDP #: \_\_\_\_\_

Location ID: 406465

Is this application being submitted with an Oil and Gas Location Assessment application? No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Bonnie Lamond

Title: Permitting Analyst Date: 11/12/2013 Email: bonnie.lamond@encana.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

Expiration Date: \_\_\_\_\_

**API NUMBER**

05 123 08551 00

### Conditions Of Approval

**All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.**

**COA Type**

**Description**

<b><u>COA Type</u></b>	<b><u>Description</u></b>

## Best Management Practices

**No BMP/COA Type**

**Description**

--	--	--

### Applicable Policies and Notices to Operators

Notice Concerning Operating Requirements for Wildlife Protection.

### Attachment Check List

**Att Doc Num**

**Name**

400503143	FORM 2 SUBMITTED
400511198	WELLBORE DIAGRAM
400511227	WELLBORE DIAGRAM
400511256	SURFACE AGRMT/SURETY
400511649	EXCEPTION LOC REQUEST
400511650	VARIANCE REQUEST
400512132	PROPOSED PLUGGING PROCEDURE

Total Attach: 7 Files

### General Comments

**User Group**

**Comment**

**Comment Date**

Permit	Returned to draft. GPS location does not match location on the GIS map. Missing Proposed Plugging Procedure.	11/13/2013 10:40:53 AM
--------	--	---------------------------

Total: 1 comment(s)