

FORM  
2

Rev  
12/05

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400406920

Date Received:

07/30/2013

PluggingBond SuretyID

20010023

APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

2. TYPE OF WELL

OIL ☒ GAS ☐ COALBED ☐ OTHER \_\_\_\_\_  
SINGLE ZONE ☒ MULTIPLE ☐ COMMINGLE ☐

Refiling ☐

Sidetrack ☐

3. Name of Operator: K P KAUFFMAN COMPANY INC

4. COGCC Operator Number: 46290

5. Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

6. Contact Name: Susana Lara-Mesa Phone: (303)825-4822 Fax: (303)825-4825

Email: slaramesa@kpk.com

7. Well Name: Deering Well Number: #33-8XH

8. Unit Name (if appl): Unit Number:

9. Proposed Total Measured Depth: 11721

WELL LOCATION INFORMATION

10. QtrQtr: SWNW Sec: 33 Twp: 4N Rng: 67W Meridian: 6

Latitude: 40.269920 Longitude: -104.903870

Footage at Surface: 2477 feet FNL/FSL 311 feet FEL/FWL  
FNL FWL

11. Field Name: Wattenberg Field Number: 90750

12. Ground Elevation: 4902 13. County: WELD

14. GPS Data:

Date of Measurement: 07/25/2013 PDOP Reading: 1.3 Instrument Operator's Name: E. Davis

15. If well is ☐ Directional ☒ Horizontal (highly deviated) submit deviated drilling plan.

Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  
2788 FNL 541 FEL 2809 FNL 460 FWL  
Sec: 32 Twp: 4N Rng: 67W Sec: 32 Twp: 4N Rng: 67W

16. Is location in a high density area? (Rule 603b)? ☐ Yes ☒ No

17. Distance to the nearest building, public road, above ground utility or railroad: 233 ft

18. Distance to nearest property line: 152 ft 19. Distance to nearest well permitted/completed in the same formation(BHL): 343 ft

20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
CODELL	CODL		320	GWA

21. Mineral Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian Lease #: \_\_\_\_\_

22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian

23. Is the Surface Owner also the Mineral Owner? ☒ Yes ☐ No Surface Surety ID#:

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☒ Yes ☐ No

23b. If 23 is No: ☐ Surface Owners Agreement Attached or ☐ \$25,000 Blanket Surface Bond ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

25. Distance to Nearest Mineral Lease Line: 460 ft26. Total Acres in Lease: 320**DRILLING PLANS AND PROCEDURES**27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.28. Will salt sections be encountered during drilling? ☐ Yes ☒ No29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☐ Yes ☒ No30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? ☐ Yes ☐ No31. Mud disposal: ☒ Offsite ☐ Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method: ☐ Land Farming ☒ Land Spreading ☐ Disposal Facility

Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	13+3/4	9+5/8	36	0	700	320	700	0
1ST	8+3/4	7	26	0	7530	650	7530	0
1ST LINER	6+1/8	4+1/2	11.6	7330	11721	0		

32. BOP Equipment Type: ☒ Annular Preventer ☒ Double Ram ☒ Rotating Head ☐ None

33. Comments Proposed spacing unit is S/2N/2 AND N/2S/2 of Section 32-T4N-R67W. No conductor casing will be used. Operator requests approval of a Rule 318Aa and Rule 318Ac exception location: Wellhead is to be located outside of a GWA drilling window and will be located more than 50' from an existing well location. Request and waivers attached. Waivers are highlighted in SUA.

34. Location ID: \_\_\_\_\_

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☐ No36. Is this application part of submitted Oil and Gas Location Assessment ? ☒ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_

Print Name: Susana Lara-MesaTitle: Engineering Project Mgr.Date: 7/30/2013Email: slaramesa@kpk.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_



Director of COGCC

Date: 11/21/2013**API NUMBER**

05 123 38456 00

Permit Number: \_\_\_\_\_

Expiration Date: 11/20/2015**CONDITIONS OF APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

**Description**

1)Provide 48 hour notice of MIRU via an electronic Form 42.

2)Comply with Rule 317.i and provide cement coverage a minimum of 200' above the Niobrara. Verify cement coverage with a cement bond log per Rule 317.o.

3)Operator acknowledges the proximity of the Anderson 1 (API #123-105580), Camenisch 1 (API #123-10882), Stroh 1 (API #123-10865), Frank 1 (API #123-08586), Koester 23-33 (API #123-17919), Koester 13-33 (API #123-17980), Camenisch 33-33 (API #123-18013), Camenisch 43-33 (API #123-18014), Weiss 34-417 (API #123-18032), and Weiss 3-34 (API #123-10896) wells. Operator agrees to: provide mitigation option 1, 2 or 3 (per the DJ Basin Horizontal Offset Policy) to mitigate the situation, ensure all applicable documentation is submitted based on the selected mitigation option chosen, and submit a Form 42 ("OTHER – AS SPECIFIED BY PERMIT CONDITION") stating what appropriate mitigation occurred and that it has been completed, prior to the hydraulic stimulation of this well.

Operator must meet water well testing requirements per Rule 318A.

Data retrieval failed for the subreport 'IntPolicy\_MTO' located at: \\DorDonSterling\FarmReports\policy\_mto.rdl. Please

**Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
2167382	LEASE MAP
2167383	DEVIATED DRILLING PLAN
2167470	OFFSET WELL EVALUATION
400406920	FORM 2 SUBMITTED
400457257	PLAT
400457264	SURFACE AGRMT/SURETY
400457491	EXCEPTION LOC REQUEST
400457557	EXCEPTION LOC REQUEST
400459881	PROPOSED SPACING UNIT
400489291	DIRECTIONAL DATA

Total Attach: 10 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final review complete.	11/18/2013 3:53:50 PM
Engineer	Evaluated offset wells for adequate coverage.  The existing surface casing check on file is still valid and the proposed surface casing setting depth is adequate. See document number 1707083.	10/29/2013 4:40:05 PM
Permit	Corrected casing depth, Proposed TD, and distance to property line as per opr. Moved form back to In Process.	10/18/2013 10:13:11 AM
Permit	Opr has changed drilling plan to meet 460 setback and sent new DS and Data template. Attached as per opr. Corrected distance to mineral lease line as per opr. Corrected Acres in lease and lease description as per opr. Corrected acres in objective formation as per opr. Corrected distance to nearest well permitted or completed in the same formation to 343' as per opr.	9/4/2013 1:51:04 PM
Permit	What about surface in NESW/4? Property/Lease line at 148' Spacing unit is ?? in comments 240' Rat hole? Undrilled wells will be either abandoned or relocated to avoid any collision issues keeping them at least 150' away from the proposed wellbore. No form 4's in process. Form on hold. Opr notified.	3/7/2013 2:22:20 PM
Permit	Passed completeness.	7/31/2013 10:00:17 AM
Permit	Operator changed footages for MTD and casing.	7/31/2013 9:59:55 AM
Permit	Returned to DRAFT. Requested review of MTD and casing bottom as they don't match.	7/31/2013 9:36:49 AM

Total: 8 comment(s)

## Best Management Practices

No	BMP/COA Type	Description
1	General Housekeeping	Housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite suitable facilities according to WMP. If spills occur prompt cleanup is required to minimize any commingling of waste materials with stormwater runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal at a certified facility. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup of trash and discarded materials will be conducted at the end of each workday. Cleanup will consist of patrolling the roadway, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, any contaminated soil, and dust control on location. Materials will be disposed of properly.
2	Storm Water/Erosion Control	Storm water Management Plan (SWMP) will be in place to address construction, drilling and operations associated with oil and gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE) General Permit rules. BMP's used will vary according to location, and will remain in place until the pad reached final reclamation.
3	Material Handling and Spill Prevention	Spill Prevention Control and countermeasure plan (SPCC) is in place to address construction, drilling and operations associated with oil and gas development throughout the state of Colorado in accordance with CFR 112.
4	Drilling/Completion Operations	<p>Pre-Spud Anti-collision Prior to drilling operations, operator will perform an anti-collision scan of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision scan will include definitive MWD or gyro surveys of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed wellpath with its respective error of uncertainty. If current surveys do not exist for the offset wells, operator may have gyro surveys conducted to verify bottomhole location. The proposed well will only be drilled if the anti-collision scan results indicate that there is not a risk for collision, or harm to people or the environment. For the proposed well, upon conclusion of drilling operations, an as-constructed gyro survey will be submitted to the COGCC with the Form 5.</p> <p>During and Post Stimulation K.P. Kauffman, Inc. will comply with the COGCC Policy for Bradenhead Monitoring during Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated May 29, 2012.</p> <p>At least 90 days prior to fracture stimulation, the Operator shall notify all operators of non-operated wells within 1500' of the wellbore to be fracture stimulated of the anticipated stimulation date and the recommended best management practice to shut-in all wells within 1500' of the stimulated wellbore completed in the same formation. The Operator will monitor bradenhead pressure of all wells under Operator's control within 300 feet of the well which is to be treated, provided such other wells penetrate the productive zone which is to be treated.</p>

Total: 4 comment(s)