

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400480547

Date Received:

09/13/2013

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100185
2. Name of Operator: ENCANA OIL & GAS (USA) INC
3. Address: 370 17TH ST STE 1700
City: DENVER State: CO Zip: 80202-
4. Contact Name: Sheilla Reed-High
Phone: (720) 876-3678
Fax: (720) 876-4678
Email: sheilla.reedhigh@Encana.com

5. API Number 05-123-34696-00
6. County: WELD
7. Well Name: KAWAKAMI
Well Number: 4-0-35
8. Location: QtrQtr: NWNE Section: 35 Township: 3N Range: 67W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 04/03/2013 End Date: 04/03/2013 Date of First Production this formation: 04/12/2013

Perforations Top: 7391 Bottom: 7410 No. Holes: 57 Hole size:

Provide a brief summary of the formation treatment: Open Hole: ☐

Set CFP @ 7458'. 04-03-13
Frac'd the Codell with 98,380# 40/70 # 40/70 sand and 94,252 gals SLF. 04-03-13

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 2244 Max pressure during treatment (psi): 5203

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Min frac gradient (psi/ft): 0.88

Total acid used in treatment (bbl): Number of staged intervals: 1

Recycled water used in treatment (bbl): 2244 Flowback volume recovered (bbl): 501

Fresh water used in treatment (bbl): Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 98380 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: J-NIOBRARA-CODELL Status: COMMINGLED Treatment Type: _____
Treatment Date: _____ End Date: _____ Date of First Production this formation: 04/12/2013
Perforations Top: 7171 Bottom: 7870 No. Holes: 208 Hole size: 0.42
Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Set CBP @ 7120'. 04-03-13
Drilled out CBP, CFP's to commingle the JSND-NBRR-CDL. 04-05-13

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 04/13/2013 Hours: 24 Bbl oil: 10 Mcf Gas: 350 Bbl H2O: 157
Calculated 24 hour rate: Bbl oil: 10 Mcf Gas: 350 Bbl H2O: 157 GOR: 35000
Test Method: FLOWING Casing PSI: 2375 Tubing PSI: 309 Choke Size: 16/64
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1251 API Gravity Oil: 53
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7793 Tbg setting date: 04/05/2013 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: <u>J SAND</u>		Status: <u>PRODUCING</u>		Treatment Type: <u>FRACTURE STIMULATION</u>	
Treatment Date: <u>04/01/2013</u>		End Date: <u>04/03/2013</u>		Date of First Production this formation: <u>04/07/2013</u>	
Perforations	Top: <u>7831</u>	Bottom: <u>7870</u>	No. Holes: <u>75</u>	Hole size: <u>0.42</u>	

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

Frac'd the J Sand with 102,100# 40/70 sand and 94,569 gals SLF. 04-03-13

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): <u>2252</u>	Max pressure during treatment (psi): <u>4739</u>
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): <u>8.34</u>
Type of gas used in treatment: _____	Min frac gradient (psi/ft): <u>0.68</u>
Total acid used in treatment (bbl): _____	Number of staged intervals: <u>1</u>
Recycled water used in treatment (bbl): <u>2252</u>	Flowback volume recovered (bbl): <u>501</u>
Fresh water used in treatment (bbl): _____	Disposition method for flowback: <u>DISPOSAL</u>
Total proppant used (lbs): <u>102100</u>	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 04/03/2013 End Date: 04/03/2013 Date of First Production this formation: 04/12/2013

Perforations Top: 7171 Bottom: 7410 No. Holes: 133 Hole size: 0.42

Provide a brief summary of the formation treatment: Open Hole: ☐

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION
Treatment Date: 04/03/2013 End Date: 04/03/2013 Date of First Production this formation: 04/12/2013
Perforations Top: 7171 Bottom: 7190 No. Holes: 76 Hole size: 0.42
Provide a brief summary of the formation treatment: Open Hole: ☐

Set CFP @ 7240'. 04-03-13
Frac'd the Niobrara with 100,120# 40/70 and 93,017 gals SLF. 04-03-13

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 2215 Max pressure during treatment (psi): 5634
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34
Type of gas used in treatment: Min frac gradient (psi/ft): 0.90
Total acid used in treatment (bbl): Number of staged intervals: 1
Recycled water used in treatment (bbl): 2215 Flowback volume recovered (bbl): 501
Fresh water used in treatment (bbl): Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 100120 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Sheilla D. Reed-High
Title: Drilling and Compl. Tech. Date: 9/13/2013 Email: sheilla.reedhigh@Encana.com

Attachment Check List

Att Doc Num	Name
400480547	FORM 5A SUBMITTED
400480574	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Changed bottom perf for J-NB-CD to 7870' per operator.	12/16/2013 1:52:24 PM
Permit	ON HOLD: requesting corrected btm perf for J Sand.	12/16/2013 1:25:36 PM

Total: 2 comment(s)