

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|--------------------------------------|----|----|----|
| DE | ET | OE | ES |
| Document Number: <u>400514763</u> | | | |
| Date Received: <u>11/19/2013</u> | | | |

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 19160 Contact Name Justin Carlile
 Name of Operator: CONOCO PHILLIPS COMPANY Phone: (281) 647-1857
 Address: P O BOX 2197 Fax: (281) 647-1935
 City: HOUSTON State: TX Zip: 77252-2197 Email: justin.carlile@conocophillips.com

Complete the Attachment
Checklist

OP OGCC

API Number : 05- 005 07209 00 OGCC Facility ID Number: 433544
 Well/Facility Name: Tebo 29 Well/Facility Number: 2H
 Location QtrQtr: SWNW Section: 28 Township: 4S Range: 64W Meridian: 6
 County: ARAPAHOE Field Name: WILDCAT
 Federal, Indian or State Lease Number: _____

| | | |
|---------------------|--|--|
| Survey Plat | | |
| Directional Survey | | |
| Srvc Eqpmt Diagram | | |
| Technical Info Page | | |
| Other | | |

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
 - 0 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
 - 1 Number of Water Source Exceptions requested per Rule 609.c.
 - 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

| Sample ID | Facility ID | Sample Date | Sample Purpose |
|-----------|-------------|-------------|----------------|
| | | | |
| | | | |
| | | | |
| | | | |

COMMENTS

We request an exception due to the absence of water wells located within 1/2 mile of the location.

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Justin Carlile
 Title: Regulatory Specialist Email: justin.carlile@conocophillips.com Date: 11/19/2013

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 1/15/2014

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

| <u>COA Type</u> | <u>Description</u> |
|-----------------|--------------------|
| | |

General Comments**User Group****Comment****Comment Date**

| | | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Environmental Data | <p>Additional information regarding the locations of potential water sources has been included in the attachments. All potential water sources have been accounted for.</p> <p>The number of exceptions was changed from 1 to 4 since there is no available water sources within 1/2 mile.</p> | 1/8/2014 8:19:05 AM |
| Environmental Data | CB&I Is sending additional information regarding the potential water sources. The file will be updated when it is received. Phone call made 01/07/2013. | 1/7/2014 10:08:11 AM |
| Environmental Data | Sundry placed on hold pending additional information. There appears to be a water well within the 1/2 mile radius that needs to be addressed prior to this sundry passing. An email was sent to the operator on 11/19/2013. | 11/19/2013 10:00:21 AM |

Total: 3 comment(s)

Attachment Check List**Att Doc Num****Name**

| | |
|-----------|------------------|
| 2533748 | CORRESPONDENCE |
| 400514763 | FORM 4 SUBMITTED |

Total Attach: 2 Files