

**FORM INSP**  
Rev 05/11

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:  
01/16/2014

Document Number:  
673700889

Overall Inspection:  
Satisfactory

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	<input type="checkbox"/>
	<u>430398</u>	<u>430399</u>	<u>Sherman, Susan</u>	2A Doc Num:	

**Operator Information:**

OGCC Operator Number: \_\_\_\_\_

Name of Operator: WESTERN OPERATING COMPANY

Address: 518 17TH ST STE 200

City: DENVER State: CO Zip: 80202

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
Hart, Dale		dale@westernoperating.com	
James, Steve	(303) 893-2432	S.DJames@att.Net	

**Compliance Summary:**

QtrQtr: NWNE Sec: 30 Twp: 12S Range: 52W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Unsatisfactory	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
08/21/2013	668601274	DG	TA	Satisfactory	I		No
02/04/2013	668600319	XX	TA	Unsatisfactory	I		No

**Inspector Comment:**

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
430398	WELL	DG	12/04/2012	LO	073-06485	CULLEN BOYERO 1-30	PA	<input checked="" type="checkbox"/>

**Equipment:**

Location Inventory

Special Purpose Pits: _____	Drilling Pits: <u>1</u>	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>1</u>	Separators: <u>1</u>	Electric Motors: <u>1</u>
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>1</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

**Location**

Emergency Contact Number: (S/U/V) \_\_\_\_\_ Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

**Spills:** \_\_\_\_\_

Inspector Name: Sherman, Susan

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Multiple Spills and Releases?

<b>Venting:</b>	
Yes/No	Comment

<b>Flaring:</b>				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date

**Predrill**

Location ID: 430398

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/UV:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	allisonr	<p>Water Testing: Prior to drilling, operator shall sample the two (2) closest domestic water wells, springs, or surface water features within a one (1) mile radius of the proposed oil and gas location. Testing preference shall be given to domestic water wells and springs over surface water. Testing of surface water features shall only be conducted if two (2) water wells or springs do not exist within a one (1) mile radius of the selected oil and gas location. If possible, the water wells or springs selected should be on opposite sides of the oil and gas location not exceeding a one (1) mile radius. If water wells or springs on opposite sides of the oil and gas location cannot be identified, then the two (2) closest wells or springs within a one (1) mile radius of the oil and gas location shall be sampled. The sample location shall be surveyed in accordance with Rule 215.</p> <p>Water well testing shall include laboratory analysis of pH, total dissolved solids (TDS), specific conductivity (SC), sodium adsorption ratio (SAR) calculation, total recoverable metals (calcium [Ca], potassium [K], magnesium [Mg], sodium [Na], arsenic [As], boron [B], barium [Ba], cadmium [Cd], chromium [Cr], copper [Cu], iron [Fe], manganese [Mn], lead [Pb], selenium [Se]), cations and anions (bromide [Br], chloride [Cl], fluoride [F], sulfate [SO4]), alkalinity (total, HCO3, and CO3 – all expressed as CaCO3), benzene, toluene, ethyl benzene, o-xylene, m- + p-xylene (BTEX), dissolved methane, diesel range organics (DRO), gasoline range organics (GRO), and nutrients (nitrates, nitrites). Sampling shall be performed by qualified individuals using commonly accepted environmental sampling procedures. Field observations such as pH, temperature, specific conductance, odor, water color, sediment, bubbles, and effervescence shall also be included.</p> <p>Post-completion tests shall be performed for the same analytical parameters listed above and repeated one (1), three (3) and six (6) years thereafter. If no significant changes from the baseline have been identified after the third test (i.e. the six-year test), no further testing shall be required. Additional test(s) may be required if changes in water quality are identified during follow-up testing. The Director may require further water well sampling at any time in response to complaints from water well owners.</p> <p>If free gas or a dissolved methane concentration level greater than one (1) milligrams per liter (mg/l) is detected in a water well, gas compositional analysis and stable isotope analysis of the methane (carbon and deuterium) shall be performed to determine gas type (biogenic or thermogenic). If the methane concentration increases by more than five (5) mg/l between sampling periods, or increases to more than ten (10) mg/l, the operator shall notify the Director and the owner of the water well immediately. If thermogenic methane concentrations increase between sampling periods, the operator shall submit to the Director an action plan to determine the source of the increase.</p> <p>Copies of all test results described above shall be provided to the Director and the landowner where the water quality testing well is located within three (3) months of collecting the samples used for the test. The analytical data and surveyed sample locations shall also be submitted to the Director in an electronic data deliverable format approved by Director.</p>	10/11/2012

**S/U/V:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

**S/U/V:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:**

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_  
Operator Rep. Contact Information:  
 Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_  
 Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_  
 Request LGD Attendance: \_\_\_\_\_  
LGD Contact Information:  
 Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_  
Summary of Landowner Issues:  
 \_\_\_\_\_  
Summary of Operator Response to Landowner Issues:  
 \_\_\_\_\_  
Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:  
 \_\_\_\_\_

**Facility**

Facility ID: 430398 Type: WELL API Number: 073-06485 Status: DG Insp. Status: PA

**Cement**

Cement Contractor  
 Contractor Name: Allied Contractor Phone: \_\_\_\_\_  
Surface Casing  
 Cement Volume (sx): 15 Circulate to Surface: YES  
 Cement Fall Back: \_\_\_\_\_ Top Job, 1" Volume: \_\_\_\_\_  
Intermediate Casing  
 Cement Volume (sxs): \_\_\_\_\_ Good Return During Job: \_\_\_\_\_  
Production Casing  
 Cement Volume (sx): \_\_\_\_\_ Good Return During Job: \_\_\_\_\_  
Plugging Operations  
 Depth Plugs(feet range): \_\_\_\_\_ Cement Volume (sx): \_\_\_\_\_  
 Good Return During Job: \_\_\_\_\_ Cement Type: \_\_\_\_\_  
 Comment: Plug #4 3200-3098 40 sxs 15.6 wt  
 Plug #5 3000-2890'40 sxs 15.5 wt. 1000 psi  
 cut casing @ 2698'  
 Plug #6 2698-519' 50 sxs  
 Plug #7 519-50' 50 sxs  
 Plug #8 50-0' 15 sxs  
 66 joints pulled (~32.5' each)

**Environmental**

Spills/Releases:  
 Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_  
 Comment: \_\_\_\_\_  
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_  
 Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_

Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**

DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_

**Field Parameters:**

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment: \_\_\_\_\_

- 1003a. Debris removed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Waste Material Onsite? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Unused or unneeded equipment onsite? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Pit, cellars, rat holes and other bores closed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? \_\_\_\_\_ Production areas stabilized ? \_\_\_\_\_

1003c. Compacted areas have been cross ripped? \_\_\_\_\_

1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_

Cuttings management: \_\_\_\_\_

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_

Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Inspector Name: Sherman, Susan

Comment: \_\_\_\_\_

Overall Interim Reclamation

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: RANGELAND

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_ Well Release on Active Location  Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/U/V: \_\_\_\_\_ Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

CA: \_\_\_\_\_

**Pits:**  NO SURFACE INDICATION OF PIT