



Company: ENCANA OIL & GAS (USA) INC

Well: HAGEN FEDERAL 15-16B (PC22)

Field: SOUTH PARACHUTE

County: GARFIELD State: COLORADO

SLIM CEMENT MAPPING LOG  
CBL-VDL  
GAMMA RAY-CCL

County: GARFIELD  
Field: SOUTH PARACHUTE  
Location: SHL: 608 FNL & 1774 FWL  
Well: HAGEN FEDERAL 15-16B (PC22)  
Company: ENCANA OIL & GAS (USA) INC

LOCATION		Elev.: K.B. 6543.00 ft G.L. 6521.00 ft D.F. 6542.00 ft	
SHL: 608 FNL & 1774 FWL BHL: 1190 FSL & 1067 FEL			
Permanent Datum: _____	GROUND LEVEL _____	Elev.: 6521.00 ft	
Log Measured From: _____	KELLY BUSHING _____	22.00 ft	above Perm. Datum
Drilling Measured From: _____	KELLY BUSHING _____		
API Serial No. 05-045-22009-0C	Section 22	Township 7S	Range 95W
Logging Date 13-Sep-2013			
Run Number 1			
Depth Driller 8693 ft			
Schlumberger Depth 8599 ft			
Bottom Log Interval 8590 ft			
Top Log Interval 50 ft			
Casing Fluid Type FRESH WATER			
Salinity			
Density			
Fluid Level 8.4 lbm/gal			
50 ft			
BIT/CASING/TUBING STRING			
Bit Size 8.750 in			
From 22 ft			
To 8693 ft			
Casing/Tubing Size 4.500 in			
Weight 11.6 lbm/ft			
Grade S-80			
From 22 ft			
To 8671 ft			
Maximum Recorded Temperatures 220 degF			
Logger On Bottom 13-Sep-2013		15:00	
Unit Number 338	GRAND JUNCTION		
Recorded By KIRSTIE BUNTING			
Witnessed By JIM DYKEMAN			

PVT DATA		Run 1	Run 2	Run 3
Oil Density				
Water Salinity				
Gas Gravity				
Bo				
Bw				
1/Bg				
Bubble Point Pressure				
Bubble Point Temperature				
Solution GOR				
Maximum Deviation				
CEMENTING DATA				
Primary/Squeeze	Primary			
Casing String No				
Lead Cement Type				
Volume				
Density				
Water Loss				
Additives				
Tail Cement Type				
Volume				
Density				
Water Loss				
Additives				
Expected Cement Top				
Logging Date				
Run Number				
Depth Driller				
Schlumberger Depth				
Bottom Log Interval				
Top Log Interval				
Casing Fluid Type				
Salinity				
Density				
Fluid Level				
BIT/CASING/TUBING STRING				
Bit Size				
From				
To				
Casing/Tubing Size				
Weight				
Grade				
From				
To				
Maximum Recorded Temperatures				
Logger On Bottom				
Unit Number	Location			
Recorded By				
Witnessed By				

## DEPTH SUMMARY LISTING

Date Created: 14-AUG-2013 11:54:57

## Depth System Equipment

Depth Measuring Device		Tension Device		Logging Cable	
Type:	IDW-JB	Type:	CMTD-B/A	Type:	1-25ZT
Serial Number:	6349	Serial Number:	3421	Serial Number:	112136
Calibration Date:	7-31-2013	Calibration Date:	14-AUG-201	Length:	19000 FT
Calibrator Serial Number:		Calibrator Serial Number:	174878	Conveyance Method:	Wireline
Calibration Cable Type:	1-25ZT	Number of Calibration Points:	10	Rig Type:	LAND
Wheel Correction 1:	-5	Calibration RMS:	3		
Wheel Correction 2:	-4	Calibration Peak Error:	8		

## Depth Control Parameters

Log Sequence:	First Log In the Well
Rig Up Length At Surface:	0.00 FT
Rig Up Length At Bottom:	0.00 FT
Rig Up Length Correction:	0.00 FT
Stretch Correction:	
Tool Zero Check At Surface:	

## Depth Control Remarks


1. ALL SCHLUMBERGER DEPTH CONTROL PROCEDURES USED
2. IDW USED AS PRIMARY DEPTH REFERENCE
3. SPWT DRUM COUNTER USED AS SECONDARY DEPTH REFERENCE
- 4.
- 5.
- 6.

## DISCLAIMER

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES1	OTHER SERVICES2
OS1: RESERVOIR SATURATION	OS1:
OS2: LOG	OS2:
OS3: SIGMA MODE	OS3:
OS4:	OS4:
OS5:	OS5:
REMARKS: RUN NUMBER 1	REMARKS: RUN NUMBER 2
FIRST RUN IN HOLE CORRELATED TO DOWN LOG	
TOOL RAN AS PER TOOL SKETCH	
ENTRANCE: 13:00	
TIME ON BOTTOM: 15:00	
EXIT: 17:00	

MAXIMUM RECORDED TEMPERATURE: 220 DEGF					
MAXIMUM RECORDED PRESSURE: 3305 PSIA					
SHORT JOINTS: 6198 FT & 7181 FT					
MAIN PASS LOGGED UNDER ZERO SURFACE PRESSURE					
EXPECTED CBL AMPLITUDE IN FREE PIPE IS 80MV					
CREW: KBUNTING, KJOHNS, JMANN					
THANK YOU FOR CHOOSING E&P WIRELINE, A SCHLUMBERGER COMPANY					
RUN 1			RUN 2		
SERVICE ORDER #: PROGRAM VERSION: FLUID LEVEL:			SERVICE ORDER #: PROGRAM VERSION: FLUID LEVEL:		
CGF9-00136			19C0-187		
50 ft					
LOGGED INTERVAL	START	STOP	LOGGED INTERVAL	START	STOP
EQUIPMENT DESCRIPTION					
RUN 1			RUN 2		
SURFACE EQUIPMENT					
WITM-A PSC_16MHZ					
DOWNHOLE EQUIPMENT					
MH-22					
MH-22					
	Detail MT				
AH-38	TelStatus				
	CTEM	51.5		51.7	
PSPT				51.5	
PSC-A					
PSPT-B 928					
PSTC-A					
PBMS-B	GR	47.8			
CQG_F_Mano					
RTD_Thermometer					
GR	Well_Temp	44.7			
CCL	CQG Manom	44.4			
PBMS	CCL	44.0			
	PBMS PSTC	43.2			
RST-C				43.2	
RSCH-A 197					
RSC-E					
RSS-A 255					
RSXH-A 425					
RSX-E					



# MAIN PASS CBL VDL

MAXIS Field Log


Company: ENCANA OIL & GAS (USA) INC Well: HAGEN FEDERAL 15-16B (PC22)

Input DLIS Files						
DEFAULT	SCMT_RST_PSP_018LUP	FN:17	PRODUCER	13-Sep-2013 15:06	8609.5 FT	13.7 FT
Output DLIS Files						
DEFAULT	SCMT_RST_PSP_021PUP	FN:20	PRODUCER	13-Sep-2013 17:24	8614.5 FT	-25.5 FT


OP System Version: 19C0-187			
SCMT-CB	19C0-187	RST-C	19C0-187
PSPT	19C0-187		


## PIP SUMMARY


☒ Time Mark Every 60 S


















































































































































#### PIP SUMMARY

Time Mark Every 60 S

Format: CBL\_VDL Vertical Scale: 5" per 100'

Graphics File Created: 13-Sep-2013 17:24

### OP System Version: 19C0-187

SCMT-CB 19C0-187 RST-C 19C0-187  
PSPT 19C0-187

#### <<<SCMT Cement Evaluation Information Summary>>>

<b>Sonde Serial Number</b>	SCMS-CB 8179		
<b>Current Casing Size</b>	4.50000 IN		
<b>Casing Weight</b>	11.6000 LB/F		
<b>Expected CBL Amplitude in Free Pipe Section</b>	80 MV	<b>Minimum Sonic Amplitude</b>	0.579149 MV (100% Cement) 1.55185 MV (80% Cement)
		<b>MAP Minimum Sonic Amplitude</b>	4.32284 MV (100% Cement) 8.10244 MV (80% Cement)
<b>Master Calibration (Normalization)</b>		<b>Before Calibration (Adjustment)</b>	
<b>Date of Master Calibration</b>	6-MAR-2012		
<b>CBL Correction Factor</b>	0.0704263	<b>CBL Adjustment Factor (CBAF)</b>	1.0
<b>MAP 1 Correction Factor</b>	0.0993191	<b>MAP Adjustment Factor (MPAF)</b>	1.0
<b>MAP 2 Correction Factor</b>	0.0941329		
<b>MAP 3 Correction Factor</b>	0.101552		
<b>MAP 4 Correction Factor</b>	0.114415		
<b>MAP 5 Correction Factor</b>	0.127992		
<b>MAP 6 Correction Factor</b>	0.121190		
<b>MAP 7 Correction Factor</b>	0.112867		
<b>MAP 8 Correction Factor</b>	0.102913		

#### Parameters

DLIS Name	Description	Value
-----------	-------------	-------



**SCMT-CB: Slim Cement Mapping Tool, 1-11/16 OD**

BILI	Bond Index Level for Zone Isolation	0.8	
CB3D	SCMT CBL 3 ft Peak Detection Mode	PEAK	
CB3G	SCMT CBL 3 ft Peak Detection T0_Delay and Noise Gate	224.559	US
CB3T	SCMT CBL 3 ft Fixed Threshold Level	20	MV
CB5D	SCMT CBL 5 ft Peak Detection Mode	PEAK	
CB5G	SCMT CBL 5 ft Peak Detection T0_Delay and Noise Gate	338.559	US
CB5T	SCMT CBL 5 ft Fixed Threshold Level	20	MV
CBLG	CBL Gate Width	45	US
CBRA	CBL LQC Reference Amplitude in Free Pipe	80	MV
CMCF	CBL Cement Type Compensation Factor	1	
CMT	SCMT Slow Channel Multiplexer Mode	SCAN	
CMTM	SCMT Operating Mode	LOG	
CSCS	SCMT Slow Channel Index	VCC	
CTHI	Casing Thickness	0.255617	IN
DTF	Delta-T Fluid	189	US/F
FATT	Acoustic Attenuation due to Fluid	0	DB/F
FCF	CBL Fluid Compensation Factor	0.924277	
GOBO	Good Bond	1.55185	MV
MAPD	SCMT MAP Peak Detection Mode	PEAK	
MAPG	SCMT MAP Peak Detection T0_Delay and Noise Gate	167.559	US
MAPT	SCMT MAP Fixed Threshold Level	30	MV
MATT	Maximum Attenuation	16.5449	DB/F
MCCF	MAP Cement Type Compensation Factor	1	
MCI	Minimum Cemented Interval for Isolation	1.25	FT
MMSA	MAP Minimum Sonic Amplitude	4.32284	MV
MSA	Minimum Sonic Amplitude	0.579149	MV
PEDE	Peak Detection On/Off Switch in Playback	OFF	
VDLG	VDL Manual Gain	5	
ZCMT	Acoustic Impedance of Cement	6.8	MRAY
<b>System and Miscellaneous</b>			
CSIZ	Current Casing Size	4.500	IN
CWEI	Casing Weight	11.60	LB/F
DFD	Drilling Fluid Density	8.40	LB/G
DO	Depth Offset for Playback	5.0	FT
PP	Playback Processing	RECOMPUTE	
TD	Total Depth	8599	FT

**Input DLIS Files**

DEFAULT	SCMT_RST_PSP_018LUP	FN:17	PRODUCER	13-Sep-2013 15:06	8609.5 FT	13.7 FT
---------	---------------------	-------	----------	-------------------	-----------	---------

**Output DLIS Files**

DEFAULT	SCMT_RST_PSP_021PUP	FN:20	PRODUCER	13-Sep-2013 17:24
---------	---------------------	-------	----------	-------------------


**REPEAT ANALYSIS CBL VDL**

MAXIS Field Log

Company: ENCANA OIL &amp; GAS (USA) INC

Well: HAGEN FEDERAL 15-16B (PC22)

**Input DLIS Files**


DEFAULT	SCMT_RST_PSP_016LUP	FN:15	PRODUCER	13-Sep-2013 14:54	6381.5 FT	6045.0 FT
DEFAULT	SCMT_RST_PSP_021PUP	FN:20	PRODUCER	13-Sep-2013 17:24	8614.5 FT	-25.5 FT


**Output DLIS Files**


DEFAULT	SCMT_RST_PSP_023PUP	FN:22	PRODUCER	13-Sep-2013 17:30	6382.5 FT	6001.5 FT
---------	---------------------	-------	----------	-------------------	-----------	-----------

**OP System Version: 19C0-187**

SCMT-CB	19C0-187	RST-C	19C0-187
PSPT	19C0-187		







### PIP SUMMARY

Time Mark Every 60 S

Format: CBL\_VDL\_REP Vertical Scale: 5" per 100'

Graphics File Created: 13-Sep-2013 17:30

## OP System Version: 19C0-187

SCMT-CB 19C0-187 RST-C 19C0-187  
PSPT 19C0-187

### <<<SCMT Cement Evaluation Information Summary>>>

Sonde Serial Number	SCMS-CB 8179		
Current Casing Size	4.50000 IN		
Casing Weight	11.6000 LB/F		
Expected CBL Amplitude in Free Pipe Section	80 MV	Minimum Sonic Amplitude	0.579149 MV (100% Cement) 1.55185 MV (80% Cement)
		MAP Minimum Sonic Amplitude	4.32284 MV (100% Cement) 8.10244 MV (80% Cement)
Master Calibration (Normalization)	Before Calibration (Adjustment)		
Date of Master Calibration	6-MAR-2012		
CBL Correction Factor	0.0704263	CBL Adjustment Factor (CBAF)	1.0
MAP 1 Correction Factor	0.0993191	MAP Adjustment Factor (MPAF)	1.0
MAP 2 Correction Factor	0.0941329		
MAP 3 Correction Factor	0.101552		
MAP 4 Correction Factor	0.114415		
MAP 5 Correction Factor	0.127992		
MAP 6 Correction Factor	0.121190		
MAP 7 Correction Factor	0.112867		
MAP 8 Correction Factor	0.102913		

## Parameters

DLIS Name	Description	Value	
SCMT-CB: Slim Cement Mapping Tool, 1-11/16 OD			
BILI	Bond Index Level for Zone Isolation	0.8	
CB3D	SCMT CBL 3 ft Peak Detection Mode	PEAK	
CB3G	SCMT CBL 3 ft Peak Detection T0_Delay and Noise Gate	224.559	US
CB3T	SCMT CBL 3 ft Fixed Threshold Level	20	MV
CB5D	SCMT CBL 5 ft Peak Detection Mode	PEAK	
CB5G	SCMT CBL 5 ft Peak Detection T0_Delay and Noise Gate	338.559	US
CB5T	SCMT CBL 5 ft Fixed Threshold Level	20	MV
CBLG	CBL Gate Width	45	US
CBRA	CBL LQC Reference Amplitude in Free Pipe	80	MV
CMCF	CBL Cement Type Compensation Factor	1	
CMTc	SCMT Slow Channel Multiplexer Mode	SCAN	
CMTM	SCMT Operating Mode	LOG	
CSCS	SCMT Slow Channel Index	VCC	
CTHI	Casing Thickness	0.255617	IN
DTF	Delta-T Fluid	189	US/F
FATT	Acoustic Attenuation due to Fluid	0	DB/F
FCF	CBL Fluid Compensation Factor	0.924277	
GOBO	Good Bond	1.55185	MV
MAPD	SCMT MAP Peak Detection Mode	PEAK	
MAPG	SCMT MAP Peak Detection T0_Delay and Noise Gate	167.559	US
MAPT	SCMT MAP Fixed Threshold Level	30	MV
MATT	Maximum Attenuation	16.5148	DB/F



MATT	Maximum Attenuation	16.3449	DB/F
MCCF	MAP Cement Type Compensation Factor	1	
MCI	Minimum Cemented Interval for Isolation	1.25	FT
MMSA	MAP Minimum Sonic Amplitude	4.32284	MV
MSA	Minimum Sonic Amplitude	0.579149	MV
PEDE	Peak Detection On/Off Switch in Playback	OFF	
VDLG	VDL Manual Gain	5	
ZCMT	Acoustic Impedance of Cement	6.8	MRAY
System and Miscellaneous			
CSIZ	Current Casing Size	4.500	IN
CWEI	Casing Weight	11.60	LB/F
DFD	Drilling Fluid Density	8.40	LB/G
DO	Depth Offset for Playback	1.0	FT
DORL	Depth Offset for Repeat Analysis	0.0	FT
PP	Playback Processing	RECOMPUTE	
TD	Total Depth	8599	FT

### Input DLIS Files

DEFAULT	SCMT_RST_PSP_016LUP	FN:15	PRODUCER	13-Sep-2013 14:54	6381.5 FT	6045.0 FT
DEFAULT	SCMT_RST_PSP_021PUP	FN:20	PRODUCER	13-Sep-2013 17:24	8614.5 FT	-25.5 FT

### Output DLIS Files


DEFAULT	SCMT_RST_PSP_023PUP	FN:22	PRODUCER	13-Sep-2013 17:30		
---------	---------------------	-------	----------	-------------------	--	--


**Schlumberger**

## TEMPERATURE PLOT

MAXIS Field Log

Index: 8614.5 – -25.5 FT





17230 Points Plotted

13-SEP-2013 17:29

**Schlumberger**

## PBMS COEFFICIENTS

MAXIS Field Log

Client: ENCANA OIL & GAS (USA) INC  
Field: SOUTH PARACHUTE  
Well: HAGEN FEDERAL 15-16B (PC22)  
Run date: 13-Sep-2013

Tool: PSP  
Sub Type: PBMS  
Sensor: GR

### PBMS Gamma Ray

Sonde Serial NB

Sensor Serial NB

Calib Date ddmmyy

Matrix Size

Coeff CRC

RESISTORS FOR GR SENSOR N.33223, TOOL PBMS-BA0928. SENSOR S/N:

33223

090800

12

CFE2

GR HV Rt

Rt\*\*0

Rt\*\*1

Rt\*\*0

+.182000000000e+04

+.332000000000e+04

Client: ENCANA OIL & GAS (USA) INC

Field: SOUTH PARACHUTE

Well: HAGEN FEDERAL 15–16B (PC22)

Run date: 13–Sep–2013

Tool: PSP

Sub Type: PBMS

Sensor: WellTemp RTD

PBMS RTD Well Thermometer

Sonde Serial NB

Sensor Serial NB

Calib Date ddmmyy

Matrix Size

Coeff CRC

COEFFICIENTS FOR RTD THERMOMETER PBMS–B.928 S/N:

928

280612

16

A24E

WTemp Coeff

	Tt**0	Tt**1	Tt**2
Tt**0	–.391987973189E+03	+.191346892512E+03	–.440920753451E+02
	Tt**3	Tt**4	Tt**5
Tt**0	+.957191300908E+01	–.711421725686E+00	0.0

Client: ENCANA OIL & GAS (USA) INC

Field: SOUTH PARACHUTE

Well: HAGEN FEDERAL 15–16B (PC22)

Run date: 13–Sep–2013

Tool: PSP

Sub Type: PBMS

Sensor: CQG

PBMS Quartz Gauge type F

Sonde Serial NB

Sensor Serial NB

Calib Date ddmmyy

Matrix Size

Coeff CRC

COEFFICIENTS FOR CQG PBMS–B.928 S/N:

928

280612

66

9DC3

Pres Coeff

	Fb**0	Fb**1	Fb**2
Fc**0	+.714463802232E+04	+.183434658655E–01	–.156620073569E–06

Fc**1	-.100638308957E+01	-.119899563644E-04	-.912155899025E-10
Fc**2	+.936268101283E-06	+.423898071451E-10	+.958076371919E-15
Fc**3	+.185123362373E-11	+.203107925433E-15	0.0
Fc**4	0.0	0.0	0.0
Fc**5	0.0	0.0	0.0

	Fb**3	Fb**4	Fb**5
Fc**0	-.746577997611E-10	-.588773826860E-15	-.622250441458E-19
Fc**1	-.120636521092E-15	+.400325894750E-19	0.0
Fc**2	0.0	0.0	0.0
Fc**3	0.0	0.0	0.0
Fc**4	0.0	0.0	0.0
Fc**5	0.0	0.0	0.0

---

PBMS Quartz Gauge type F

Sonde Serial NB :  
 Sensor Serial NB 928  
 Calib Date ddmmyy 280612  
 Matrix Size 66  
 Coeff CRC 283B

Temp Coeff

	Fc**0	Fc**1	Fc**2
Fb**0	+.117016867873E+03	-.284359629614E-03	+.604391180345E-08
Fb**1	-.598309140812E-02	+.182731130848E-07	+.160166486172E-12
Fb**2	-.307621454576E-07	+.300601550309E-12	+.311233548560E-17
Fb**3	-.419658736767E-12	+.117473708647E-16	0.0
Fb**4	0.0	0.0	0.0
Fb**5	0.0	0.0	0.0

	Fc**3	Fc**4	Fc**5
Fb**0	+.114322792679E-12	+.153807711176E-17	-.736714260866E-21
Fb**1	-.528037875456E-18	-.220337637519E-21	0.0
Fb**2	0.0	0.0	0.0
Fb**3	0.0	0.0	0.0
Fb**4	0.0	0.0	0.0
Fb**5	0.0	0.0	0.0

---

PBMS Quartz Gauge type F



**PBMS Quartz Gauge type F**

Sonde Serial NB :  
 Sensor Serial NB 928  
 Calib Date ddmmyy 280612  
 Matrix Size 16  
 Coeff CRC 093F

**Clock Freq Coeff**

	$(Fb' - Fc')^{**0}$	$(Fb' - Fc')^{**1}$	$(Fb' - Fc')^{**2}$
$(Fb' - Fc')^{**0}$	+.310874009898E+05	+.288920923041E-02	+.697940727038E-06
	$(Fb' - Fc')^{**3}$	$(Fb' - Fc')^{**4}$	$(Fb' - Fc')^{**5}$
$(Fb' - Fc')^{**0}$	-.657432344763E-10	-.412920638782E-15	+.213369826099E-20

**PBMS Quartz Gauge type F**

Sonde Serial NB :  
 Sensor Serial NB 928  
 Calib Date ddmmyy 280612  
 Matrix Size 16  
 Coeff CRC 8419

**Clock Temp Coeff**

	$(Fb' - Fc')^{**0}$	$(Fb' - Fc')^{**1}$	$(Fb' - Fc')^{**2}$
$(Fb' - Fc')^{**0}$	+.115369519827E+03	-.565338877075E-02	-.333717531829E-07
	$(Fb' - Fc')^{**3}$	$(Fb' - Fc')^{**4}$	$(Fb' - Fc')^{**5}$
$(Fb' - Fc')^{**0}$	-.124387135327E-12	+.713102327208E-16	-.316084316842E-20

**Schlumberger**

**MASTER CALIBRATION**

MAXIS Field Log

**Slim Cement Mapping Tool, 1-11/16 OD / Equipment Identification**










**Primary Equipment:**

Slim Cement Mapping Xmitter Electronics	SCMX - CA	
Slim Cement Mapping Sonde	SCMS - CB	8179
Slim Cement Mapping Cartridge	SCMC - CA	8248

**Auxiliary Equipment:**

Slim Electronics Cartridge Housing	SECH - CA
------------------------------------	-----------

## SCMT CBL and MAP Amplitude Normalization in SFT-155/-255

Phase	MAP 1 Amplitude Plus MV			Value	Phase	MAP 2 Amplitude Plus MV			Value
Master				1208	Master				1275
	500.0 (Minimum)	1075 (Nominal)	1650 (Maximum)			500.0 (Minimum)	1075 (Nominal)	1650 (Maximum)	
Phase	MAP 3 Amplitude Plus MV			Value	Phase	MAP 4 Amplitude Plus MV			Value
Master				1182	Master				1049
	500.0 (Minimum)	1075 (Nominal)	1650 (Maximum)			500.0 (Minimum)	1075 (Nominal)	1650 (Maximum)	
Phase	MAP 5 Amplitude Plus MV			Value	Phase	MAP 6 Amplitude Plus MV			Value
Master				937.6	Master				990.2
	500.0 (Minimum)	1075 (Nominal)	1650 (Maximum)			500.0 (Minimum)	1075 (Nominal)	1650 (Maximum)	
Phase	MAP 7 Amplitude Plus MV			Value	Phase	MAP 8 Amplitude Plus MV			Value
Master				1063	Master				1166
	500.0 (Minimum)	1075 (Nominal)	1650 (Maximum)			500.0 (Minimum)	1075 (Nominal)	1650 (Maximum)	
Phase	CBL Amplitude Plus MV			Value					
Master				1363					
	1000 (Minimum)	1350 (Nominal)	1700 (Maximum)						
Master: Calibration out of date 6-Mar-2012 15:06									

Company: **ENCANA OIL & GAS (USA) INC****Schlumberger**Well: **HAGEN FEDERAL 15-16B (PC22)**Field: **SOUTH PARACHUTE**County: **GARFIELD**State: **COLORADO**

SLIM CEMENT MAPPING LOG

CBL-VDL

GAMMA RAY-CCL